



The new **SEAT**
Leon



Your technical bit.

Data &
Equipment.

- Standard
- Optional
- Not available

- ¹ With airbag deactivation for front passenger and only optional in combination with Leather electric seats.
- ² Mandatory for EU28, RHD countries and e-HYBRID. For countries not mandatory, only in combination with leather seats (WL1). For Turkey, Norway and Switzerland, this option does not require leather seats (WL1).
- ³ With Cruise Control system for Style, Xcellence and FR. Includes 3-point seat belts.
- ⁴ Not compatible with Navi System nor Safe & Driving Pack L/XL in combination with Media System+ 8,25".
- ⁵ Only available in combination with Navi System+ 10". Not compatible with Safe & Driving Pack M/L/XL in combination with Media System+ 8,25" neither with Safe & Driving Pack L/XL in combination with Navi System+ 10".
- ⁶ Requires LED interior Wraparound Ambient Light (PLH). Not compatible with Navi System nor Safe & Driving Pack M/XL in combination with Media System+ 8,25". Rear Traffic Alert in combination with Media System+ 8,25" will be available from w.48, 2020.
- ⁷ Requires LED interior Wraparound Ambient Light (PLH). Only available in combination with Navi System+ 10". Not compatible with Safe & Driving Pack M/L/XL in combination with Media System+ 8,25" neither with Safe & Driving Pack M/XL in combination with Navi System+ 10".
- ⁸ Only available with DQ engines. Requires LED interior Wraparound Ambient Light (PLH) and Safe and NCAP Pack (WSF). Not compatible with Navi System nor Safe & Driving Pack M/L in combination with Media System+ 8,25". Rear Traffic Alert in combination with Media System+ 8,25" will be available from w.48, 2020.
- ⁹ Only available with DQ engines. Requires LED interior Wraparound Ambient Light (PLH) and Safe and NCAP Pack (WSF). Only available in combination with Navi System+ 10". Not compatible with Safe & Driving Pack M/L/XL in combination with Media System+ 8,25" neither with Safe & Driving Pack M/L in combination with Navi System+ 10".
- ¹⁰ Not compatible with SEAT CONNECT (R3B and R3C).
- ¹¹ With 4 handholds for Style (5N4). Not compatible with towing hook from factory (PGR) and towing hook preparation (PRP) in combination with e-HYBRID engine.
- ¹² Not available for eTSI and TGI engines.
- ¹³ Includes standard wheel bolts.
- ¹⁴ Includes wheel bolts with anti-theft protection.
- ¹⁵ Includes standard wheel bolts. Not available for TGI engines.
- ¹⁶ Not available for DGI engine.
- ¹⁷ Not available for DG8 MQ engine.
- ¹⁸ Includes wheel bolts with anti-theft protection. Not available for DG8 MQ engine.
- ¹⁹ Available from w.48, 2020. Includes wheel bolts with anti-theft protection. Not available for DG8 MQ engine.
- ²⁰ Includes wheel bolts with anti-theft protection. Not available for DG8 MQ engine.
- ²¹ Optional only for engines until 110kW. Not available with DG8 MQ engines.
- ²² Not available for e-HYBRID and TGI engines. Not compatible with PBB.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Safety

	Reference	Style	Xcellence	FR
3-point seat belts in front and rear	●	●	●	●
Visual and acoustic seat belt reminder with electric contact in front and rear	●	●	●	●
Child seat anchors for child seat system i-Size	●	●	●	●
6 Airbags (2 front, 2 front side and 2 curtain) ¹	●	●	●	●
Side, curtain and central airbags ²	●	●	●	●
Rear side, knee and central airbags: Side airbag in front and rear with curtain airbag and interaction airbag in front. Also airbag for driver and front passenger with knee airbag and front passenger airbag deactivation	-	○	○	○
Safe Pack³: Forward collision warning with braking reaction to vehicles, pedestrians and cyclists. It includes multi-functional camera, lane keeping system, speed limiter and driver alert system	●	●	●	●
Safe and Driving Pack M in combination with Media System+ 8.25"⁴: High Beam Assist	-	○	○	○
Safe and Driving Pack M in combination with Navi System+⁵: High Beam Assist and Traffic Sign Recognition	-	○	○	○
Safe and Driving Pack L in combination with Media System+ 8.25"⁶: High Beam Assist, Side Assist and Exit Assist	-	-	○	○
Safe and Driving Pack L in combination with Navi System+⁷: Side Assist, Exit Assist, Exit Warning, High Beam Assist and Traffic Sign Recognition	-	-	○	○
Safe and Driving Pack XL in combination with Media System+ 8.25"⁸: Light Assist, Travel Assist, Adaptive Cruise Control, Exit Assist, Emergency Assist, Side Assist and Lane Assist Plus with lane central guidance and heated steering wheel	-	-	○	○
Safe and Driving Pack XL in combination with Navi System+⁹: Light Assist, Travel Assist, Adaptive Cruise Control Predictive, Side Assist, Exit Assist, Exit Warning, Emergency Assist, Traffic Sign Recognition and Lane Assist Plus with lane central guidance and heated steering wheel	-	-	○	○
Public emergency call (eCall) ¹⁰	○	○	○	○
Alarm with safe function	○	○	○	○

Exterior

	Reference	Style	Xcellence	FR
Exterior mirror in body colour	●	●	●	●
Rear spoiler	●	●	●	●
Electric sunroof with spoiler ¹¹	-	○	○	○
Sports bumpers	-	●	-	●
Heat-insulating windshield glass	●	●	●	●
Rear tinted windows	-	○	●	●
Chromed Pack with bright window frames	-	○	●	○
Glossy Black frame windows with black decorative trims	-	-	-	○
Breakdown kit	●	●	●	●
Tire pressure monitoring system	●	●	●	●
All season tires 205/55 R16 94V xl ¹²	○	○	-	-
All season tires 16"	-	○	-	-
All season tires 16" with Urban 16" steel wheel ¹³	○	-	-	-
All season tires 16" with Design 16" alloy wheels ¹⁴	○	-	-	-
Urban 15" steel wheels	●	-	-	-
Urban 16" 30/1 steel wheels ¹⁵	○	-	-	-
Urban 16" 30/2 alloy wheels ¹⁴	○	●	-	-
Dynamic 17" 30/3 alloy wheels ¹⁶	-	○	-	-
Dynamic 17" alloy wheels	-	-	●	-
Dynamic 17" alloy wheels	-	-	-	●
Performance 18" 30/4 Machined alloy wheels in Nuclear Grey ¹⁷	-	-	○	-
Performance 18" 30/6 Machined alloy wheels in Cosmo Grey ¹⁷	-	-	-	○
Performance 18" 30/9 Machined alloy wheels in Cosmo Grey ¹⁸	-	-	-	○
Performance 18" 30/8 Machined alloy wheels in Nuclear Grey ¹⁹	-	-	○	-
Performance 18" Machined aerowheels in Nuclear Grey ²⁰	-	-	○	-
Performance 18" Machined aerowheels in Cosmo Grey ²⁰	-	-	-	○
Performance 18" Machined alloy wheels with sporty tires ²¹	-	-	○	○
Spare wheel 18" ²²	○	○	○	○

- Standard
- Optional
- Not available

²³ Not compatible with towing hook from factory (PGR) and neither with electric sunroof (PTC) in combination with e-HYBRID engines. Not available for TGI and DGI engines.

²⁴ Not available for TGI or DGI engines.

²⁵ Three handholds.

²⁶ Four handholds.

²⁷ Not available with Storage Pack (PST) or foldable heated exterior mirrors (PFB). Requires SEAT Full LED (PXX).

²⁸ Available from w.45, 2020. Includes Winter Pack. Not available with Storage Pack (PST), foldable heated exterior mirrors (PFB) or door handle high on rear seats. Requires SEAT Full LED (PXX) and Side, Curtain/Knee and Central airbags (PA1/PA7).

²⁹ Only passenger seat for Reference.

³⁰ Only passenger seat for Style.

³¹ With central armrest for Xcellence and FR.

³² Optional for Style within Style Comfort Pack.

³³ Available from w.42, 2020 and only for e-HYBRID engines.

³⁴ Not available with eTSI, TGI and e-HYBRID engines. Neither available with Leather and Dinamica electric seats. Requires Style Comfort for Style (P2A) and includes mats in center console storage area, cupholder and front armrest (if available).

³⁵ Standard for TGI and e-HYBRID engines.

³⁶ Available from w.48, 2020. Requires SEAT Digital Cockpit (PFK) and includes SEAT CONNECT (R3B) with Safety & Services and Remote Access. In case of combining this pack with Full Link, only available with PML.

³⁷ Requires Emergency spare wheel 18" (PG6) and Style Comfort (P2A) for Style eTSI engines. Not available for e-HYBRID nor TGI engines. Only available in combination with Navi System+ (ZN2) or Media System+ (ZB9). For eTSI engines includes double floor (5A5 and 3GN).

³⁸ Requires Rear Parking Sensor (PAK) or Park Assist + PLA (PK5).

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Exterior	Reference	Style	Xcellence	FR
Tool kit	●	●	●	●
Tool kit and jack	○	○	○	○
Towing hook preparation ²³	○	○	○	○
Towing hook from factory ²⁴	○	○	○	○
Wheel bolts with unlockable anti-theft protection	○	○	○	○

Interior				
Folding grab handles ²⁵	●	●	-	-
Multi-piece folding grab handles ²⁶	-	-	●	●
Gearshift knob/handle in plastic	●	-	-	-
Gearshift knob/handle in leather	-	●	●	●
Grey greenhouse	●	●	●	●
Black greenhouse	-	-	○	○
Cloth comfort seats	●	●	●	●
Dinamica sport seats ²⁷	-	○	○	○
Leather Black sport seats ²⁸	-	○	○	○
Steering wheel with trim pin	-	-	●	●
Multi-functional sport leather steering wheel	-	●	●	●
Manual height adjustment for front seats ²⁹	●	●	●	●
Manual lumbar support adjustment for front seats ³⁰	-	●	●	●
Drawer under left front seat	-	●	●	●
Luggage pockets on backrest	-	●	●	●
Unsplit rear seat bench, split folding backrest ³¹	●	●	●	●
Comfort luggage compartment	●	●	●	●
Interior chrome inserts	-	●	●	●
Illuminated door step	-	-	●	●
Sun visors with illuminated mirror	-	●	●	●
Sun visors with ticket pocket on driver side and airbag label	●	-	-	-
Dimming breakaway interior rearview mirror	●	●	-	●
1 zone Climatronic	●	●	-	-
3 zone Climatronic ³²	-	○	●	●
One reading light in front	●	-	-	-
Two reading lights in front and two in rear	-	●	●	●

Interior	Reference	Style	Xcellence	FR
Operating voltage 12 V	●	●	●	●
Alternator 140 A	●	●	●	●
230 V socket in boot	○	○	○	○
Mode 3 charging cable for e-HYBRID ³³	-	-	○	○
SEAT Charger	-	-	○	○
SEAT Charger Pro	-	-	○	○
SEAT Charger Connect	-	-	○	○
Transport protection film	○	○	○	○

Storage Pack³⁴:

Drawer under the right front seat, document holder under left front seat, decorative inserts for console, cupholder, front armrest, horitzontal net in boot, double floor in boot and luggage compartment trim with storage compartments

Electronics

Instrument cluster with km/h speedometer	●	●	●	●
External USB with socket front	●	●	-	-
Antenna for FM reception only	●	●	●	●
SEAT Digital Cockpit ³⁵	-	○	●	●
SEAT Media System+ 8.25"	●	●	●	●
SEAT Media System+ 10" ³⁶	○	○	○	○
Multi-functional medium display computer	●	●	-	-
Mobile phone interface	-	●	●	●
4 speakers (passive)	●	-	-	-
6 speakers (passive)	-	●	●	●
BeatsAudio™ sound system³⁷: 9 premium speakers, a subwoofer box, a 340W amplifier and surround technology	-	○	○	○
Driving profile selector and conventional shock absorber	-	-	-	●
Interior Smart Wrapearound	-	-	-	●
LED Interior Ambient Light with Smart Wraparound	-	-	○	○
Interior Ambient Lighting	-	-	●	-
Rear View Camera ³⁸	-	○	○	○
Park Assist	-	○	○	○

● Standard
○ Optional
– Not available

³⁹ Not available for e-HYBRID, TGI, DGI and DG8 engines.
⁴⁰ Only available where Front Assist available.
⁴¹ Reference requires Reference Pack (W1A).
Not compatible with ZN2 and PMK.
⁴² Reference requires Reference Pack (W1A).
Not compatible with ZN2 and PMK. SOP w.48,2020.
⁴³ Requires ZN2. Not compatible with PML and PMQ.
⁴⁴ Requires SEAT Digital Cockpit (PFK), Cartography (PZ4) and includes SEAT CONNECT (R3C or R3D) with Safety & Services, Remote Access and Online Infotainment. Standard for e-HYBRID engines.
⁴⁵ Standard for e-HYBRID engines.
⁴⁶ Includes private Emergency Call, Safety Services for 10 years, Remote Access for 1 year and Online Infotainment for 1 year (renewals needed after). Not compatible with SEAT CONNECT for Media System+ (R3B) and eCall (REC). Requires Navi System+ (ZN2).
⁴⁷ Includes private Emergency Call, Safety Services for 10 years and Remote Access for 1 year (renewals needed after). Not compatible with SEAT CONNECT for Navi System+ (R3C) and eCall (REC).
⁴⁸ Without Safelock.
⁴⁹ Requires alarm.
⁵⁰ Only available for Style in combination with leather seats with memory feature (WL1/WL3). Requires SEAT Full LED (PXX).
⁵¹ Requires Safe and NCAP Pack (WSF).
⁵² Includes Air Quality Sensor (AQS), AirCare, iClimates and Climate Achieved functions (Climate Achieve function will be available from w.48, 2020).

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Electronics	Reference	Style	Xcellence	FR
Parking heater ³⁹	–	○	○	○
Pre-crash Assist ⁴⁰	–	○	○	○
Connectivity Box: Wireless charger and Mobile Signal Amplifier	–	○	○	○
Full Link via cable for Media System+ ⁴¹	○	○	○	○
Full Link via wifi for Media System+ 8,25 ^{W42}	○	○	○	○
Wireless Full Link technology for Navi System+ with Media Control ⁴³	–	○	○	○
Navi System+⁴⁴: Options in infotainment (MIB3), voice control and wireless “RSE App”	–	○	○	○
Cartography for Europe with Mapcare ⁴⁵	–	○	○	○
SEAT CONNECT with Navi System+ ⁴⁶	–	●	●	●
SEAT CONNECT with Media System+ ⁴⁷	●	●	●	●
Rear parking sensor with park distance control	–	○	●	●
Electronic Cruise Control system [CCS]	–	●	●	●
Central locking system Keyless Go ⁴⁸	●	●	–	●
Keyless Advanced ⁴⁸	–	○	●	○
Keyless Advanced with Safe ⁴⁹	–	○	○	○
Tailgate lid unlocking from outside	●	●	●	●
Electronic parking brake	●	●	●	●
Electronic differential lock XDS with dynamic traction support	●	●	●	●
Brake control system for vehicles without electric drive [ESC and electromechanical brake booster]	●	●	●	●
Electronic immobilizer	●	●	●	●
Speed-related variable steering assist (Servotronic)	●	●	●	●
Power-adjustable exterior mirrors	●	–	–	–
Power-adjustable heated exterior mirror	○	●	–	–
Foldable heated exterior mirrors with front passanger lowering function	–	○	●	●
Foldable heated exterior mirrors with memory function ⁵⁰	–	○	–	–
Windshield wiper intermittent control with potentiometer (four speeds)	●	●	–	●
Heat-insulating side and rear windows glass	●	●	–	–

Electronics	Reference	Style	Xcellence	FR
Power windows with comfort operation and circuit breaker	●	●	●	●
Single-tone horn	●	●	–	–
Two-tone horn	–	–	●	●
Headlight range control	●	●	●	●
Eco LED headlamps	●	●	●	●
Eco LED rear lamp	●	●	–	–
Full LED rear lamp [Infinite Light]	–	–	●	●
LED fog lamps with cornering function	○	○	●	●
Separate daytime running light with automatic headlight control	●	●	–	●
LED Interior Illumination Pack: Front and rear reading lights, sunvisor, boot and glove box in LED	–	●	–	–
LED Interior Illumination Pack: Front LED lights in footwell and conectivity box area LED illumination	–	○	–	–
Full LED with automatic headlight adjustment: LED Headlamp, Full LED rear lamps with dynamic light and Welcome Light	–	○	○	○
Reference Pack⁵¹: Multi-funcional sport leather steering wheel, mobile phone interface, gearshift knob/handle in leather, Cruise Control system and speed limiter	○	–	–	–
Style Comfort Pack: Center armrest in front, external USB in socket front and rear and 3-zone Climatronic with air conditioning control panel in rear ⁵²	–	○	●	●
Winter Pack⁴⁹: Heated front seats, wash water and steering wheel	–	○	○	○
Convenience Pack: Rain and auto-dimming light sensor with Coming and Leaving Home, windshield wiper intermittent control and breakaway interior rearview mirror	–	○	●	○
Dynamic and Comfort Pack⁵⁰: SEAT Drive Profile, Dynamic Chassis Control, Progressive steering, Sport HMI, disc brakes and shock absorption in front	–	–	○	○

Leon Sportstourer.

SEAT Sportstourer

- Standard
- Optional
- Not available

- ¹ With airbag deactivation for front passenger and only optional in combination with Leather electric seats.
- ² Mandatory for EU28, RHD countries and e-HYBRID. For countries not mandatory, only available in combination with leather seats (WL1). For Turkey, Norway and Switzerland, this option does not require leather seats (WL1).
- ³ With Cruise Control system for Style, Xcellence and FR. Includes 3-point seat belts.
- ⁴ Not compatible with Navi System nor Safe & Driving Pack L/XL in combination with Media System+ 8,25".
- ⁵ Only available in combination with Navi System+ 10". Not compatible with Safe & Driving Pack M/L/XL in combination with Media System+ 8,25" neither with Safe & Driving Pack L/XL in combination with Navi System+ 10".
- ⁶ Requires LED interior Wraparound Ambient Light (PLH). Not compatible with Navi System nor Safe & Driving Pack M/XL in combination with Media System+ 8,25". Rear Traffic Alert in combination with Media System+ 8,25" will be available from w.48, 2020.
- ⁷ Requires LED interior Wraparound Ambient Light (PLH). Only available in combination with Navi System+ 10". Not compatible with Safe & Driving Pack M/L/XL in combination with Media System+ 8,25" neither with Safe & Driving Pack M/XL in combination with Navi System+ 10".
- ⁸ Only available with DQ engines. Requires LED interior Wraparound Ambient Light (PLH) and Safe and NCAP Pack (WSF). Not compatible with Navi System nor Safe & Driving Pack M/L in combination with Media System+ 8,25". Rear Traffic Alert in combination with Media System+ 8,25" will be available from w.48, 2020.
- ⁹ Only available with DQ engines. Requires LED interior Wraparound Ambient Light (PLH) and Safe and NCAP Pack (WSF). Only available in combination with Navi System+ 10". Not compatible with Safe & Driving Pack M/L/XL in combination with Media System+ 8,25" neither with Safe & Driving Pack M/L in combination with Navi System+ 10".
- ¹⁰ Not compatible with SEAT CONNECT (R3B and R3C).
- ¹¹ With 4 handholds for Style (SN4). Not compatible with DG1 engine, neither with towing hook from factory (PGR) and towing hook preparation (PRP) in combination with e-HYBRID engine.
- ¹² Includes standard wheel bolts.
- ¹³ Includes wheel bolts with anti-theft protection.
- ¹⁴ Not available for TGI engines.
- ¹⁵ Not available for DG1 engine.
- ¹⁶ Not available for DG8 MQ engine.
- ¹⁷ Includes wheel bolts with anti-theft protection. Not available for DG8 MQ engine.
- ¹⁸ Available from w.48, 2020. Includes wheel bolts with anti-theft protection. Not available for DG8 MQ engine.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Safety	Reference	Style	Xcellence	FR
3-point seat belts in front and rear	●	●	●	●
Visual and acoustic seat belt reminder with electric contact in front and rear	●	●	●	●
Child seat anchors for child seat system i-Size	●	●	●	●
6 Airbags (2 front, 2 front side and 2 curtain) ¹	●	●	●	●
Side, curtain and central airbags ²	●	●	●	●
Rear side, knee and central airbags: Side airbag in front and rear with curtain airbag and interaction airbag in front. Also airbag for driver and front passenger with knee airbag and front passenger airbag deactivation	–	○	○	○
Safe Pack³: Forward collision warning with braking reaction to vehicles, pedestrians and cyclists. It includes multi-functional camera, lane keeping system, speed limiter and driver alert system	○	○	○	○
Safe and Driving Pack M in combination with Media System+ 8.25"⁴: High Beam Assist	–	○	○	○
Safe and Driving Pack M in combination with Navi System+⁵: High Beam Assist and Traffic Sign Recognition	–	○	○	○
Safe and Driving Pack L in combination with Media System+ 8.25"⁶: High Beam Assist, Side Assist and Exit Assist	–	–	○	○
Safe and Driving Pack L in combination with Navi System+⁷: Side Assist, Exit Assist, Exit Warning, High Beam Assist and Traffic Sign Recognition	–	–	○	○
Safe and Driving Pack XL in combination with Media System+ 8.25"⁸: Light Assist, Travel Assist, Adaptive Cruise Control, Exit Assist, Emergency Assist, Side Assist and Lane Assist Plus with lane central guidance and heated steering wheel	–	–	○	○
Safe and Driving Pack XL in combination with Navi System+⁹: Light Assist, Travel Assist, Adaptive Cruise Control Predictive, Side Assist, Exit Assist, Exit Warning, Emergency Assist, Traffic Sign Recognition and Lane Assist Plus with lane central guidance and heated steering wheel	–	–	○	○

Safety	Reference	Style	Xcellence	FR
Public emergency call (eCall) ¹⁰	○	○	○	○
Alarm with safe function	○	○	○	○
Exterior				
Exterior mirror in body colour	●	●	●	●
Rear spoiler	●	●	●	●
Panoramic sunroof with spoiler ¹¹	–	○	○	○
Sports bumpers	–	–	–	●
Heat-insulating windshield glass	●	●	●	●
Rear tinted windows	–	○	●	●
Black roof rails	●	●	–	●
Chromed Pack: Bright window frames and bright roof rails	–	○	●	○
Glossy Black Pack: Glossy black roof rails and black decorative trims	–	–	–	○
Breakdown kit	●	●	●	●
Tire pressure monitoring system	●	●	●	●
All season tires 205/55 R16 94V xl	○	○	–	–
All season tires 16"	–	○	–	–
All season tires 16" with Urban 16" steel wheel ¹²	○	–	–	–
All season tires 16" with Design 16" alloy wheels ¹³	○	–	–	–
Urban 15" steel wheels	●	–	–	–
Urban 16" 30/1 steel wheels ¹⁴	○	–	–	–
Urban 16" 30/2 alloy wheels	○	●	–	–
Dynamic 17" 30/3 alloy wheels ¹⁵	–	○	–	–
Dynamic 17" alloy wheels	–	–	●	–
Dynamic 17" alloy wheels	–	–	–	●
Performance 18" 30/4 Machined alloy wheels in Nuclear Grey ¹⁶	–	–	○	–
Performance 18" 30/6 Machined alloy wheels in Cosmo Grey ¹⁶	–	–	–	○
Performance 18" 30/9 Machined alloy wheels in Cosmo Grey ¹⁷	–	–	–	○
Performance 18" 30/8 Machined alloy wheels in Nuclear Grey ¹⁸	–	–	○	–

- Standard
- Optional
- Not available

¹⁹ Includes wheel bolts with anti-theft protection.

Not available for DGB MQ engine.

²⁰ Optional only for engines until 110 kW.

Not available with DGB MQ engines.

²¹ Not available for e-HYBRID and TGI engines.

Not compatible with PBB.

²² Not compatible with towing hook from factory (PGR) and neither with panoramic sunroof (PTC) in combination with e-HYBRID engines. Not available for TGI and DGI engines.

²³ Not compatible with towing hook preparation (PRP) or with panoramic sunroof (PTC) in combination with e-HYBRID engines. Not available for TGI or DGI engines.

²⁴ Four handholds.

²⁵ Not available with Storage Pack (PST) or foldable heated exterior mirrors (PFB). Requires SEAT Full LED (PXX).

²⁶ Available from w.45, 2020. Includes Winter Pack. Not available with Storage Pack (PST), foldable heated exterior mirrors (PFB) or door handle high on rear seats. Requires SEAT Full LED (PXX) and Side, Curtain/Knee and Central airbags (PA1/PA7).

²⁷ Only passenger seat for Reference.

²⁸ Only passenger seat for Style.

²⁹ With central armrest for Style, Xcellence and FR.

³⁰ Optional for Style within Style Comfort Pack.

³¹ Available from w.48, 2020 and only for e-HYBRID engines.

³² Not available with eTSI, TGI and e-HYBRID engines. Neither available with Leather and Dinamica electric seats. Requires Style Comfort for Style (P2A) and includes mats in center console storage area, cupholder and front armrest (if available).

³³ Standard for TGI & e-HYBRID engines.

³⁴ Available from w.48, 2020. Requires SEAT Digital Cockpit (PFK) and includes SEAT CONNECT (R3B) with Safety & Services and Remote Access. In case of combining this pack with Full Link, only available with PML.

³⁵ Requires Emergency spare wheel 18" (PG6) and Style Comfort (P2A) for Style eTSI engines. Not available for e-HYBRID nor TGI engines. Only available in combination with Navi System+ (ZN2) or Media System+ (ZB9). For eTSI engines includes double floor (5A5 and 3GN).

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Exterior	Reference	Style	Xcellence	FR
Performance 18" Machined aerowheels in Nuclear Grey ¹⁹	–	–	○	–
Performance 18" Machined aerowheels in Cosmo Grey ¹⁹	–	–	–	○
Performance 18" Machined alloy wheels with sporty tires ²⁰	–	–	○	○
Spare wheel 18" ²¹	○	○	○	○
Tool kit	●	●	●	●
Tool kit and jack	○	○	○	○
Towing hook preparation ²²	○	○	○	○
Towing hook from factory ²³	○	○	○	○
Wheel bolts with unlockable anti-theft protection	○	○	○	○

Interior				
Multi-piece folding grab handles ²⁴	●	●	●	●
Gearshift knob/handle in plastic	●	–	–	–
Gearshift knob/handle in leather	–	●	●	●
Grey greenhouse	●	●	●	●
Black greenhouse	–	–	○	○
Cloth comfort seats	●	●	●	●
Dinamica sport seats ²⁵	–	○	○	○
Leather Black sport seats ²⁶	–	○	○	○
Steering wheel with trim pin	–	–	●	●
Multi-functional sport leather steering wheel	–	●	●	●
Manual height adjustment for front seats ²⁷	●	●	●	●
Manual lumbar support adjustment for front seats ²⁸	–	●	●	●
Drawer under left front seat	–	●	●	●
Luggage pockets on backrest	–	●	●	●
Unsplit rear seat bench, split folding backrest ²⁹	●	●	●	●
Comfort luggage compartment	●	●	●	●
Interior chrome inserts	–	●	●	●
Illuminated door step	–	–	●	●
Sun visors with illuminated mirror	–	●	●	●

Interior	Reference	Style	Xcellence	FR
Sun visors with ticket pocket on driver side and airbag label	●	–	–	–
Dimming breakaway interior rearview mirror	●	●	–	●
1 zone Climatronic	●	●	–	–
3 zone Climatronic ³⁰	–	○	●	●
One reading light in front	●	●	–	–
Two reading lights in front and two in rear	–	●	●	●
Operating voltage 12 V	●	●	●	●
Alternator 140 A	●	●	●	●
230 V socket in boot	○	○	○	○
Mode 3 charging cable for e-HYBRID ³¹	–	–	○	○
SEAT Charger	–	–	○	○
SEAT Charger Pro	–	–	○	○
SEAT Charger Connect	–	–	○	○
Transport protection film	○	○	○	○

Storage Pack³²:

Drawer under the right front seat, document holder under left front seat, decorative inserts for console, cupholder, front armrest, horizontal net in boot, double floor in boot and luggage compartment trim with storage compartments

Electronics				
Instrument cluster with km/h speedometer	●	●	●	●
External USB with socket front	●	●	–	–
Antenna for FM reception only	●	●	●	●
SEAT Digital Cockpit ³³	–	○	●	●
SEAT Media System+ 8.25"	●	●	●	●
SEAT Media System+ 10" ³⁴	○	○	○	○
Multi-functional medium display computer	●	●	–	–
Mobile phone interface	–	●	●	●
4 speakers (passive)	●	–	–	–
6 speakers (passive)	–	●	●	●
BeatsAudio™ sound system ³⁵ : 9 premium speakers, a subwoofer box, a 340W amplifier and surround technology	–	○	○	○

● Standard
○ Optional
– Not available

³⁶ Requires Rear Parking Sensor (PAK) or Park Assist + PLA (PK5).

³⁷ Not available for e-HYBRID, TGI, DGI and DGI8 (MQ) engines.

³⁸ Only available where Front Assist available.

³⁹ Reference requires Reference Pack (WIA).

Not compatible with ZN2 and PMK.

⁴⁰ Reference requires Reference Pack (WIA).

Not compatible with ZN2 and PMK. SOP w.48,2020.

⁴¹ Requires ZN2. Not compatible with PML and PMQ.

⁴² Requires SEAT Digital Cockpit (PFK), Cartography (PZ4)

and includes SEAT CONNECT (R3C or R3D) with Safety

& Services, Remote Access and Online Infotainment.

Standard for e-HYBRID engines.

⁴³ Standard for e-HYBRID engines.

⁴⁴ Includes private Emergency Call, Safety Services for 10 years,

Remote Access for 1 year and Online Infotainment for 1 year

(renewals needed after). Not compatible with SEAT CONNECT

for Media System+ (R3B) and eCall (REC).

Requires Navi System+ (ZN2).

⁴⁵ Includes private Emergency Call, Safety Services for 10 years

and Remote Access for 1 year (renewals needed after).

Not compatible with SEAT CONNECT for Navi System+

(R3C) and eCall (REC).

⁴⁶ Without Safelock.

⁴⁷ Requires alarm.

⁴⁸ Only available for Style in combination with leather seats

with memory feature (WL1/WL3). Requires SEAT Full LED (PXX).

⁴⁹ Requires Safe and NCAP Pack (WSF).

⁵⁰ Includes Air Quality Sensor (AQS), AirCare, Climates and

Climate Achieved functions (Climate Achieve function will be

available from w.48, 2020).

⁵¹ Not available with Leather electric seats.

⁵² Only available for DQ9, DS9, DN4, D8I and ML7 engines.

Not available for TGI engines.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Electronics	Reference	Style	Xcellence	FR
Interior Smart Wrapearound	–	–	–	●
LED Interior Ambient Light with Smart Wraparound	–	–	○	○
Interior Ambient Lighting	–	–	●	–
Rear View Camera ³⁶	–	○	○	○
Park Assist	–	○	○	○
Parking heater ³⁷	–	○	○	○
Pre-crash Assist ³⁸	–	○	○	○
Connectivity Box: Wireless charger and mobile signal amplifier	–	○	○	○
Full Link via cable for Media System+ ³⁹	○	○	○	○
Full Link via wifi for Media System+ 8,25 ⁴⁰	○	○	○	○
Wireless Full Link for Navi System+ with Media Control ⁴¹	–	○	○	○
Navi System+⁴²: Options in infotainment (MIB3), voice control and wireless RSE “App”	–	○	○	○
Cartography for Europe with Mapcare ⁴³	–	○	○	○
SEAT CONNECT with Navi System+ ⁴⁴	–	●	●	●
SEAT CONNECT with Media System+ ⁴⁵	●	●	●	●
Rear parking sensor with park distance control	–	○	●	●
Electronic Cruise Control system (CCS)	–	●	●	●
Central locking system Keyless Go ⁴⁶	●	●	–	●
Keyless Advanced ⁴⁶	–	○	●	○
Keyless Advanced with Safe ⁴⁷	–	○	○	○
Tailgate lid unlocking from outside	●	●	●	●
Electronic parking brake	●	●	●	●
Electronic differential lock XDS with dynamic traction support	●	●	●	●
Brake control system for vehicles without electric drive (ESC and electromechanical brake booster)	●	●	●	●
Electronic immobilizer	●	●	●	●
Speed-related variable steering assist (Servotronic)	●	●	●	●
Power-adjustable exterior mirrors	●	–	–	–
Power-adjustable heated exterior mirror	○	●	–	–
Foldable heated exterior mirrors with front passanger lowering function	–	○	●	●

Electronics	Reference	Style	Xcellence	FR
Foldable heated exterior mirrors with memory function ⁴⁸	–	○	–	–
Windshield wiper intermittent control with potentiometer (four speeds)	●	●	–	●
Heat-insulating side and rear windows glass	●	●	–	–
Power windows with comfort operation and circuit breaker	●	●	●	●
Single-tone horn	●	●	–	–
Two-tone horn	–	●	●	●
Headlight range control	●	●	●	●
Eco LED headlamps	●	●	●	●
Full LED rear lamp (Infinite Light)	●	●	●	●
LED fog lamps with cornering function	○	○	●	●
Separate daytime running light with automatic headlight control	●	●	–	●
LED Interior Illumination Pack: Front and rear reading lights, sunvisor, boot and glove box in LED	–	●	–	–
LED Interior Illumination Pack: Front LED lights in footwell and conectivity box area LED illumination	–	○	–	–
Full LED with automatic headlight adjustment: LED Headlamp, Full LED rear lamps with dynamic light and Welcome Light	–	○	○	○
Reference Pack⁴⁹: Multi-funcional sport leather steering wheel, mobile phone interface, gearshift knob/handle in leather, Cruise Control system and speed limiter	○	–	–	–
Style Comfort Pack: Center armrest in front, external USB in socket front and rear and 3-zone Climatronic with air conditioning control panel in rear ⁵⁰	–	○	●	●
Winter Pack⁵¹: Heated front seats, wash water and steering wheel	–	○	○	○
Convenience Pack: Auto-dimming Light and Rain Sensor with Coming and Leaving Home, windshield wiper intermittent control and breakaway interior rearview mirror	–	○	●	○
Dynamic and Comfort Pack⁵²: SEAT Drive Profile, Dynamic Chassis Control, Progressive steering, Sport HMI, disc brakes and shock absorption in front	–	–	○	○

Accessories.

Customisation

Rear spoiler in Cosmo Grey	5FA071640 GRU*
Side skirts in Cosmo Grey	5FA071685 GRU*
Rear diffuser in Cosmo Grey	5FA071611A 67E*
Rear spoiler in Carbon fibre	5FA071606*
Exterior mirrors in Carbon fibre	5FA072530*
Rear spoiler in body colour	5FA071640 GRU*
Side skirts in body colour	5FA071685 GRU*
Front moulding in matt chrome	5FA071005
Rear diffuser in matt chrome	5FA071611A 3Q7*
Pedals [manual]	5FA064200 3Q7*
Pedals [automatic]	5FA064205 3Q7*
Footrest	5FA071750 3Q7*

Transport

Surf rack	000071120HA
Ski rack for 4 pairs or 2 snowboards	000071129S
Ski rack for 6 pairs or 4 snowboards	000071129T
Ski rack xtender	000071129R
Roof box - 400l	000071200T
Roof box - 420l	000071200AB
Roof box - 450l	000071180A
Roof box - 460l	000071200AG
Roof Bars	5FA071151
Bag for SEAT roof bars	000071156C
Tow bar	5FA092160A
Electric kit (w/o prewiring)	5FA055204
Bike rack	5F9071128
Towing Bike Rack	000071128G
Towing ski rack	000071129L
Towing bracket bicycle carrier	000071128H
Bicycle rack extension kit	000071128J
Load-Stop rack	000071223

Interior

Inox side sills	5FA071691A
Foil side sills	5FA071310
Chrome-plated hanger	000061127E
Multi-hanger	000061127D

Protection

Floor mats serie	5FB863011 LOE
Floor mats serie [right hand drive vehicles]	5FC863011 LOE
Floor mats serie MHEV	5FB863011C LOE
Floor mats serie MHEV [right hand drive vehicles]	5FC863011C LOE
Classic floor mats FR	5FB863011B LOE
Classic floor mats FR [right hand drive vehicles]	5FC863011B LOE
Classic floor mats XC	5FB863011A LOE
Classic floor mats XC [right hand drive vehicles]	5FC863011A LOE
TPE Tuftting floor mats	5FB061675A 04l
Custom floor mats	5FB061675 04l
Rubber floor mats	5FB061500 04l
Rubber floor mats [right hand drive vehicles]	5FC061500 04l
Rear bumper protective foil	5FA071363
Rear bumper protective moulding	5FA061155
Semi rigid boot tray	5FA061201B
Foam boot tray	5FA061201
High walls boot tray	5FA061201C
Reversible boot mat	5FA061201A
Key cover FR	5FA087013B
Key cover XC	5FA087013A
Key cover Leather	5FA087013
Front mudflaps	5FA075111
Rear mudflaps	5FA075101
Car cover	5FA061701
Protective seat cover for dogs	000061609C

Infotainment

Parrot® MiniKit Neo 2 HD - BLACK	000051473AE041
Start 62 EU 45	000051818CE
GO 520 EU 45	000051818CJ
GO 620 EU 45	000051818CK
GO 5200 EU 45	000051818CL
GO 6200 EU 45	000051818CM
Universal magnetic mount	000051991K
Tetrax XWAY	000096320GMAAA
Tetrax SMART	000096320GMAAB
Tetrax FIX	000096320GMAAC
SEAT Full Link	5F0054830
Navlet 10i Full Hd Tablet + Support	000051232R
USB to Type C adapter	000051444AP
Charging cable 3 in 1	000051444AM
Inductive charger	000051763Q
Universal smartphone support	000061129F

* Accessories available from the first quarter of 2021.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Security	
ISOFIX Duo Plus	000019909G
SEAT PEKE G1 I-Size Trifix	000019909F
SEAT PEKE Peke GO I-Size	000019907A
Base ISOFIX PEKE GO i-Size	000019230L
ISOFIX Baby-safe Plus SHR II	000019907B
Base ISOFIX Peke for Baby-safe Plus SHR II	000019230C
KIDFIX XP safety seat	000019906M
Safety Dog Harness - Size XL	000084310B
Safety Dog Harness - Size L	000084310C
Safety Dog Harness - Size M	000084310D
Safety Dog Harness - Size S	000084310E
CB alarm for klaxon	000054600
SAMART safety pack	000093996C
9,900 mAh battery jump starter	000051763F
20,000 mAh battery jump starter + charger	000051763H
Lamp box H1 + H3 + H8	000052001B
H1 Xenon bulb + 90%	000052001M
H3 Xenon bulb + 90%	000052003M
H4 lamp box	000052004C
H4 Xenon bulb + 90%	000052004M
H7 lamp box.	000052007B
H7 Xenon bulb + 90%	000052007M
C5W 41mm LED	000052010B
T4W LED	000052010C
C5W 36 mm LED	000052010D
W5W LED	000052010E
Beeper parking sensor	000054752D
Folding shovel	000069704A
Smart tracker key finder	000087013BB
Warning triangle	000093056A - 000093600B
Safety reflective vest	000093056J
Emergency triangle pack	000093600C

Security	
Fluorescent vest	000093900ID - 000093900SA - 000093901ID
Safety Pack (triangles + vest)	000093990R
Seat belt Top Tether	3R0019900
Triangle fastening support	6K0860265
Kaza live alert smartwatch	000054635E
Additional interior mirror	000084418A
Help Flash	000052122A
Seat belt pad	000069629B
Automatic puncture kit	000093059AE
Current converter 300W	000063828
Rear baby mirror	000072549C

Maintenance	
First-aid kit	6L0093000
Insect remover	000096320FRABH
Interior cleaner	000096320FRABK
Dashboard Cleaner	000096320FRABM
300 ml concentrated shampoo	000096320GFAAB
300 ml windscreen wash	000096320GFAAD
Summer maintenance kit	000096354B
Winter maintenance Kit	000071980BPADA
Maintenance kit	000071980CL
Insilver Passion refill air freshener	000091500E
Mixt fruit refill air freshener	000091500FM
Red fruits refill air freshener	000091500FR
Mild herbs air freshener refill	000091500HS
Alize aroma air freshener	000091500L
Calima aroma air freshener	000091500M
Fresh mint refill air freshener	000091500MC
Mistral aroma air freshener	000091500N
Sirocco aroma air freshener	000091500P
Zephyros aroma air freshener	000091500Q

Child car seats	Age (approximate)
SEAT PEKE Peke GO I-Size Plus	Up to 15 months
ISOFIX Baby-safe Plus SHR II	Up to 15 months
SEAT PEKE G1 I-Size Trifix	9 months to 4 years
ISOFIX Duo Plus	9 months to 4 years
Child safety Kidfix XP	4 to 12 years

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Accessories.

Customisation

Rear spoiler in Cosmo Grey	5FE071640 GRU*
Side skirts in Cosmo Grey	5FA071685 GRU*
Exterior mirrors in Carbon fibre	5FA072530*
Rear spoiler in body colour	5FE071640 GRU*
Side skirts in body colour	5FA071685 GRU*
Front moulding in matt chrome	5FA071005
Rear diffuser in matt chrome	5FE071611 3Q7*
Pedals (manual)	5FA064200 3Q7*
Pedals (automatic)	5FA064205 3Q7*
Footrest	5FA071750 3Q7*

Transport

Surf rack	000071120HA
Ski rack for 4 pairs or 2 snowboards	000071129S
Ski rack for 6 pairs or 4 snowboards	000071129T
Ski rack xtender	000071129R
Roof box - 400l	000071200T
Roof box - 420l	000071200AB
Roof box - 450l	000071180A
Roof box - 460l	000071200AG
Roof Bars	5FE071151
Bag for SEAT roof bars	000071156C
Tow bar	5FA092160A
Electric kit (w/o prewiring)	5FA055204
Bike rack	5F9071128
Towing Bike Rack	000071128G
Towing ski rack	000071129L
Towing bracket bicycle carrier	000071128H
Bicycle rack extension kit	000071128J
Load-Stop rack	000071223

Interior

Inox side sills	5FA071691A
Foil side sills	5FA071310
Chrome-plated hanger	000061127E
Multi-hanger	000061127D

Protection

Floor mats serie	5FB863011 LOE
Floor mats serie (right hand drive vehicles)	5FC863011 LOE
Floor mats serie MHEV	5FB863011C LOE
Floor mats serie MHEV (right hand drive vehicles)	5FC863011C LOE
Classic floor mats FR	5FB863011B LOE
Classic floor mats FR (right hand drive vehicles)	5FC863011B LOE
Classic floor mats XC	5FB863011A LOE
Classic floor mats XC (right hand drive vehicles)	5FC863011A LOE
TPE Tuftting floor mats	5FB061675A 04l
Custom floor mats	5FB061675 04l
Rubber floor mats	5FB061500 04l
Rubber floor mats (right hand drive vehicles)	5FC061500 04l
Rear bumper protective foil	5FA071363
Rear bumper protective moulding	5FE061155
Semi rigid boot tray	5FE061201B
Foam boot tray	5FE061201
High walls boot tray	5FE061201C
Reversible boot mat	5FE061201A
Key cover FR	5FA087013B
Key cover XC	5FA087013A
Key cover Leather	5FA087013
Front mudflaps	5FA075111
Rear mudflaps	5FE075101
Car cover	5FE061701
Protective seat cover for dogs	000061609C
Separation grille	5FE017221*

Infotainment

Parrot® MiniKit Neo 2 HD - BLACK	000051473AE041
Start 62 EU 45	000051818CE
GO 520 EU 45	000051818CJ
GO 620 EU 45	000051818CK
GO 5200 EU 45	000051818CL
GO 6200 EU 45	000051818CM
Universal magnetic mount	000051991K
Tetrax XWAY	000096320GMAAA
Tetrax SMART	000096320GMAAB
Inductive charger	000051763Q
Tetrax FIX	000096320GMAAC
SEAT Full Link	5F0054830
Navlet 10i Full Hd Tablet + Support	000051232R
USB to Type C adapter	000051444AP
Charging cable 3 in 1	000051444AM
Universal smartphone support	000061129F

* Accessories available from the first quarter of 2021.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Security	
ISOFIX Duo Plus	000019909G
SEAT PEKE G1 I-Size Trifix	000019909F
SEAT PEKE Peke GO I-Size	000019907A
Base ISOFIX PEKE GO i-Size	000019230L
ISOFIX Baby-safe Plus SHR II	000019907B
Base ISOFIX Peke for Baby-safe Plus SHR II	000019230C
KIDFIX XP safety seat	000019906M
Safety Dog Harness - Size XL	000084310B
Safety Dog Harness - Size L	000084310C
Safety Dog Harness - Size M	000084310D
Safety Dog Harness - Size S	000084310E
CB alarm for klaxon	000054600
SAMART safety pack	000093996C
9,900 mAh battery jump starter	000051763F
20,000 mAh battery jump starter + charger	000051763H
Lamp box H1 + H3 + H8	000052001B
H1 Xenon bulb + 90%	000052001M
H3 Xenon bulb + 90%	000052003M
H4 lamp box	000052004C
H4 Xenon bulb + 90%	000052004M
H7 lamp box.	000052007B
H7 Xenon bulb + 90%	000052007M
C5W 41mm LED	000052010B
T4W LED	000052010C
C5W 36 mm LED	000052010D
W5W LED	000052010E
Beeper parking sensor	000054752D
Folding shovel	000069704A
Smart tracker key finder	000087013BB
Warning triangle	000093056A - 000093600B
Safety reflective vest	000093056J
Emergency triangle pack	000093600C

Security	
Fluorescent vest	000093900ID - 000093900SA - 000093901ID
Travel pack - LongLife III 5W-30 Castrol EDGE Professional	000093990AL
Travel pack - OriLHDnal LongLife III 5W-31	000093990AM
Safety Pack (triangles + vest)	000093990R
Seat belt Top Tether	3R0019900
Triangle fastening support	6K0860265
Kaza live alert smartwatch	000054635E
Additional interior mirror	000084418A
Help Flash	000052122A
Seat belt pad	000069629B
Automatic puncture kit	000093059AE
Current converter 300W	000063828
Rear baby mirror	000072549C

Maintenance	
First-aid kit	6L0093000
Insect remover	000096320FRABH
Interior cleaner	000096320FRABK
Dashboard Cleaner	000096320FRABM
300ml concentrated shampoo	000096320GFAAB
300ml windscreen wash	000096320GFAAD
Summer maintenance kit	000096354B
Winter maintenance Kit	000071980BPADA
Maintenance kit	000071980CL
Insilver Passion refill air freshener	000091500E
Mixt fruit refill air freshener	000091500FM
Red fruits refill air freshener	000091500FR
Mild herbs air freshener refill	000091500HS
Alize aroma air freshener	000091500L
Calima aroma air freshener	000091500M
Fresh mint refill air freshener	000091500MC
Mistral aroma air freshener	000091500N
Sirocco aroma air freshener	000091500P
Zephyros aroma air freshener	000091500Q

Child car seats	Age (approximate)
SEAT PEKE Peke GO I-Size Plus	Up to 15 months
ISOFIX Baby-safe Plus SHR II	Up to 15 months
SEAT PEKE G1 I-Size Trifix	9 months to 4 years
ISOFIX Duo Plus	9 months to 4 years
Child safety Kidfix XP	4 to 12 years

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Engine specs.

Engine	1.0 TSI 90 HP (66 kW) Man-5	1.0 TSI 110 HP (81 kW) Man-6	1.0 eTSI 110 HP (81 kW) DSG - 7
Cylinder/Valve (total)	3/12	3/12	3/12
Displacement (cc)	999	999	999
Cylinder bore and stroke (mm)	74.5/76.4	74.5/76.4	74.5/76.4
Compression ratio	11.5	11.5	11.5
Maximum power (kW [HP]/rpm)	66 (90)/5500	81 (110)/5500	81 (110) /5500
Maximum torque (Nm/rpm)	175/1600-3000	200/2000 - 3000	200/2000 - 3000
Fuel supply system	TSI Direct Injection	TSI Direct Injection	TSI Direct Injection
Ignition	Electronic map-controlled ignition		
Atmospheric/Supercharged	Turbo charged	Turbo charged	Turbo charged
Fuel type	ROZ 95	ROZ 95	ROZ 95
Oil capacity in initial fill (l)	4.3	4.3	4.3
Emission control			
Alternator [A]	140 ME	140 ME	
Battery [Ah/A]	59 - 68-70/320 - 380 - 420	59 - 68 - 70/320 - 380 - 420	59-68-70/320-380-420
Performance			
Maximum speed (km/h)	183 (IV)	197 (V)	192 (VI)
Acceleration 0-80 km/h [s]	8.1	7.2	7.3
Acceleration 0-100 km/h [s]	12.6	10.9	10.8
Acceleration 80-120 km/h [s]	12	12	13.1
Acceleration 1000 m [s]	34.4	32.6	32.7
Fuel consumption			
Urban (l/100 km)	-	-	-
Extra urban (l/100 km)	-	-	-
Combined (l/100 km)	-	-	-
CO ₂ mass emission			
CO ₂ Urban (g/km)	-	-	-
CO ₂ Extra Urban (g/km)	-	-	-
CO ₂ Combined (g/km)	-	-	-
Transmission			
Gearbox type	MQ200-5F	MQ200-6F	DQ200-7F
Ratios	I 3.769	3.769	3.765
	II 1.947	1.947	2.273
	III 1.212	1.281	1.531
	IV 0.881	0.973	1.133
	V 0.673	0.778	1.176
	VI	0.642	0.956
	VII		0.795

The data shown is provisional

Transmission	1.0 TSI 90 HP (66 kW) Man-5	1.0 TSI 110 HP (81 kW) Man-6	1.0 eTSI 110 HP (81 kW) DSG - 7
	R	3.640	3.640
Group 1 ratio	4.056	4.056	4.169
Group 2 ratio			4.438
Group 3 ratio			3.227
Speed 1000 rpm in IV/V/VI/VII (km/h)	32.6/42.7/-/-	30.0/37.5/45.4/-	23.5/31.1/38.3/46.1
Chassis			
Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber		
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber		
Steering System	R-EPS (Rack Electric Power System)		
Turning diameter (m)	10.5/11.2 (between walls)		
Brake system	Dual hydraulic circuit and brake system diagonal split with electric brake booster		
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes		
Front brakes (mm)	276×24	276×24	288×25
Rear brakes (mm)	272×10	272×10	272×10
Wheels			
Rims	6J×15 ET43 - 6.5J×16 ET46 7J×16 ET43 - 7.5J×17 ET46	6J×15 ET43 - 6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46
Tyres	195/65 R15 91H 205/55 R16 91V - 225/45 R17 91W	195/65 R15 91H - 205/55 R16 91V 225/45 R17 91W - 205/50R17 93V - 225/40 R18 92Y	205/55 R16 91V - 225/45 R17 91W 205/50R17 93V - 225/40 R18 92Y
Dimensions			
Body type	5D	5D	5D
Length/width/height (mm)	4368/1799/1456	4368/1799/1456	4368/1799/1456
Length/width/height FR (mm)	4368/1799/1442	4368/1799/1442	4368/1799/1442
Wheelbase (mm)	2686	2686	2686
Wheelbase FR (mm)	2684	2684	2684
Track front/rear (mm)	ET 43 1550/1520	ET 43 1550/1520	ET 43 1550/1520
Track front/rear FR (mm)	ET 46 1544/1514	ET 46 1544/1514	ET 46 1544/1514
Boot capacity (l)	380	380	380
Fuel tank capacity (l)	45	45	45
Weights			
In running order with driver (kg)	1275	1279	1330
In running order with driver (kg) Front/Rear	764/511	770/509	809/521
Maximum weight allowed (kg)	1750	1750	1860
Maximum towing weight without brake (kg)	630	630	660
Maximum towing weight w/brake 8% (kg)	1300	1500	1500
Maximum towing weight w/brake 12% (kg)	1100	1300	1300

For more information about official fuel consumption and CO₂ emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Engine specs.

Engine	1.5 TSI 130HP (96kW) Man-6	1.5 TSI 150HP (110kW) Man-6	1.5 eTSI 150HP (110kW) DSG-7
Cylinder/Valve (total)	4/16	4/16	4/16
Displacement (cc)	1498	1498	1498
Cylinder bore and stroke (mm)	74.5/85.9	74.5/85.9	74.5/85.9
Compression ratio	12.5	10.5	10.5
Maximum power (kW [HP]/rpm)	96 (130)/5000 - 6000	110 (150)/5000 - 6000	110 (150)/5000 - 6000
Maximum torque (Nm/rpm)	200/1400 - 4000	250/1500 - 3500	250/1500 - 3500
Fuel supply system	TSI Direct Injection	TSI Direct Injection	TSI Direct Injection
Ignition	Electronic map-controlled ignition		
Atmospheric/Supercharged	Turbo charged	Turbo charged	Turbo charged
Fuel type	ROZ 95	ROZ 95	ROZ 95
Oil capacity in initial fill (l)	4.8	4.8	4.8
Emission control			
Alternator [A]	140ME	140ME	140ME
Battery [Ah/A]	59 - 68 - 70/320 - 380 - 420	59 - 68 - 70/320 - 380 - 420	59 - 68 - 70/320 - 380 - 420
Performance			
Maximum speed (km/h)	208 (V)	217 (V)	217 (VI)
Acceleration 0-80 km/h [s]	6.3	6.1	6.0
Acceleration 0-100 km/h [s]	9.4	8.7	8.5
Acceleration 80-120 km/h [s]	11.9	10.6	11.3
Acceleration 1000 m [s]	31.1	29.9	29.7
Fuel consumption			
Urban (l/100 km)	-	-	-
Extra urban (l/100 km)	-	-	-
Combined (l/100 km)	-	-	-
CO ₂ mass emission			
CO ₂ Urban (g/km)	-	-	-
CO ₂ Extra Urban (g/km)	-	-	-
CO ₂ Combined (g/km)	-	-	-
Transmission			
Gearbox type	MQ200GA-6F	MQ281-6F	DQ200-7F
Ratios	I 3.615	3.750	3.500
	II 1.947	1.952	2.087
	III 1.281	1.200	1.343
	IV 0.973	0.925	0.933
	V 0.778	0.767	0.974
	VI 0.642	0.652	0.778
	VII		0.653

The data shown is provisional

Transmission	1.5 TSI 130HP (96kW) Man-6	1.5 TSI 150HP (110kW) Man-6	1.5 eTSI 150HP (110kW) DSG-7
	R 3.182	3.583	3.722
Group 1 ratio	4.056	3.684	4.800
Group 2 ratio		3.684	3.429
Group 3 ratio			4.500
Speed 1000 rpm in IV/V/VI/VII (km/h)	29.8/37.3/45.2/-	33.9/40.9/48.1/-	25.8/34.7/43.4/51.7
Chassis			
Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber		
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber		
Steering System	R-EPS (Rack Electric Power System)		
Turning diameter (m)	10.5/11.2 (between walls)		
Brake system	Dual hydraulic circuit and brake system diagonal split with electric brake booster		
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes		
Front brakes (mm)	288×25	288×25	288×25
Rear brakes (mm)	272×10	272×10	272×10
Wheels			
Rims	6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46
Tyres	205/55 R16 91V - 225/45 R17 91W 205/50R17 93V - 225/40 R18 92Y	205/55 R16 91V - 225/45 R17 91W 205/50R17 93V - 225/40 R18 92Y	205/55 R16 91V - 225/45 R17 91W 205/50R17 93V - 225/40 R18 92Y
Dimensions			
Body type	5D	5D	5D
Length/width/height (mm)	4368/1799/1456	4368/1799/1456	4368/1799/1456
Length/width/height FR (mm)	4368/1799/1442	4368/1799/1442	4368/1799/1442
Wheelbase (mm)	2686	2686	2686
Wheelbase FR (mm)	2684	2684	2684
Track front/rear (mm)	ET 43 1550/1520	ET 43 1550/1520	ET 43 1550/1520
Track front/rear FR (mm)	ET 46 1544/1514	ET 46 1544/1514	ET 46 1544/1514
Boot capacity (l)	380	380	380
Fuel tank capacity (l)	45	45	45
Weights			
In running order with driver (kg)	1318	1330	1361
In running order with driver (kg) Front/Rear	798/520	812/518	839/522
Maximum weight allowed (kg)	1860	1870	1900
Maximum towing weight without brake (kg)	650	660	680
Maximum towing weight w/brake 8% (kg)	1700	1700	1700
Maximum towing weight w/brake 12% (kg)	1400	1500	1500

For more information about official fuel consumption and CO₂ emissions values visit your local SEAT website.
Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Engine specs.

Engine	2.0 TDI evo 115 HP [85 kW] Man-6	2.0 TDI evo 150 HP [110 kW] DSG-7	1.5 TGI 130 HP [96 kW] DSG-7¹
Cylinder/Valve (total)	4/16	4/16	
Displacement (cc)	1968	1968	
Cylinder bore and stroke (mm)	81.0/95.5	81.0/95.5	
Compression ratio	16	16	
Maximum power (kW [HP]/rpm)	85 (115)/2750 - 4250	110 (150)/3000 - 4200	96 (130)
Maximum torque (Nm/rpm)	300/1600 - 2500	360/1600 - 2750	
Fuel supply system	Direct Injection: Common Rail	Direct Injection: Common Rail	
Ignition	Compressed ignition		
Atmospheric/Supercharged	Turbo charged	Turbo charged	
Fuel type	Diesel	Diesel	
Oil capacity in initial fill (l)	5.0	5.0	
Emission control			
Alternator [A]	140 ME	140 ME	
Battery [Ah/A]	68 - 70/380 - 420	68 - 70/380 - 420	
Performance			
Maximum speed (km/h)	200 [V]	215 [VI]	206*
Acceleration 0-80 km/h [s]	6.7	5.9	
Acceleration 0-100 km/h [s]	10.2	8.5	9.7*
Acceleration 80-120 km/h [s]	11.0	9.3	
Acceleration 1000 m [s]	32.1	29.9	
Fuel consumption			
Urban (l/100 km)	-	-	-
Extra urban (l/100 km)	-	-	-
Combined (l/100 km)	-	-	-
CO₂ mass emission			
CO₂ Urban (g/km)	-	-	-
CO₂ Extra Urban (g/km)	-	-	-
CO₂ Combined (g/km)	-	-	-
Transmission			
Gearbox type	MQ281-6F	DQ381-7F	
Ratios	I 3.750	3.579	
	II 1.952	2.750	
	III 1.200	1.677	
	IV 0.878	0.889	
	V 0.711	0.677	
	VI 0.604	0.722	
	VII	0.561	

The data shown is provisional

Transmission	2.0 TDI evo 115 HP [85 kW] Man-6	2.0 TDI evo 150 HP [110 kW] DSG-7	1.5 TGI 130 HP [96 kW] DSG-7¹
	R	3.580	2.900
Group 1 ratio	3.238	4.167	
Group 2 ratio	3.238	3.125	
Group 3 ratio			
Speed 1000 rpm in IV/V/VI/VII (km/h)	40.7/50.5/59.7/-	31.2/41.0/51.2/66.0	
Chassis			
Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber		
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber		
Steering System	R-EPS (Rack Electric Power System)		
Turning diameter (m)	10.5/11.2 (between walls)		
Brake system	Dual hydraulic circuit and brake system diagonal split with electric brake booster		
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes		
Front brakes (mm)	288×25 (DCC 312×25)	288×25 (DCC 312×25)	
Rear brakes (mm)	272×10	272×10	
Wheels			
Rims	6J×15 ET43 - 6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	
Tyres	195/65 R15 91H - 205/55 R16 91V 225/45 R17 91W - 225/40 R18 92Y	205/55 R16 91V 225/45 R17 91W - 225/40 R18 92Y	
Dimensions			
Body type	5D	5D	
Length/width/height (mm)	4368/1799/1456	4368/1799/1456	4,37/1.8/1.46
Length/width/height FR (mm)	4368/1799/1442	4368/1799/1442	
Wheelbase (mm)	2686	2686	
Wheelbase FR (mm)	2684	2684	
Track front/rear (mm)	ET 43 1550/1520	ET 43 1550/1520	
Track front/rear FR (mm)	ET 46 1544/1514	ET 46 1544/1514	
Boot capacity (l)	380	380	380
Fuel tank capacity (l)	45	45	45
Weights			
In running order with driver (kg)	1415	1448	
In running order with driver (kg) Front/Rear	888/527	921/527	
Maximum weight allowed (kg)	1950	1980	
Maximum towing weight without brake (kg)	700	720	
Maximum towing weight w/brake 8% (kg)	1800	1800	
Maximum towing weight w/brake 12% (kg)	1500	1600	

* Provisional data
¹ This engine will be available from w.4, 2021

For more information about official fuel consumption and CO₂ emissions values visit your local SEAT website.
Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Engine specs.

Engine	1.4 e-HYBRID 205 HP (110-150 kW) DSG-6
Cylinder/Valve (total)	4/16
Displacement (cc)	1,395
Cylinder bore and stroke (mm)	74.5/80
Compression ratio	10
Combined Maximum power (kW (HP)/rpm)	150 (204)/5,000-6,000
Combined Maximum torque (Nm/rpm)	350/1,550-3,500
Fuel supply system	TSI Direct Injection
Ignition	Electronic map-controlled ignition
Atmospheric/Supercharged	Turbo charged
Fuel type	ROZ 95
Oil capacity in initial fill (l)	4.5
Emission control	
Alternator (A)	
Battery (Ah/A)	59/320
Electric engine/charging system	
Maximum power (kW (PS))	85 (116)
Maximum torque (Nm)	330
Battery type	Li-ion
Battery capacity (kWh)	12.8
Charging time AC 2.3 kW 0-100% SoC	5h 48 min
Charging time AC 3.6 kW 0-100% SoC	3h 42 min
Combustion engine	
Maximum power (kW (HP)/rpm)	110 (150)/5,000 - 6,000
Maximum torque (Nm/rpm)	250/1,550 - 3,500
Performance	
Maximum speed (km/h)	220 (5.G)
Acceleration 0-80 km/h (s)	5.5
Acceleration 0-100 km/h (s)	7.5
Acceleration 80-120 km/h (s) at V. max. Gear	7.8
Acceleration 1000 m (s)	28.3

The data shown is provisional

Chassis	1.4 e-HYBRID 205 HP (110-150 kW) DSG-6
Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber
Rear suspension	Miltalink axle, coil springs and hydraulic shock absorber
Steering System	R-EPS (Rack Electric Power System)
Turning diameter (m)	10.5/11.2 (between walls)
Brake system	Dual hydraulic circuit and brake system diagonal split with electric brake booster
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes
Front brakes (mm)	312×25
Rear brakes (mm)	272×10
Wheels	
Rims	75J×17 ET46 - 75J×18 ET46
Tyres	225/45 R17 - 225/40 R18
Dimensions	
Body type	5D e-HYBRID
Length/width/height (mm)	4,368/1,799/1,460
Wheelbase (mm)	2,682
Track front/rear (mm)	1,544/1,514
Boot capacity (l)	270
Fuel tank capacity (l)	40
Weights	
In running order with driver (kg)	1,614
In running order with driver (kg) Front/Rear	911/703
Maximum weight allowed (kg)	2,060
Maximum towing weight without brake (kg)	750
Maximum towing weight w/brake 8% (kg)	1,700
Maximum towing weight w/brake 12% (kg)	1,500

For more information about official fuel consumption and CO₂ emissions values visit your local SEAT website.
Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Engine specs.

Engine	1.0 TSI 90HP (66kW) Man-5	1.0 eTSI 110HP (81kW) DSG-7¹
Cylinder/Valve (total)	3/12	
Displacement (cc)	999	
Cylinder bore and stroke (mm)	74.5/76.4	
Compression ratio	11.5	
Maximum power (kW [HP]/rpm)	66 [90]/5000-5500	81 [110]
Maximum torque (Nm/rpm)	175/1600-3000	
Fuel supply system	TSI Directo Injection	
Ignition	Electronic map-controlled ignition	
Atmospheric/Supercharged	Turbo charged	
Fuel type	ROZ 95	
Oil capacity in initial fill (l)	4.3	
Emission control		
Alternator [A]	140 ME	
Battery [Ah/A]	59-68-70/320-380-420	
Performance		
Maximum speed (km/h)	184 [IV]	194*
Acceleration 0-80 km/h [s]	8.5	
Acceleration 0-100 km/h [s]	13.2	11.1*
Acceleration 80-120 km/h [s]	12.5	
Acceleration 1000 m [s]	34.9	
Fuel consumption		
Urban (l/100 km)	-	-
Extra urban (l/100 km)	-	-
Combined (l/100 km)	-	-
CO₂ mass emission		
CO₂ Urban (g/km)	-	-
CO₂ Extra Urban (g/km)	-	-
CO₂ Combined (g/km)	-	-
Transmission		
Gearbox type	MQ200-5F	
Ratios	I 3.769	
	II 1.947	
	III 1.212	
	IV 0.881	
	V 0.673	
	VI	
	VII	

The data shown is provisional

Transmission	1.0 TSI 90HP (66kW) Man-5	1.0 eTSI 110HP (81kW) DSG-7¹
	R	3.640
Group 1 ratio	4.056	
Group 2 ratio		
Group 3 ratio		
Speed 1000 rpm in IV/V/VI/VII (km/h)	32.6/42.7/ -/-	
Chassis		
Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber	
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber	
Steering System	R-EPS (Rack Electric Power System)	
Turning diameter (m)	10.5/11.2 (between walls)	
Brake system	Dual hydraulic circuit and brake system diagonal split with electric brake booster	
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes	
Front brakes (mm)	276×24	
Rear brakes (mm)	272×10	
Wheels		
Rims	6J×15 ET43 - 6.5J×16 ET46 - 7J×16 ET43 - 7.5J×17 ET46	
Tyres	195/65 R15 91H - 205/55 R16 91V - 225/45 R17 91W	
Dimensions		
Body type	5 SP	
Length/width/height (mm)	4642/1799/1450	4,64/1.79/1,45
Length/width/height FR (mm)	4642/1799/1437	
Wheelbase (mm)	2686	
Wheelbase FR (mm)	2684	
Track front/rear (mm)	ET 43 1550/1520	
Track front/rear FR (mm)	ET 46 1544/1514	
Boot capacity (l)	1600	1600
Petrol tank capacity (l)	45	45
Weights		
In running order with driver (kg)	1324	
In running order with driver (kg) Front/Rear	755/569	
Maximum weight allowed (kg)	1750	
Maximum towing weight without brake (kg)	660	
Maximum towing weight w/brake 8% (kg)	1300	
Maximum towing weight w/brake 12% (kg)	1100	

* Provisional data
¹ This engine will be available from w.4, 2021

For more information about official fuel consumption and CO₂ emissions values visit your local SEAT website.
Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Engine specs.

Engine	1.5 TSI 130HP (96kW) Man-6	1.5 TSI 150HP (110kW) Man-6	1.5 eTSI 150HP (110kW) DSG-7
Cylinder/Valve (total)	4/16	4/16	4/16
Displacement (cc)	1498	1498	1498
Cylinder bore and stroke (mm)	74.5/85.9	74.5/85.9	74.5/85.9
Compression ratio	12.5	10.5	10.5
Maximum power (kW [HP]/rpm)	96 (130)/5000 - 6000	110 (150)/5000 - 6000	110 (150)/5000 - 6000
Maximum torque (Nm/rpm)	200/1400 - 4000	250/1500 - 3500	250/1500 - 3500
Fuel supply system	TSI Directo Injection	TSI Directo Injection	TSI Directo Injection
Ignition	Electronic map-controlled ignition		
Atmospheric/Supercharged	Turbo charged	Turbo charged	Turbo charged
Fuel type	ROZ 95	ROZ 95	ROZ 95
Oil capacity in initial fill (l)	4.8	4.8	4.8
Emission control			
Alternator [A]	140ME	140ME	
Battery [Ah/A]	59 - 68 - 70/320 - 380 - 420	59 - 68 - 70/320-380 - 420	
Performance			
Maximum speed (km/h)	209 [V]	218 [V]	218 [VI]
Acceleration 0-80 km/h [s]	6.6	6.2	6.2
Acceleration 0-100 km/h [s]	9.7	8.9	8.7
Acceleration 80-120 km/h [s]	12.0	10.9	11.8
Acceleration 1000 m [s]	31.4	30.2	30.0
Fuel consumption			
Urban (l/100 km)	-	-	-
Extra urban (l/100 km)	-	-	-
Combined (l/100 km)	-	-	-
CO ₂ mass emission			
CO ₂ Urban (g/km)	-	-	-
CO ₂ Extra Urban (g/km)	-	-	-
CO ₂ Combined (g/km)	-	-	-
Transmission			
Gearbox type	MQ200GA-6F	MQ281-6F	DQ200-7F
Ratios	I 3.615	3.750	3.500
	II 1.947	1.952	2.087
	III 1.281	1.200	1.343
	IV 0.973	0.925	0.933
	V 0.778	0.767	0.974
	VI 0.642	0.652	0.778
	VII		

The data shown is provisional

Transmission	1.5 TSI 130HP (96kW) Man-6	1.5 TSI 150HP (110kW) Man-6	1.5 eTSI 150HP (110kW) DSG-7
	R 3.182	3.583	3.722
Group 1 ratio	4.056	3.684	4.800
Group 2 ratio		3.684	3.429
Group 3 ratio			4.500
Speed 1000 rpm in IV/V/VI/VII (km/h)	29.7/37.2/45.0/ -	33.9/40.9/48.1/ -	25.8/34.7/43.4/51.7
Chassis			
Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber		
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber		
Steering System	R-EPS (Rack Electric Power System)		
Turning diameter (m)	10.5/11.2 (between walls)		
Brake system	Dual hydraulic circuit and brake system diagonal split with electric brake booster		
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes		
Front brakes (mm)	288×25	288×25	288×25
Rear brakes (mm)	272×10	272×10	272×10
Wheels			
Rims	6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46
Tyres	205/55 R16 91V - 225/45 R17 91W 205/50R17 93V - 225/40 R18 92Y	205/55 R16 91V - 225/45 R17 91W 205/50R17 93V - 225/40 R18 92Y	205/55 R16 91V - 225/45 R17 91W 205/50R17 93V - 225/40 R18 92Y
Dimensions			
Body type	5 SP	5 SP	5 SP
Length/width/height (mm)	4642/1799/1450	4642/1799/1450	4642/1799/1450
Length/width/height FR (mm)	4642/1799/1437	4642/1799/1437	4642/1799/1437
Wheelbase (mm)	2686	2686	2686
Wheelbase FR (mm)	2684	2684	2684
Track front/rear (mm)	ET 43 1550/1520	ET 43 1550/1520	ET 43 1550/1520
Track front/rear FR (mm)	ET 46 1544/1514	ET 46 1544/1514	ET 46 1544/1514
Boot capacity (l)	1600	1600	1600
Petrol tank capacity (l)	45	45	45
Weights			
In running order with driver (kg)	1362	1374	1410
In running order with driver (kg) Front/Rear	785/577	798/576	828/582
Maximum weight allowed (kg)	1960	1960	2000
Maximum towing weight without brake (kg)	680	680	700
Maximum towing weight w/brake 8% (kg)	1700	1700	1700
Maximum towing weight w/brake 12% (kg)	1400	1500	1500

* Provisional data

For more information about official fuel consumption and CO₂ emissions values visit your local SEAT website.
Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Engine specs.

Engine	2.0 TDI evo 150 HP (110 kW) DSG-7	
Cylinder/Valve (total)	4/16	
Displacement (cc)	1968	
Cylinder bore and stroke (mm)	81.0/95.5	
Compression ratio	16	
Maximum power (kW [HP]/rpm)	110 (150)/3000 - 4200	
Maximum torque (Nm/rpm)	360/1600 - 2750	
Fuel supply system	Direct Injection: Common Rail	
Ignition	Compressed ignition	
Atmospheric/Supercharged	Turbo charged	
Fuel type	Diesel	
Oil capacity in initial fill (l)	5.0	
Emission control		
Alternator [A]	140 ME	
Battery [Ah/A]	68 - 70/380 - 420	
Performance		
Maximum speed (km/h)	217 (VI)	
Acceleration 0-80 km/h [s]	6.1	
Acceleration 0-100 km/h [s]	8.8	
Acceleration 80-120 km/h [s]	9.6	
Acceleration 1000 m [s]	30.2	
Fuel consumption		
Urban (l/100 km)	-	
Extra urban (l/100 km)	-	
Combined (l/100 km)	-	
CO ₂ mass emission		
CO ₂ Urban (g/km)	-	
CO ₂ Extra Urban (g/km)	-	
CO ₂ Combined (g/km)	-	
Transmission		
Gearbox type	DQ381-7F	
Ratios	I	3.579
	II	2.750
	III	1.677
	IV	0.889
	V	0.677
	VI	0.722
	VII	0.561

The data shown is provisional

Transmission	2.0 TDI evo 150 HP (110 kW) DSG-7	
	R	2.900
Group 1 ratio	4.167	
Group 2 ratio	3.125	
Group 3 ratio		
Speed 1000 rpm in IV/V/VI/VII (km/h)	31.22/40.96/51.23/66.0	
Chassis		
Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber	
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber	
Steering System	R-EPS (Rack Electric Power System)	
Turning diameter (m)	10.5/11.2 (between walls)	
Brake system	Dual hydraulic circuit and brake system diagonal split with electric brake booster	
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes	
Front brakes (mm)	288×25 (DCC 312×25)	
Rear brakes (mm)	253×10 (EPB 272×10)	
Wheels		
Rims	6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	
Tyres	205/55 R16 91V - 225/45 R17 91W - 225/40 R18 92Y	
Dimensions		
Body Type	5 SP	
Length/width/height (mm)	4642/1799/1450	
Length/width/height FR (mm)	4642/1799/1437	
Wheelbase (mm)	2686	
Wheelbase FR (mm)	2684	
Front/Rear track (mm)	ET 43 1550/1520	
Front/Rear track FR (mm)	ET 46 1544/1514	
Boot capacity (l)	1600	
Petrol tank capacity (l)	45	
Weights		
In running order with driver (kg)	1491	
In running order with driver (kg) Front/Rear	907/584	
Maximum weight allowed (kg)	2080	
Maximum towing weight without brake (kg)	740	
Maximum towing weight w/brake 8% (kg)	1800	
Maximum towing weight w/brake 12% (kg)	1600	

For more information about official fuel consumption and CO₂ emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Engine specs.

Engine	1.4 e-HYBRID 205 HP (110-150 kW) DSG-6
Cylinder/Valve (total)	4/16
Displacement (cc)	1,395
Cylinder bore and stroke (mm)	74.5/80
Compression ratio	10
Combined Maximum power (kW [HP]/rpm)	150 (204)/5,000-6,000
Combined Maximum torque (Nm/rpm)	350/1,550-3,500
Fuel supply system	TSI Direct Injection
Ignition	Electronic map-controlled ignition
Atmospheric/Supercharged	Turbo charged
Fuel type	ROZ 95
Oil capacity in initial fill (l)	4.5
Emission control	
Alternator [A]	
Battery (Ah/A)	59/320
Electric engine/charging system	
Maximum power (kW [PS])	85 (116)
Maximum torque (Nm)	330
Battery type	Li-ion
Battery capacity (kWh)	12.8
Charging time AC 2.3 kW 0-100% SoC	5h 48 min
Charging time AC 3.6 kW 0-100% SoC	3h 42 min
Combustion engine	
Maximum power (kW [HP]/rpm)	110 (150)/5,000 - 6,000
Maximum torque (Nm/rpm)	250/1,550 - 3,500
Performance	
Maximum speed (km/h)	220 (5.G)
Acceleration 0-80 km/h (s)	5.6
Acceleration 0-100 km/h (s)	7.7
Acceleration 80-120 km/h (s) at V. max. Gear	7.9
Acceleration 1000 m (s)	28.5

The data shown is provisional

Chassis	1.4 e-HYBRID 205 HP (110-150 kW) DSG-6
Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber
Rear suspension	Miltilink axle, coil springs and hydraulic shock absorber
Steering System	R-EPS (Rack Electric Power System)
Turning diameter (m)	10.5/11.2 (between walls)
Brake system	Dual hydraulic circuit and brake system diagonal split with electric brake booster
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes
Front brakes (mm)	312×25
Rear brakes (mm)	272×10
Wheels	
Rims	75J×17 ET46 - 75J×18 ET46
Tyres	225/45 R17 - 225/40 R18
Dimensions	
Body Type	SP e-HYBRID
Length/width/height (mm)	4,642/1,799/1,456
Wheelbase (mm)	2,682
Front/Rear track (mm)	1,558/1,514
Boot capacity (l)	470
Petrol tank capacity (l)	40
Weights	
In running order with driver (kg)	1,658
In running order with driver (kg) Front/Rear	901/757
Maximum weight allowed (kg)	2,080
Maximum towing weight without brake (kg)	750
Maximum towing weight w/brake 8% (kg)	1,700
Maximum towing weight w/brake 12% (kg)	1,500

Engine specs.

TSI & eTSI	Reference	Style	Xcellence	FR
1.0 TSI 90 HP [66 kW] Man-5	○	○	–	–
1.0 TSI 110 HP [81 kW] Man-6 ¹	○	○	○	○
1.0 eTSI 110 HP [81 kW] DSG - 7 ²	–	○	○	○
1.5 TSI 130 HP [96 kW] Man-6	–	○	○	○
1.5 TSI 150 HP [110 kW] Man-6	–	○	○	○
1.5 eTSI 150 HP [110 kW] DSG-7	–	○	○	○

The data shown
is provisional

TDI	Reference	Style	Xcellence	FR
2.0 TDI evo 115 HP [85 kW] Man-6 ¹	○	○	○	○
2.0 TDI evo 150 HP [110 kW] DSG-7	–	○	○	○
TGI				
1.5 TGI 130 HP [96 kW] DSG-7 ³	–	○	○	○
e-HYBRID				
1.4 e-HYBRID 205 HP [110-150 kW] DSG-6	–	–	○	○


- Standard
- Optional
- Not available

¹ This engine is only available for Leon 5D.
² This engine will be available from w.4, 2021 for Leon Sportstourer.
³ This engine will be available from w.4, 2021 for Leon 5D.


For more information about official fuel consumption and CO₂ emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Dimensions.

SEAT Leon/Sportstourer



* Model with 195/65 R15 ET45



* Model with 195/65 R15 ET45



SEAT is committed to a policy of continuous product development and reserves the right to make changes to specifications, colours and prices without notice. The information in this brochure can therefore be given as guidance only. While SEAT makes every effort to ensure that specifications are accurate at the time of publication, you should always check with your authorised SEAT Partner for the latest information. Due to limitations of the printing process the colours reproduced in this brochure may vary slightly from the actual paint colour and material. This vehicle and all its parts, as well as the original spares, were designed according to the Legal Regulations governing the prevention and minimisation of Environmental Impact, through the use of recycled/recyclable materials, with measures taken to achieve suitable recycling for the conservation and improvement of environmental quality.

12/2020. Printed in Spain.

