

## **SEAT Leon.**



# Your technical bit.

Data & equipment.



Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you

### Leon.

#### Front seat-belt re

#### Standard

- O Optional - Not available
- <sup>1</sup> Standard for EU28.
- <sup>2</sup> Not available for countries with special road conditions nor with Adaptive Cruise Control (WAC).
- <sup>3</sup> Only for DSG engines. Not available for countries with special road conditions nor with Front Assist (PDQ).
- <sup>4</sup> Requires Convenience Pack (PSS).
- <sup>5</sup> Requires Convenience Pack (PSS) and either
- of SEAT Navi System (ZN3) or SEAT Navi System Plus (ZN4).
- <sup>6</sup> Requires convenience Pack (PSS). Not available for countries with special road conditions.
- <sup>7</sup> Requires Convenience Pack (PSS) and either of SEAT Navi System (ZN3) or SEAT
- Navi System Plus (ZN4). Not available for countries with special road conditions. <sup>8</sup> Sport-HMI requires either of SEAT Media System Plus (ZB8), SEAT Navi System (ZN3)
- or SEAT Navi System Plus (ZN4).
- <sup>9</sup> Requires XDS and Auto Hold for Reference.
- <sup>10</sup> Not available for countries with special road conditions.
- <sup>11</sup> Not available in combination with CNG engines. <sup>12</sup> Not available with CNG engines.
- <sup>13</sup> Not available with CNG engines. Reference trim: requires Towing hook from factory (WGR). Style, Xcellence, and FR trims: requires Towing hook from factory (WGR)
- or BeatsAudio™ (PNB).
- <sup>14</sup> With specific design (hotstamping) for Xcellence.
- <sup>15</sup> Not available in combination with Towing hook from factory (WGR). <sup>16</sup> Requires Emergency wheel 18" minispare (PG6). Not available with
- CNG engines nor with Towing hook preinstallation (PRP).

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

| Safety  | Style | Xcellence | FR |
|---|-------|-----------|----|
| 6 Airbags (2 front, 2 front side and 2 curtain)   | •     | •         | ٠  |
| Front seat-belt reminder  | ٠     | •         | •  |
| ISOFIX and Top Tether child seat anchors  | ٠     | •         | •  |
| Automatic Post-Collision Braking System   | ٠     | •         | •  |
| ASR and ABS   | ٠     | •         | •  |
| ESC and Direct tyre pressure monitoring system  | ٠     | •         | •  |
| XDS, and Auto Hold  | ٠     | •         | •  |
| Passenger airbag deactivation <sup>1</sup>  | ٠     | •         | •  |
| Knee airbag <sup>1</sup> (Includes passenger airbag deactivation)   | ٠     | •         | •  |
| Front Assist with city emergency braking function <sup>2</sup>  | 0     | 0         | 0  |
| Adaptive Cruise Control (ACC) <sup>3</sup> with Front Assist with Pedestrian Protection and Stop&Go   | 0     | 0         | 0  |
| Electronic Cruise Control System  | •     | •         | ٠  |
| Electronic Cruise Control System with indicators in cluster   | •     | •         | ٠  |
| Comfort Pack:<br>Cruise Control System (CCS) electronic<br>and rear parking distance control  | -     | •         | -  |
| Driving Assistance Pack 1 <sup>4</sup><br>Monovideocamara (High Beam Assist and Lane Assist)  | 0     | 0         | 0  |
| Driving Assistance Pack 2 <sup>5</sup> :<br>Driving Assistance Pack 1 (High Beam Assist<br>and Lane Assist) and Traffic Sign Recognition  | 0     | 0         | 0  |
| Advanced Comfort and Driving<br>Pack 1° (Only for DSG):<br>Driving assistance pack 1 (High Beam Assist and Lane Assist),<br>Adaptive Cruise Control (ACC), Front Assist with Pedestrian<br>Protection and Stop&Go, Traffic Jam Assist and Emergency Assist                              | 0     | 0         | 0  |
| Advanced Comfort and Driving<br>Pack 2' (Only for DSG):<br>Driving assistance pack 2 (High Beam Assist,<br>Lane Assist and Traffic Sign Recognition), Adaptive Cruise Control<br>(ACC), Front Assist with Pedestrian Protection and Stop&Go,<br>Traffic Jam Assist and Emergency Assist | 0     | 0         | 0  |
| <b>Dynamic and Comfort Pack:</b><br>Dynamic Chassis Control (DCC),<br>Progressive steering and Sport-HMI <sup>8</sup>   | -     | 0         | 0  |
| Safety Pack<br>Seat belt reminder (front and rear seats)<br>and Tiredness Recognition System <sup>9</sup>   | 0     | 0         | 0  |

| Exterior   | Style | Xcellence | FR |
|--|-------|-----------|----|
| Design 16" 30/2 alloy wheels                             | •     | -         | -  |
| Dynamic 17" 30/1 alloy wheels <sup>10</sup>              | -     | •         | -  |
| Dynamic 17" 30/1 Nuclear Grey alloy wheels               | -     | 0         | -  |
| Dynamic 17" 30/2 alloy wheels <sup>10</sup>              | -     | _         | ٠  |
| Dynamic 17" 30/3 alloy wheels <sup>10</sup>              | 0     | -         | -  |
| Performance 18" 30/1 alloy wheels <sup>10</sup>          | -     | -         | 0  |
| Performance 18" 30/2 Machined alloy wheels <sup>10</sup> | -     | -         | 0  |
| Performance 18" 30/1 Sport Black alloy wheels            | -     | -         | 0  |
| All season tyres <sup>11</sup>                           | 0     | 0         | 0  |
| Emergency wheel 16" minispare <sup>12</sup>              | 0     | 0         | 0  |
| Emergency wheel 18" minispare <sup>13</sup>              | 0     | 0         | 0  |
| Exterior mirrors and door handles in body colour         | •     | •         | ٠  |
| Hidden exhaust pipe                                      | •     | -         | -  |
| Visible double exhaust pipe                              | -     | •         | ٠  |
| Comfort suspension                                       | •     | •         | -  |
| FR Suspension  | -     | -         | ٠  |
| Chromed radiator grill frame <sup>14</sup>               | •     | •         | •  |
| High gloss black in B and C pillar                       | •     | •         | ٠  |
| Towing hook preinstallation <sup>15</sup>                | 0     | 0         | 0  |
| Towing hook from factory <sup>16</sup>                   | 0     | 0         | 0  |
| Electric sunroof <sup>17</sup>                           | 0     | 0         | 0  |
| Specific FR bumpers                                      | -     | -         | ٠  |
| FR logo on boot  | _     | -         | ٠  |
| Dark tinted rear windows                                 | 0     | •         | ٠  |
| Aerodynamic pack: Side and rear spoilers                 | _     | _         | -  |
| Chromed exterior pack: Chromed frame in side windows     | -     | •         | 0  |

| Black roof interior <sup>18</sup>              | - | 0 | 0 |
|--|---|---|---|
| Chromed interior pack                          | • | • | • |
| Chrome interior pack with decorative mouldings | - | • | • |
| Front comfort seats                            | • | - | - |
| Front sport seats <sup>19</sup>                | - | • | • |

| • | Standard |  |
|---|----------|--|
|   |          |  |

- OOptional
- Not available
- <sup>17</sup> Includes LED Interior Illumination Pack (PLP).
- <sup>18</sup> Requires LED Interior Illumination Pack (PLP) and Convenience Pack (PSS).
- <sup>19</sup> With specific design for Xcellence and FR.
- <sup>20</sup> Contact your local dealership to confirm availability. Storage box under driver's seat is not available when combined with BeatsAudio<sup>™</sup> (PNB).
- <sup>21</sup> Includes the Interior Design Pack. Requires Climatronic 2 zones with Air Care (WH2).
- <sup>22</sup> With specific stitching for Xcellence and FR.
- <sup>23</sup> Storage box under driver's seat is not available when combined with BeatsAudio™ (PNB).
- <sup>24</sup> Includes the Interior Design Pack. Requires Climatronic 2 zones with Air Care (WH2), Rear electric windows (PE6) and Foldable exterior mirrors (PFB).
- <sup>25</sup> Requires Leather Black sport seats (WL1) or Alcantara® Black sport seats (WL3) seats and Winter Pack. Not available with box under seat.
- <sup>26</sup> Not available with Leather Black sport seats (WL1)
- and Alcantara® Black sport seats (WL3).
- <sup>27</sup> Not compatible with BeatsAudio<sup>™</sup> (PNB).
- <sup>28</sup> Side cover for TGI engines.
- <sup>29</sup> Standard with Leather Black sport seats (WL1) and Alcantara® Black sport seats (WL3).
- <sup>30</sup> With Reference includes Box under driver seat, High central console, front armrest and air outlet rear. With Style, Xcellence and FR includes Box under passenger seat and divider net. Not available for CNG engines. Box under driver's seat is not available when combined with BeatsAudio<sup>™</sup> [PNB].
- <sup>31</sup> LED front fog lamps and Full LED rear lamps are standard for Xcellence and FR.
- <sup>32</sup> Not available with Alarm (WAS).
- <sup>33</sup> Requires Alarm (WAS).
- <sup>34</sup> Requires minimum Media System Plus (ZB8). Not compatible with CNG Engines.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

| Interior   | Style           | Xcellence       | FR              |
|--|-----------------|-----------------|-----------------|
| Alcantara® Black sport seats with Black interior²º:<br>Height, lumbar adjustment, seat back storage, box under<br>passenger and driver seat and rear armrest                                   | O <sup>21</sup> | O <sup>22</sup> | O <sup>22</sup> |
| Leather Black sport seats with Black interior<br>and Winter Pack (PW1):<br>Height, lumbar adjustment, seat back storage,<br>box under passenger and driver seat <sup>23</sup> and rear armrest | O <sup>24</sup> | O <sup>22</sup> | O <sup>22</sup> |
| Manual height adjustment for left front seat   | •               | •               | •               |
| Manual height adjustment for front seats   | ٠               | •               | •               |
| Manually adjustable lumbar support for left front seat   | ٠               | •               | •               |
| Manually adjustable lumbar support in front seats  | -               | •               | •               |
| Front and rear head restraints   | •               | •               | •               |
| Electric driver seat <sup>25</sup> : Height, length,<br>inclination and lumbar adjustment  | 0               | 0               | 0               |
| Luggage pockets on front seat backrests  | •               | •               | •               |
| Foldable Passenger seat <sup>26</sup>  | 0               | -               | -               |
| Box under driver seat <sup>27</sup>  | ٠               | •               | •               |
| Left side net in boot <sup>28</sup>  | •               | •               | •               |
| Cargo rings in boot  | •               | •               | •               |
| Driver and passenger sun visor, covered mirror, driver with card holder  | ٠               | •               | •               |
| Driver and passenger sun visor, covered<br>and iluminated mirror, driver with card holder  | ٠               | •               | •               |
| Center armrest in front, with integrated cupholder, armrest, and air outlets   | ٠               | •               | •               |
| Rear armrest <sup>29</sup>   | 0               | 0               | 0               |
| Leather multifunction steering wheel and gear shift knob <sup>19</sup>   | ٠               | •               | •               |
| Air conditioning   | ٠               | -               | -               |
| Climatronic 2 zones with Air Care  | 0               | •               | •               |
| Servotronic  | •               | •               | •               |
| Warning buzzer when lights on (interior)   | ٠               | •               | •               |
| Electric Parking Brake (EPB), including Auto-Hold function   | ٠               | •               | •               |
| LED Door panel illumination multicolour (Ambient Lights)   | -               | •               | •               |
| Illuminated scuff plates in door apertures <sup>19</sup>   | -               | •               | •               |
| Storage Pack <sup>30</sup>   | 0               | 0               | 0               |

#### Electronics

Halogen headlam Halogen near lamp Full LED rear lamp Halogen fog lamp LED front fog lamp SEAT Full LED: LED headlamps w LED Highway Assi and Full LED rear Manual coming an Automatic coming Front electric wind Front and rear elect

Electric exterior m Electric and heate

Electric, heated ar with parking posti

12V in front

12V in front and 2 Two reading lights

Reading lights (fr

boot lights and ill

Illuminated glove

Paddles in steerin

Gear recommend

Gearbox with long

(two foldable key Kessy<sup>32</sup> (Keyless e Kessy<sup>33</sup> (Keyless e

Alarm (Includes sc Fully Digital Cluste Med 3,5" monochi

|  | Style | Xcellence | FR |
|--|-------|-----------|----|
| mps with Daytime Running Lights (DRL)  | -     | _         | -  |
| mps with LED Daytime Running Lights (DRL)  | •     | •         | •  |
| nps  | ٠     | -         | -  |
| nps (number plate LED light)   | -     | •         | •  |
| nps with cornering function  | 0     | -         | -  |
| nps  | -     | •         | •  |
| s with LED Daytime Running Lights (DRL) and SEAT<br>ssist, LED front fog lamps without cornering lights<br>ar lamps (number plate LED light) <sup>31</sup> | 0     | 0         | 0  |
| and leaving home function  | •     | -         | •  |
| ng and leaving home function   | -     | •         | -  |
| ndows  | ٠     | -         | -  |
| lectric windows  | 0     | •         | •  |
| mirrors  | •     | •         | •  |
| ted exterior mirrors   | •     | •         | •  |
| and foldable exterior mirrors<br>tition and co driver with lowering function   | 0     | •         | •  |
|  | •     | •         | -  |
| 2 side covers in boot (right and left)   | -     | -         | •  |
| ts in front, two in rear and light in boot   | •     | •         | •  |
| ront and rear) with ambient spots,<br>lluminated foot area   | -     | •         | ٠  |
| e box  | •     | •         | •  |
| ing wheel for DSG engine   | -     | 0         | 0  |
| dation indicator   | ٠     | •         | •  |
| nger ratios  | -     | -         | -  |
| with radio remote control<br>ys) and interior controls   | ٠     | -         | •  |
| entry and go) and My Beat without safe function  | 0     | •         | 0  |
| entry and go) and My Beat with safe function   | 0     | -         | 0  |
| safe function)   | 0     | 0         | 0  |
| ster <sup>34</sup>   | 0     | 0         | 0  |
| hrome instrument cluster with on board computer  | •     | •         | •  |
|  |       |           |    |

| lectronics  | Style | Xcellence | FR |
|---|-------|-----------|----|
| EAT Media System Colour³5:<br>5" Colour touch screen<br>Sound features: MP3/WMA<br>Connectivity: USB/SD card/Bluetooth®<br>phone and audio streaming]/AUX-in<br>5 speakers  | •     | -         | -  |
| EAT Media System Plus:<br>3" Smart touch display<br>Sound features: MP3/WMA<br>Connectivity: 2× USB (Apple chip)<br>SD card/CD/AUX-in/Bluetooth®<br>3 speakers<br>oice recognition<br>wo additional charge-only USBs in rear  | 0     | •         | •  |
| EAT Navi System <sup>36</sup> :<br><sup>3"</sup> Smart touch display<br>Sound features: MP3/WMA<br>Connectivity: 2× USB (Apple chip)<br>'2×SD card/CD/AUX-in/Bluetooth <sup>®</sup><br>3 speakers<br>/oice recognition with<br>navigation functionality<br>2 additional charge-only USBs in rear  | 0     | 0         | 0  |
| artography Europe <sup>37</sup> (SD Card without Mapcare)   | 0     | 0         | 0  |
| rtography Europe <sup>37</sup> (SD Card with Mapcare)   | 0     | 0         | 0  |
| EAT Navi System Plus:<br>"Smart touch display<br>iound features: MP3/WMA<br>Connectivity: 2×USB (Apple chip)<br>2×SD card/DVD/AUX-in/Bluetooth®<br>phone and audio streaming)<br>WLan connectivity and 8 speakers<br>/oice recognition with navigation functionality<br>EAT Full Link, SMS, e-mail,<br>Real/3D Navigation, HDD 10Gb, Media Control functionality<br>ind Cartography included, 2 additional charge-only USBs in rear | 0     | 0         | 0  |
| artography Europe <sup>38</sup> (with Mapcare)  | 0     | 0         | 0  |
| jital Audio Broadcasting (DAB)  | 0     | 0         | 0  |
| atsAudio™ incl. 10 speakers³9   | 0     | 0         | 0  |
| AT Full Link Technology <sup>40</sup> : MirrorLink™,<br>⊳le CarPlay™ and Android Auto™  | 0     | 0         | 0  |
| onnectivity box: Wireless mobile phone charger<br>mobile signal amplifier41   | 0     | 0         | 0  |

#### Electronics

Rear parking dist Front and rear pa

Rear view camerc

SEAT Drive Prof Steering response and gear shifts n

#### **Convenience Po** Electrochromic i Automatic comin wiper control

LED Interior Illu Front and rear LE make-up lights, f glovebox, LED ill boot lights

Winter Pack: Heated front sec heated wash wa

Standard
 Optional

- Not available

<sup>35</sup> Requires Controls in steering wheel PUR (PLA).

<sup>36</sup> Requires Cartography (PZ1 or PZ2).

<sup>37</sup> Requires SEAT Navi System (ZN3).
 <sup>38</sup> Requires SEAT Navi System Plus (ZN4).

<sup>39</sup> Requires Emergency spare wheel 18" minispare except for 1.0 Eco TSI. Not compatible with storage box under driver's seat. Not compatible with CNG engines.

<sup>40</sup> Requires either of SEAT Media System Plus (ZB8) or SEAT Navi System (ZN3).

<sup>41</sup> Requires SEAT Media System Plus (ZB8) or either Navi Systems.

<sup>42</sup> Heated mirrors are standard for Style, Xcellence and FR trims.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

|  | Style | Xcellence | FR |
|--|-------|-----------|----|
| stance control   | 0     | •         | 0  |
| parking distance control (OPS)   | 0     | 0         | 0  |
| ra   | 0     | 0         | 0  |
| ofile:<br>nse, throttle response<br>mode (Only with DSG)   | -     | -         | •  |
| Pack:<br>interior rear view mirror with rain and light sensor,<br>ing and leaving home function and windshield   | 0     | •         | 0  |
| umination Pack:<br>LED reading lights with ambient spots, LED<br>, front and rear LED lights in footwell, LED<br>illumination on the center console area and LED | 0     | •         | 0  |
| eats, head lamp washer,<br>rater and heated mirrors <sup>42</sup>  | 0     | 0         | 0  |
|  |       |           |    |

### Leon Sportstourer.

#### Standard

O Optional - Not available

<sup>1</sup> Standard for EU28.

- <sup>2</sup> Not available for countries with special road conditions nor with Adaptive Cruise Control (WAC).
- <sup>3</sup> Only for DSG engines. Not available for countries with special road conditions nor with Front Assist (PDQ).
- <sup>4</sup> Requires Convenience Pack (PSS).
- <sup>5</sup> Requires Convenience Pack (PSS) and either of SEAT Navi System (ZN3) or SEAT Navi System Plus (ZN4).
- <sup>6</sup> Requires convenience Pack (PSS). Not available for countries with special road conditions.
- <sup>7</sup> Requires Convenience Pack (PSS) and either of SEAT Navi System (ZN3) or SEAT Navi System Plus (ZN4). Not available for countries with special road conditions.
- <sup>8</sup> Not available with 4Drive engines.
- <sup>9</sup> Requires XDS and Auto Hold.
- <sup>10</sup> Not available for countries with special road conditions.
- <sup>11</sup> Not available in combination with CNG engines.
- <sup>12</sup> Not availabe in combination with CNG engines. Requires Towing hook from factory (WGR).
- <sup>13</sup> Visible double exhaust pipes with 4Drive engines for Style.
- <sup>14</sup> With specific design (hotstamping) for Xcellence.
- <sup>15</sup> Not available in combination with Towing hook from factory (WGR).
- <sup>16</sup> Requires Emergency wheel 18" minispare (PG6), except with CNG engine. Not available with Towing hook preinstallation (PRP).
- <sup>17</sup> Includes LED Interior Illumination Pack (PLP) for Style and FR.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

#### Safety

6 Airbags (2 from Front seat-belt re

ISOFIX and Top T

Automatic Post-0

ESC and Direct ty

XDS and Auto Ho

Passenger airbag

Knee airbag¹ (Inc

Front Assist with

Adaptive Cruise with Front Assist

Electronic Cruise

Electronic Cruise

Driving Assistan Monovideocama

#### Driving Assistan

Driving Assistand and Lane Assist)

#### Advanced Com Driving assistant

Adaptive Cruise Protection and S

#### Advanced Comf

Driving assistand Traffic Sign Reco Assist with Pedes and Emergency

Dynamic and Co Dynamic Chassis Progressive stee

Safety Pack Seat belt remine and Tiredness R

|   | Style | Xcellence | FR |
|---|-------|-----------|----|
| nt, 2 front side and 2 curtain)   | ٠     | •         | ٠  |
| reminder  | ٠     | •         | ٠  |
| Tether child seat anchors   | ٠     | •         | ٠  |
| Collision Braking System  | ٠     | •         | •  |
|   | •     | •         | •  |
| tyre pressure monitoring system   | •     | •         | ٠  |
| old   | •     | •         | ٠  |
| ag deactivation <sup>1</sup>  | •     | •         | ٠  |
| cludes passenger airbag deactivation)   | •     | •         | ٠  |
| city emergency braking function <sup>2</sup>  | 0     | 0         | 0  |
| e Control (ACC)³<br>t, Pedestrian Protection  | 0     | 0         | 0  |
| e Control System (CCS)  | ٠     | •         | ٠  |
| e Control System (CCS) with indicators in cluster   | -     | •         | -  |
| nce Pack 14:<br>nara (High Beam Assist and Lane Assist)   | 0     | 0         | 0  |
| <b>ance Pack 2⁵:</b><br>nce Pack 1 (High Beam Assist<br>t) and Traffic Sign Recognition   | 0     | 0         | 0  |
| <b>nfort and Driving Pack 1<sup>6</sup> (Only for DSG):</b><br>nce pack 1 (High Beam Assist and Lane Assist),<br>e Control (ACC), Front Assist with Pedestrian<br>Stop&Go, Traffic Jam Assist and Emergency Assist          | 0     | 0         | 0  |
| fort and Driving Pack 2 <sup>7</sup> (Only for DSG):<br>nce pack 2 (High Beam Assist, Lane Assist and<br>cognition), Adaptive Cruise Control (ACC), Front<br>estrian Protection and Stop&Go, Traffic Jam Assist<br>y Assist | 0     | 0         | 0  |
| Comfort Pack:<br>sis Control (DCC),<br>eering and Sport-HMI <sup>®</sup>  | -     | 0         | 0  |
| nder (front and rear seats)<br>Recognition System <sup>9</sup>  | 0     | 0         | 0  |

| Exterior   | Style | Xcellence | FR |
|--|-------|-----------|----|
| Design 16" 30/2 alloy wheels                             | •     | -         | -  |
| Dynamic 17" 30/1 alloy wheels <sup>10</sup>              | -     | •         | -  |
| Dynamic 17" 30/1 Nuclear Grey alloy wheels               | -     | 0         | -  |
| Dynamic 17" 30/2 alloy wheels <sup>10</sup>              | -     | -         | ٠  |
| Dynamic 17" 30/3 alloy wheels <sup>10</sup>              | 0     | -         | -  |
| Performance 18" 30/1 alloy wheels <sup>10</sup>          | -     | -         | 0  |
| Performance 18" 30/2 Machined alloy wheels <sup>10</sup> | -     | -         | 0  |
| Performance 18" 30/1 Sport Black alloy wheels            | -     | -         | 0  |
| All season tyres <sup>11</sup>                           | 0     | 0         | 0  |
| Emergency wheel 16" minispare <sup>11</sup>              | 0     | 0         | 0  |
| Emergency wheel 18" minispare <sup>12</sup>              | 0     | 0         | 0  |
| Exterior mirrors and door handles in body colour         | •     | •         | ٠  |
| Hidden exhaust pipe <sup>13</sup>                        | •     | -         | -  |
| Visible double exhaust pipe <sup>13</sup>                | - / • | •         | ٠  |
| Comfort suspension                                       | •     | •         | -  |
| FR Suspension  | -     | -         | ٠  |
| Chromed radiator grill frame <sup>14</sup>               | •     | •         | ٠  |
| High gloss black in B and C pillar                       | •     | •         | ٠  |
| Towing hook preinstallation <sup>15</sup>                | 0     | 0         | 0  |
| Towing hook from factory <sup>16</sup>                   | 0     | 0         | 0  |
| Panoramic sunroof <sup>17</sup>                          | 0     | 0         | 0  |
| Black roof rails   | 0     | 0         | 0  |
| Chromed roof rails                                       | •     | •         | ٠  |
| Specific FR bumpers                                      | -     | -         | ٠  |
| FR logo on boot  | -     | -         | ٠  |
| Dark tinted rear windows                                 | 0     | •         | ٠  |
| <b>Aerodynamic pack:</b><br>Side and rear spoilers       | _     | -         | -  |
| Chromed exterior pack:<br>Chromed frame in side windows  | _     | •         | 0  |

#### Standard

- O Optional
- Not available
- <sup>18</sup> Requires LED Interior Illumination Pack (PLP) and Convenience Pack (PSS).
- <sup>19</sup> With specific design for Xcellence and FR.
- <sup>20</sup> Contact your local dealership to confirm availability. Storage box under driver's seat is not available when combined with BeatsAudio<sup>™</sup> (PNB).
- <sup>21</sup> Olncludes the Interior Design Pack. Requires Climatronic 2 zones with Air Care (WH2).
- <sup>22</sup> Storage box under driver's seat is not available when combined with BeatsAudio<sup>™</sup>(PNB).
- <sup>23</sup> Includes the Interior Design Pack. Requires Climatronic 2 zones with Air Care (WH2), Rear electric windows (PE6) and Foldable exterior mirrors (PFB)
- <sup>24</sup> Requires Divider net (PCP).
- <sup>25</sup> Not available with Leather Black sport seats (WL1) and Alcantara® Black sport seats (WL3).
- <sup>26</sup> Requires Leather Black sport seats (WL1) and Alcantara® Black sport seats (WL3) and Winter Pack. Not available with box under seat.
- <sup>27</sup> Not compatible with BeatsAudio<sup>™</sup> (PNB).
- <sup>28</sup> With MuFu for DSG engines.
- <sup>29</sup> With Reference includes Box under driver seat, High central console, front armrest and air outlet rear. With Style, Xcellence and FR includes Box under passenger seat and divider net. Not available for TGI engines. Box under driver's seat is not available when combined with BeatsAudio<sup>w</sup> (PNB).
- <sup>30</sup> LED front fog lamps and Full LED rear lamps are standard for Xcellence and FR.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

| Interior   | Style           | Xcellence       | FR              |
|--|-----------------|-----------------|-----------------|
| Black roof interior <sup>18</sup>  | -               | 0               | 0               |
| Chromed interior pack  | ٠               | •               | •               |
| Chrome interior pack with decorative mouldings   | -               | •               | •               |
| Chromed Ladekante  | ٠               | •               | •               |
| Front comfort seats  | ٠               | -               | -               |
| Front sport seats <sup>19</sup>  | -               | •               | •               |
| Alcantara® Black sport seats with Black interior <sup>20</sup> : Height,<br>lumbar adjustment, seat back storage, box under passenger<br>and driver seat             | O <sup>21</sup> | O <sup>19</sup> | 0 <sup>19</sup> |
| Leather Black sport seats with Black interior and Winter Pack (PW1): Height, lumbar adjustment, seat back storage, box under passenger and driver seat <sup>22</sup> | O <sup>23</sup> | O <sup>19</sup> | O <sup>19</sup> |
| Manual height adjustment for left front seat   | •               | •               | •               |
| Manual height adjustment for front seats   | ٠               | •               | •               |
| Manually adjustable lumbar support for left front seat   | ٠               | •               | •               |
| Manually adjustable lumbar support in front seats  | -               | •               | •               |
| Front and rear head restraints   | ٠               | •               | ٠               |
| Easy back seat release <sup>24</sup>   | ٠               | •               | •               |
| Foldable Passenger seat <sup>25</sup>  | ٠               | •               | •               |
| Electric driver seat <sup>26</sup> : Height, length,<br>inclination and lumbar adjustment  | 0               | 0               | 0               |
| Driver and passenger bag in front seat backrest  | •               | •               | •               |
| Box under driver seat <sup>27</sup>  | ٠               | •               | ٠               |
| Rear door curtains   | -               | ٠               | -               |
| Double floor in boot   | ٠               | ٠               | •               |
| Sliding boot cover   | ٠               | •               | ٠               |
| Driver and passenger sun visor,<br>covered mirror, driver with card holder   | •               | •               | ٠               |
| Driver and passenger sun visor, covered<br>and iluminated mirror, driver with card holder  | •               | •               | •               |
| Boot: 12V + 2 side covers (right & left)   | •               | •               | •               |
| Divider net  | 0               | 0               | 0               |
| Center armrest in front, with integrated cupholder, armrest, and air outlets <sup>28</sup>   | ٠               | •               | •               |

#### Interior

Rear armrest Leather Multifunc Servotronic Air conditioning Climatronic 2 zon Warning buzzer w Electric Parking B LED Door panel il Illuminated scuff

#### Family Pack: Rear door curtai

Storage Pack<sup>29</sup>

#### Electronics

Halogen headlam Halogen rear lam Full LED rear lamp Halogen fog lamp

LED front fog lam

SEAT Full LED: LED headlamps v LED Highway Ass and Full LED rear

```
Manual coming a
Automatic coming
Front electric wind
Front and rear electric exterior m
Electric exterior m
Electric and heate
Electric, heated a
with parking post
12V in front
```

12V in front and 2 Two reading lights

|  | Style | Xcellence | FR |
|--|-------|-----------|----|
|  | •     | •         | •  |
| ction steering wheel and gear shift knob <sup>19</sup>   | •     | •         | •  |
| 5 5  | •     | •         | •  |
|  | •     | -         | _  |
| nes with Air Care  | 0     | •         | •  |
| when lights on (interior)  | •     | •         | •  |
| Brake (EPB), including Auto-Hold function  | •     | •         | ٠  |
| illumination multicolour (Ambient Lights)  | -     | •         | ٠  |
| f plates in door apertures <sup>19</sup>   | -     | •         | •  |
| ins and Table at back rest of front seat   | 0     | _         | -  |
|  | 0     | 0         | 0  |
|  |       |           |    |
| mps with LED Daytime Running Lights (DRL)  | •     | •         | ٠  |
| nps  | •     |           | -  |
| nps (number plate LED light)   | -     | •         | •  |
| nps with cornering function  | 0     | -         | -  |
| nps  | -     | •         | ٠  |
| s with LED Daytime Running Lights (DRL) and SEAT<br>ssist, LED front fog lamps without cornering lights<br>ar lamps (number plate LED light) <sup>30</sup> | 0     | 0         | 0  |
| and leaving home function  | ٠     | -         | ٠  |
| ng and leaving home function   | -     | •         | -  |
| ndows  | ٠     | -         | -  |
| lectric windows  | 0     | •         | ٠  |
| mirrors  | •     | •         | ٠  |
| ted exterior mirrors   | ٠     | •         | ٠  |
| and foldable exterior mirrors<br>stition and co driver with lowering function  | 0     | •         | •  |
|  | •     | •         | •  |
| 2 side covers in boot (right and left)   | -     | -         | -  |
| its in front, two in rear, including boot illumination   | •     | •         | ٠  |
|  |       |           |    |

O Optional - Not available

| <sup>31</sup> Not available with Alarm (WAS).  | Cartogr  |
|--|--|
| <sup>32</sup> Requires Alarm (WAS).  | Cartogr  |
| <ul> <li><sup>33</sup> Requires minimum Media System Plus. Not compatible with CNG Engines.</li> <li><sup>34</sup> Requires Controls in steering wheel PUR (PLA).</li> <li><sup>35</sup> Requires Cartography (PZ1 or PZ2).</li> <li><sup>36</sup> Requires SEAT Navi System (ZN3).</li> <li><sup>37</sup> Requires SEAT Navi System Plus (ZN4).</li> <li><sup>38</sup> Requires emergency spare wheel 18" minispare except for 1.0 Eco TSI.<br/>Not compatible with storage box under driver's seat. Not compatible<br/>with CNG engines.</li> <li><sup>39</sup> Requires SEAT Media System Plus (ZB8) or SEAT Navi System (ZB3).</li> <li><sup>40</sup> Requires SEAT Media System Plus (ZB8) or either Navi Systems.</li> </ul> | SEAT No<br>8" Sma<br>+ Conn<br>Bluetoc<br>and 8 s<br>+ SEAT<br>Media (<br>2 additi |
| Standard with DSG engines.<br><sup>41</sup> Heated mirrors are standard for Style, Xcellence and FR.   | <b>SEAT Fu</b><br>LED hea<br>LED Hig   |

### Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

| Electronics  | Style | Xcellence | FR |
|--|-------|-----------|----|
| Reading lights (front and rear) with ambient spots,<br>boot lights and illuminated foot area   | -     | ٠         | 0  |
| Illuminated glove box  | ٠     | •         | •  |
| Paddles in steering wheel for DSG engine   | -     | 0         | 0  |
| Gear recommendation indicator  | ٠     | •         | •  |
| Central locking witrh radio remote control<br>(two foldable keys) and interior controls  | ٠     | -         | •  |
| Kessy <sup>31</sup> (Keyless entry and go) and My Beat without safe function   | 0     | •         | 0  |
| Kessy <sup>32</sup> (Keyless entry and go) and My Beat with safe function  | 0     | -         | 0  |
| Alarm (Includes safe function)   | 0     | 0         | 0  |
| Fully Digital Cluster <sup>33</sup>  | 0     | 0         | 0  |
| Med 3,5" monochrome instrument cluster with on board computer  | ٠     | •         | •  |
| <b>SEAT Media System Colour<sup>34</sup>:</b><br>5" Colour touch screen + Sound features: MP3/WMA<br>+ Connectivity: USB/SD card/Bluetooth® + 6 speakers   | •     | ٠         | •  |
| SEAT Media System Plus:<br>8" Smart touch display + Sound features: MP3/WMA<br>+ Connectivity: 2× USB (Apple chip)/SD card/CD/AUX-in/<br>Bluetooth® + 8 speakers + Voice recognition + Two additional<br>charge-only USBs in rear  | 0     | •         | •  |
| SEAT Navi System <sup>35</sup> incl. SEAT<br>8" Smart touch display + Sound features: MP3/WMA<br>+ Connectivity: 2×USB (Apple chip)/2×SD card/CD/AUX-in/<br>Bluetooth® + 8 speakers + Voice recognition with navigation<br>functionality + 2 additional charge-only USBs in rear   | 0     | 0         | 0  |
| Cartography Europe <sup>36</sup> (SD Card without Mapcare)   | 0     | 0         | 0  |
| Cartography Europe <sup>36</sup> (SD Card with Mapcare)  | 0     | 0         | 0  |
| SEAT Navi System Plus incl. SEAT:<br>8" Smart touch display - Sound features: MP3/WMA<br>+ Connectivity: 2×USB (Apple chip)/2×SD card/DVD/AUX-in/<br>Bluetooth® (phone and audio streaming)/WLan connectivity<br>and 8 speakers + Voice recognition with navigation functionality<br>+ SEAT Full Link, SMS, e-mail + Real/3D Navigation, HDD 10Gb,<br>Media Control functionality and Cartography included,<br>2 additional charge-only USBs in rear | 0     | 0         | 0  |
| <b>SEAT Full LED:</b><br>LED headlamps with LED Daytime Running Lights (DRL) and SEAT<br>LED Highway Assist, LED front fog lamps without cornering lights<br>and Full LED rear lamps (number plate LED light)  | 0     | 0         | 0  |

#### Electronics

| Cartography Eu                    |
|-----------------------------------|
| Digital Audio Br                  |
| BeatsAudio™ in                    |
| SEAT Full Link T<br>Apple CarPlay |

Connectivity box charger + mobile

Rear parking dist

Front and rear pa

Rear view camer **SEAT Drive Prof** 

Steering respon and gear shifts i

**Convenience** P Electrochromic i sensor, Automat windshield wipe

LED Interior Illu Front and rear L with ambient sp and rear LED lig LED illumination and LED boot lig

Winter Pack: Heated front sec heated wash wa

| 0<br>0<br>0 | 0                          | 0   |
|-------------|----------------------------|---|
|             | -                          | 0   |
| 0           | 0                          |   |
|             | 0                          | 0   |
| 0           | 0                          | 0   |
| 0           | 0/●                        | 0   |
| 0           | •                          | 0   |
| 0           | 0                          | 0   |
| 0           | 0                          | 0   |
| -           | -                          | •   |
| 0           | •                          | 0   |
| 0           | •                          | 0   |
| 0           | 0                          | 0   |
|             | 0<br>0<br>0<br>0<br>0<br>- | 0     0       0     0/•       0     •       0     •       0     0       -     -       0     •       0     • |

## Accessories Leon.

| Performance  |                | Ext            |
|--|----------------|----------------|
| Black 18" alloy wheel                              | 5F0071490 041  | Colo           |
| Machined Black 18" alloy wheel                     | 5F0071498J041  | Colo           |
| Anthracite 18" alloy wheel                         | 5F0071490 79Y  | Colo           |
| Black 18" alloy wheel                              | 5F0071490C 041 | Exte           |
| Sport Black  | 5F0071498L     | Exte           |
| Dynamic Grey 18" alloy wheel                       | 5F0071490 S7J  | Exte           |
| Titanium Grey 18" alloy wheel                      | 5F0071490C LL7 | Exte           |
| CUPRacer Grey 18" alloy wheel                      | 5F0071498C 1BC | Hata           |
| CUPRacer Black 18" alloy wheel                     | 5F0071498C 041 | Exte           |
| Black machined 18" alloy wheel                     | 5F0071498D KT2 | Num            |
| Sports Pedals (Left hand drive vehicles)           | 5F0064200      |                |
| Footrest (Left hand drive vehicles)                | 5F0071750      | <u> </u>       |
| Aerodynamic Kit -Front bumper lip FR               | 5F0071606G GRU | Inter          |
| Aerodynamic Kit - Front bumper lip Xcellence/Style | 5F0071606H GRU | Inter          |
| Aerodynamic Kit - Blade side skirt                 | 5F0071685 GRU  | Inter          |
| Aerodynamic Kit - Spoiler                          | 5F0071606A     | Inter          |
| Aerodynamic Kit - Rear bumper                      | 5F0071609      | Inte           |
| Aerodynamic Kit - Skirts                           | 5F0071610      | Inter          |
| Transport  |                | Inter<br>Inter |
| Surfboard rack                                     | 000071120HA    | Add            |
| Ski rack for 4 pairs or 2 snowboards               | 0000711295     | Win            |
| Ski rack for 6 pairs or 4 snowboards               | 000071129T     | The            |
| Roof bars  | 5F0071100      | The            |
| Tow bar bike rack                                  | 000071128G     | Rea            |
| Bike rack  | 5F9071128      | Espi           |
| 400l. Roof box                                     | 000071200T     | LED            |
| 420l. Roof box                                     | 000071200AB    | LED            |
| 460L Roof box                                      | 000071200AG    | LED            |
| Towing hook  | 5F0803881D     | LED            |
| 7-13 pin adapter                                   | 3R0055300      | <u></u><br>Hoo |
| Ski rack xtender                                   | 000071129R     | Clot           |
| Load-Stop rack                                     | 000071223      | Add            |
| Kit 3 <sup>rd</sup> bike extension                 | 000071128J     | Rea            |
| Tow bar bike rack                                  | 000071128H     | Side           |

| Color hubcap - Mystery Blue                         | 6F0071409C W5L |
|---|----------------|
| Color hubcap - Bismuth                              | 5F0071409 UN6  |
| Color hubcap - Desire Red                           | 6F0071409C 0X1 |
| Exterior Mirror covers - Black                      | 6F0072530 041  |
| Exterior Mirror covers - Bismuth                    | 6F0072530 UN6  |
| Exterior Mirror covers - Desire Red                 | 6F0072530 0X1  |
| Exterior Mirror covers - Mystery Blue               | 6F0072530 W5L  |
| Hatchdoor moulding                                  | 5F0071360      |
| Exterior decorative decals - Lines                  | 5F0072525      |
| Number plate holder with advertisement frame        | 000061640      |
| Interior  |                |
| Interior mirror cover (STD) Black                   | 6F0072540 041  |
| Interior mirror cover (STD) Bismuth                 | 6F0072540 LZG  |
| Interior mirror cover (STD) Desire Red              | 6F0072540 0X1  |
| Interior mirror cover (STD) Mystery Blue            | 6F0072540 W5L  |
| Interior mirror cover (Electrochrome) Black         | 6F0072540A 041 |
| Interior mirror cover (Electrochrome) Bismuth       | 6F0072540A LZG |
| Interior mirror cover (Electrochrome) Desire Red    | 6F0072540A 0X1 |
| Interior mirror cover (Electrochrome) Mystery Blue  | 6F0072540A W5L |
| Additional interior mirror                          | 000084418A     |
| Wintershield Sun blind                              | 000064363      |
| Thermal box extension cable                         | 000065201      |
| Thermal box transformer                             | 000065202      |
| Rear seat cooler                                    | 000065203      |
| Espresso Machine                                    | 000069641      |
| LED C5W 41 mm LED lighting for the vehicle interior | 000052010B     |
| LED T4W LED lighting for the vehicle interior       | 000052010C     |
| LED C5W 36 mm LED lighting for the vehicle interior | 000052010D     |
| LED W5W LED lighting for the vehicle interior       | 000052010E     |
| Hooks for headrests                                 | 000061126B     |
| Clothes hanger                                      | 000061127B     |
| Additional Interior Mirror                          | 000084418A     |
| Rear sun shade                                      | 5F0064365      |
| Side sun shades                                     | 5F0064365A     |

#### Interior

Spherical sticks Spherical stick Spherical stick Spherical stick s Aluminium dash Red dash decord Carbon dash de Sill guard sheet Inox side sills De Inox side sills My Illuminated sill Stainless steel s Spherical cup h Cup holder orgo

#### Infotainmer

TomTom® STAR TomTom® STAR TomTom® GO 5 TomTom® GO 6 GO 6200 Europe GO 5200 Europe TomTom® GO 6 TomTom<sup>®</sup> Suppo GPS ULTRA Holder with mag Nextbase 101 Eli iPad® bracket iPad® Mini brac iPad® Air bracke Galaxy Tab brac Tetrax XWAY Tetrax SMART Tetrax FIX SEAT Full Link Parrot® MiniKit Parrot® MiniKit Parrot<sup>®</sup> MiniKit

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

| shift 5sp - Aluminium           | 5F0064230      | P         |
|---------------------------------|----------------|-----------|
| shift 6sp - Aluminium           | 5F0064230A     | <u>Ir</u> |
| shift 5sp - Tornado Red         | 5F0064230B     | U         |
| shift 6sp - Tornado Red         | 5F0064230C     |           |
| h decoration                    | 5F0064713      |           |
| ration                          | 5F0064713A     |           |
| ecoration                       | 5F0064713B     |           |
| t                               | 5F0071310      |           |
| esire Red                       | 5F0071691H     |           |
| ystery Blue                     | 5F0071691G     |           |
| guard                           | 5F0071691      |           |
| sill guard                      | 5F0071691C     |           |
| nolder organiser                | 1SL061129A     | F         |
| aniser                          | 1SL061129      |           |
| nt                              |                |           |
| RT 42                           | 000051818AQ    | Ā         |
| RT 52                           | 000051818AR    | K         |
| 520                             | 000051818CJ    | S         |
| 520                             | 000051818CK    | <u>S</u>  |
| pe 45 countries (Lifetime maps) | 000051818CM    |           |
| pe 45 countries (Lifetime maps) | 000051818CL    | —— –<br>H |
| 52                              | 000051818CE    |           |
| port                            | 6J0051991A     | Ā         |
|                                 | 000051818CG    | B         |
| gnetic suction cup              | 000051991K     | Ā         |
| lite                            | 000054731A     |           |
|                                 | 000061125A     |           |
| cket                            | 000061125B     | ī         |
|                                 | 000061125C     | F         |
| acket                           | 000061125D     |           |
|                                 | 000096320GMAAA | fo        |
|                                 | 000096320GMAAB |           |
|                                 | 000096320GMAAC | S         |
|                                 | 5F0054830      |           |
| Neo 2 HD - Black                | 000051473AE041 | F         |
| Neo 2 HD - Blue                 | 000051473AENBP |           |
| Neo 2 HD - Red                  | 000051473AES3H | 1:<br>    |
|                                 |                |           |

| Infotainment   |                |
|--|----------------|
| Parrot® MiniKit Neo 2 HD - Green   | 000051473AES6A |
| Inductive charger  | 000051763Q     |
| Universal smartphone support   | 000061129F     |
| Navlet 10i Full HD Tablet + Support  | 000051232R     |
| Charging cable for iPhone and Android smartphones  | 000051444AK    |
| Security   |                |
| Top Tether Safety Belt   | 3R0019900      |
| Child safety Kidfix XP   | 000019906M     |
| ISOFIX Duo Plus  | 000019909G     |
| SEAT PEKE G1 I-Size Trifix   | 000019909F     |
| SEAT PEKE Peke GO I-Size Plus  | 000019907A     |
| ISOFIX Baby-safe Plus SHR II   | 000019907B     |
| Fastening strap kit  | 000017770      |
| CB alarm for klaxon  | 000054600      |
| Headrest base carrier  | 000061122      |
| Anti-theft device for wheels   | 000071500      |
| Key finder Smart tracker   | 000087013      |
| Starter D3G5   | 000051763F     |
| 15,000 mAh battery jump starter + charger  | 000051763H     |
| Car Power Bank has two   | 000051763J     |
| H7 lamp box  | 000052007B     |
| H7 Xenon bulb + 90%  | 000052007M     |
| Anti-Theft Detector Locator  | 000054620A     |
| Beeper parking sensor  | 000054752D     |
| Anti-theft screws for rims   | 000071510A     |
| Innovative, high quality reflective vest   | 000093056J     |
| Pack warning triangle (2 units)  | 000093600C     |
| Travel package   | 000093990AH    |
| Fog Lights Kit for new Leon  | 5F0052184      |
| Speed control system: Function activation pack<br>for vehicles with controls in steering wheel       | 5F0054690      |
| Speed control system: Function activation pack<br>for vehicles without controls in steering wheel    | 5F0054690A     |
| Front parking sensor kit - 4 sensors   | 5F0054752A     |
| Rear parking sensor kit - 4 sensors  | 5F0054752B     |
| 13 - pin electric kit with pre-installation (PR 1M5)<br>- for vehicles manufactured after w. 22/2014 | 5F0055204D     |

| Security   |             | Protection                        |
|--|-------------|-----------------------------------|
| Electric kit 13 pin without pre-installation<br>- for vehicles manufactured after w. 22/2014 | 5F0055204E  | Foil boot prote                   |
| - for vehicles manufactured after w. 22/2014   | 510055204L  | Luggage com                       |
| Tiredness recognition system   | 5F0060884B  | Luggage com                       |
| First-aid kit  | 6L0093000   | Reversible boo                    |
| Safety dog harness - Size XL   | 000084310B  | Cargo area se                     |
| Safety dog harness - Size L  | 000084310C  | Boot organise                     |
| Safety dog harness - Size M  | 000084310D  | Luggage com                       |
| Safety Dog Harness - Size S  | 000084310E  | SERIES floor m<br>Set of black ru |
| Help flash   | 000052122A  | Set of black to<br>Velpic® black  |
| Kaza live alert smartwatch   | 000054635E  | Red car cover                     |
| 15,000 mAh battery jump starter + charger  | 000051763H  | Black car cove                    |
| Snow chains:   |             | Front mudflap                     |
| Autosock (195/65R15)   | 000091303D  | Rear mudflaps                     |
| Autosock [205/55R16]   | 000091305D  | Maintenan                         |
| Autosock (225/45R17)   | 000091375S  | Electric gir free                 |
|  |             | Limoncello air                    |
| Autosock (225/40R18)   | 0000913755  | Insilver & Limo                   |
| Turisport (195/65R15)  | 000091303D  | Insilver Passio                   |
| Turisport (205/55R16)  | 000091303E  | Mixt fruit refill                 |
| Turisport (225/45R17)  | 000091375S  | Red fruits refil                  |
| Turisport (225/40R18)  | 0000913755  | Mild herbs air                    |
| Protection   |             | Alize aroma ai                    |
| Sport Pack (Bag + Towel + Water Bottle + Key fob)  | 000051763L  | Calima aroma                      |
| Rear seats protection for pets   | 000061609C  | Fresh mint refi                   |
| Luggage compartment cover  | 000061609D  | Mistral aroma                     |
| Air compressor (tyre shape)  | 000071716A  | Sirocco aromo                     |
| Tyre cover   | 000071770C  | Zephyros aror                     |
| Ventilation grille support   | 6J0051700F  | lce Scraper                       |
| Key cover - FR   | 000087013AE | Insect remove                     |
| Key cover - SEAT logo  | 000087013AE | Interior cleane                   |
| Key cover - CUPRA  | 000087013AJ | Dashboard Cl                      |
| Key cover - Leon   | 00008701345 | <u>300 ml conce</u> r             |
|  | 00000/0101  | <u>300 ml windso</u>              |

| Our global range of cars and product specifications varies from country to country.        |     |
|--|-----|
| Please, visit your local SEAT website to know more about the product offer available for y | ou. |

| Foil boot protector                        | 5F0061197      |
|--|----------------|
| Luggage compartment protective tray        | 5F9061205      |
| Luggage compartment protective FOAM shelf  | 5F0061205G     |
| Reversible boot mat                        | 5F0061210B     |
| Cargo area separation grille               | 5F9061205B     |
| Boot organiser                             | 1SL061205      |
| Luggage compartment net                    | 5P5861873      |
| SERIES floor mat set                       | 5F0863011 LOE  |
| Set of black rubber mats                   | 5F0061500 041  |
| Velpic® black floor mat set                | 5F0061675 041  |
| Red car cover                              | 5F0061701      |
| Black car cover                            | 5F0061701A     |
| Front mudflaps                             | 5F0075111      |
| Rear mudflaps                              | 5F0075101B     |
| Maintenance                                |                |
| Electric air freshener                     | 000091500      |
| Limoncello air freshener                   | 000091500B     |
| Insilver & Limoncello refill air freshener | 000091500D     |
| Insilver Passion refill air freshener      | 000091500E     |
| Mixt fruit refill air freshener            | 000091500FM    |
| Red fruits refill air freshener            | 000091500FR    |
| Mild herbs air freshener refill            | 000091500HS    |
| Alize aroma air freshener                  | 000091500L     |
| Calima aroma air freshener                 | 000091500M     |
| Fresh mint refill air freshener            | 000091500MC    |
| Mistral aroma air freshener                | 000091500N     |
| Sirocco aroma air freshener                | 000091500P     |
| Zephyros aroma air freshener               | 000091500Q     |
| Ice Scraper                                | 000096010C     |
| Insect remover                             | 000096320FRABH |
| Interior cleaner                           | 000096320FRABK |
| Dashboard Cleaner                          | 000096320FRABM |
| 300 ml concentrated shampoo                | 000096320GFAAB |
| 300 ml windscreen wash                     | 000096320GFAAD |
| Summer maintenance kit                     | 000096354B     |
| Winter maintenance kit                     | 000071980BPADA |
| Touch-up pencil White                      | 000098500L B9A |

### **Maintenance** Touch-up pencil N

| Touch-up perici |
|-----------------|
| Touch-up pencil |
| Child car see   |
|                 |
| SEAT PEKE Peke  |

| Maintenance                       |                     |
|-----------------------------------|---------------------|
| Touch-up pencil Mediterraneo Blue | 000098500L 511      |
| Touch-up pencil Boheme Purple     | 000098500LML4U      |
| Touch-up pencil Mystery Blue      | 000098500LMW5L      |
| Touch-up pencil Estrella Silver   | 000098500LMX7W      |
| Touch-up pencil Midnight Black    | 000098500LMY9T      |
| Touch-up pencil Nevada White      | 000098500LMS9R      |
| Touch-up pencil Desire Red        | 000098500LM0X1      |
| Touch-up pencil Magnetic Tech     | 000098500LMS7H      |
| Child car seats                   | Age (approximate)   |
| SEAT PEKE Peke GO I-Size Plus     | Up to 15 months     |
| ISOFIX Baby-safe Plus SHR II      | Up to 15 months     |
| SEAT PEKE G1 I-Size Trifix        | 9 months to 4 years |
| ISOFIX Duo Plus                   | 9 months to 4 years |
| Child safety Kidfix XP            | 4 to 12 years       |

## Leon Sportstourer.

#### Performance Black 18" alloy wheel 5F0071490 041 5F0071498J041 Machined Black 18" alloy wheel 5F0071490 79Y Anthracite 18" alloy wheel Black 18" alloy wheel 5F0071490C 041 5F0071498L Sport Black 5F0071490 S7J Dynamic Grey 18" alloy wheel Titanium Grey 18" alloy wheel 5F0071490C LL7 CUPRacer Grey 18" alloy wheel 5F0071498C 1BC CUPRacer Black 18" alloy wheel 5F0071498C 041 Black machined 18" alloy wheel 5F0071498D KT2 Sports Pedals (Left hand drive vehicles) 5F0064200 Footrest (Left hand drive vehicles) 5F0071750 Aerodynamic Kit - Front bumper lip FR 5F0071606G GRU 5F0071606H GRU Aerodynamic Kit - Front bumper lip Xcellence/Style Aerodynamic Kit - Blade side skirt 5F0071685 GRU Transport Surfboard rack 000071120HA Ski rack for 4 pairs or 2 snowboards 000071129S 000071129T Ski rack for 6 pairs or 4 snowboards 5F9071101 Roof bars Roof bars THULE 5F9071151 000071128G Tow bar bike rack 5F9071128 Bike rack 400l. Roof box 000071200T 420l. Roof box 000071200AB 460l. Roof box 000071200AG Towing hook 5F0803881D 3R0055300 7-13 pin adapter 000071129R Ski rack xtender Load-Stop rack 000071223 000071128J Kit 3<sup>rd</sup> bike extension 000071128H Tow bar bike rack

| xterior  |                |  |
|--|----------------|--|
| Color hubcap - Mystery Blue                        | 6F0071409C W5L |  |
| Color hubcap - Bismuth                             | 5F0071409 UN6  |  |
| Color hubcap - Desire Red                          | 6F0071409C 0X1 |  |
| xterior Mirror covers - Black                      | 6F0072530 041  |  |
| xterior Mirror covers - Bismuth                    | 6F0072530 UN6  |  |
| xterior Mirror covers - Desire Red                 | 6F0072530 0X1  |  |
| xterior Mirror covers - Mystery Blue               | 6F0072530 W5L  |  |
| latchdoor moulding                                 | 5F0071360      |  |
| lumber plate holder with advertisement frame       | 000061640      |  |
| nterior  |                |  |
| nterior mirror cover (STD) Black                   | 6F0072540 041  |  |
| nterior mirror cover (STD) Bismuth                 | 6F0072540 LZG  |  |
| nterior mirror cover (STD) Desire Red              | 6F0072540 0X1  |  |
| nterior mirror cover (STD) Mystery Blue            | 6F0072540 W5L  |  |
| nterior mirror cover (Electrochrome) Black         | 6F0072540A 041 |  |
| nterior mirror cover (Electrochrome) Bismuth       | 6F0072540A LZG |  |
| nterior mirror cover (Electrochrome) Desire Red    | 6F0072540A 0X1 |  |
| nterior mirror cover (Electrochrome) Mystery Blue  | 6F0072540A W5L |  |
| Vintershield Sun blind                             | 000064363      |  |
| hermal box extension cable                         | 000065201      |  |
| hermal box transformer                             | 000065202      |  |
| lear seat cooler                                   | 000065203      |  |
| spresso Machine                                    | 000069641      |  |
| ED C5W 41 mm LED lighting for the vehicle interior | 000052010B     |  |
| ED T4W LED lighting for the vehicle interior       | 000052010C     |  |
| ED C5W 36 mm LED lighting for the vehicle interior | 000052010D     |  |
| ED W5W LED lighting for the vehicle interior       | 000052010E     |  |
| looks for headrests                                | 000061126B     |  |
| Clothes hanger                                     | 000061127B     |  |
| dditional interior mirror                          | 000084418A     |  |
| pherical stick shift 5sp - Aluminium               | 5F0064230      |  |
| pherical stick shift 6sp - Aluminium               | 5F0064230A     |  |
|  |                |  |

In

#### Interior

Spherical stick Spherical stick Aluminium das Red dash deco Carbon dash d Sill guard shee Illuminated sill Stainless steel Spherical cup I Cup holder orc

#### Infotainme

Tomtom<sup>®</sup> STA Tomtom<sup>®</sup> STA Tomtom® GO Tomtom® GO GO 6200 Euro GO 5200 Euro Tomtom® GO Tomtom<sup>®</sup> Sup **GPS ULTRA** Holder with m Nextbase 101 iPad® bracket iPad® Mini bro iPad® Air brad Galaxy Tab bi Tetrax XWAY Tetrax SMAR Tetrax FIX SEAT Full Link Parrot<sup>®</sup> MiniK Parrot® MiniK Parrot® MiniK Parrot<sup>®</sup> MiniK Inductive cha Samsung A5 E

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

|                                   |                | <u>Infotainm</u>              |
|-----------------------------------|----------------|-------------------------------|
| ck shift 5sp - Tornado Red        | 5F0064230B     | Samsung A5                    |
| ck shift 6sp - Tornado Red        | 5F0064230C     | Samsung A3                    |
| ash decoration                    | 5F0064713      | Samsung A3                    |
| coration                          | 5F0064713A     | Security                      |
| decoration                        | 5F0064713B     |                               |
| eet                               | 5F0071310      | <u>Top Tether S</u>           |
| ill guard                         | 5F0071691      | Child safety     ISOFIX Duo F |
| el sill guard                     | 5F0071691C     |                               |
| p holder organiser                | 1SL061129A     | SEAT PEKE G                   |
| rganiser                          | 1SL061129      | SEAT PEKE P                   |
| ant                               |                | ISOFIX Baby                   |
|                                   | 00005101040    | Fastening st                  |
| ART 42                            | 000051818AQ    | <u>CB alarm for</u>           |
| ART 52                            | 000051818AR    | Headrest ba                   |
| 0.520                             | 000051818CJ    | Anti-theft de                 |
| 0 620                             | 000051818CK    | Key finder Sr                 |
| rope 45 countries (Lifetime maps) | 000051818CM    | Starter D3G                   |
| rope 45 countries (Lifetime maps) | 000051818CL    | 15,000 mAh                    |
| 0.62                              | 000051818CE    | Car Power B                   |
| pport                             | 6J0051991A     | H7 lamp box                   |
|                                   | 000051818CG    | H7 Xenon bu                   |
| nagnetic suction cup              | 000051991K     | Anti-Theft De                 |
| l Elite                           | 000054731A     | Beeper park                   |
| et                                | 000061125A     | Anti-theft sc                 |
| racket                            | 000061125B     | Innovative, h                 |
| icket                             | 000061125C     | Pack warnin                   |
| pracket                           | 000061125D     | Travel packa                  |
|                                   | 000096320GMAAA | Oil pack                      |
| Т                                 | 000096320GMAAB | Oil bag                       |
|                                   | 000096320GMAAC | Fire Extinguis                |
| <                                 | 5F0054830      | Fog Lights Ki                 |
| Kit Neo 2 HD - Black              | 000051473AE041 | Speed contro                  |
| Kit Neo 2 HD - Blue               | 000051473AENBP | for vehicles v                |
| Kit Neo 2 HD - Red                | 000051473AES3H | Speed contro                  |
| Kit Neo 2 HD - Green              | 000051473AES6A | for vehicles v                |
| arger                             | 000051763Q     | Front parking                 |
| Europa                            | 000051703AB    | Rear parking                  |
| · · ·                             |                | · ·                           |

| Samsung A5 UK   | 000051703AC |  |
|---|-------------|--|
| Samsung A3 Europa   | 000051703S  |  |
| Samsung A3 UK   | 000051703T  |  |
| Security  |             |  |
| Top Tether Safety Belt  | 3R0019900   |  |
| Child safety Kidfix XP  | 000019906M  |  |
| ISOFIX Duo Plus   | 000019909G  |  |
| SEAT PEKE G1 I-Size Trifix  | 000019909F  |  |
| SEAT PEKE Peke GO I-Size Plus   | 000019907A  |  |
| ISOFIX Baby-safe Plus SHR II  | 000019907B  |  |
| Fastening strap kit   | 000017770   |  |
| CB alarm for klaxon   | 000054600   |  |
| Headrest base carrier   | 000061122   |  |
| Anti-theft device for wheels  | 000071500   |  |
| Key finder Smart tracker  | 000087013   |  |
| Starter D3G5  | 000051763F  |  |
| 15,000 mAh battery jump starter + charger   | 000051763H  |  |
| Car Power Bank has two  | 000051763J  |  |
| H7 lamp box   | 000052007B  |  |
| H7 Xenon bulb + 90%   | 000052007M  |  |
| Anti-Theft Detector Locator   | 000054620A  |  |
| Beeper parking sensor   | 000054752D  |  |
| Anti-theft screws for rims  | 000071510A  |  |
| Innovative, high quality reflective vest  | 000093056J  |  |
| Pack warning triangle (2 units)   | 000093600C  |  |
| Travel package  | 000093990AH |  |
| Oil pack  | 000093990AJ |  |
| Oil bag   | 000087309B  |  |
| Fire Extinguisher   | 5F0016995   |  |
| Fog Lights Kit for new Leon   | 5F0052184   |  |
| Speed control system: Function activation pack<br>for vehicles with controls in steering wheel    | 5F0054690   |  |
| Speed control system: Function activation pack<br>for vehicles without controls in steering wheel | 5F0054690A  |  |
| Front parking sensor kit - 4 sensors  | 5F0054752A  |  |
| Rear parking sensor kit - 4 sensors   | 5F0054752B  |  |

| 13 - pin electric kit with pre-installation (PR 1M5)<br>- for vehicles manufactured after w. 22/2014 | 5F0055204D  | <u>Bo</u><br>Lu |
|--|-------------|-----------------|
| Electric kit 13 pin without pre-installation<br>- for vehicles manufactured after w. 22/2014         | 5F0055204E  | SI<br>SI        |
| Tiredness recognition system   | 5F0060884B  | Ve              |
| First-aid kit  | 6L0093000   | Re              |
| Safety dog harness - Size XL   | 000084310B  | Bl              |
| Safety dog harness - Size L  | 000084310C  | Fr              |
| Safety dog harness - Size M  | 000084310D  | Re              |
| Safety Dog Harness - Size S  | 000084310E  |                 |
| Help flash   | 000052122A  | <u> </u>        |
| Kaza live alert smartwatch   | 000054635E  | <u> </u>        |
| Snow chains:   |             | <u> </u>        |
| Autosock (195/65R15)   | 000091303D  | <u> </u>        |
| Autosock (205/55R16)   | 000091375AB | <u> ln</u>      |
| Autosock (225/45R17)   | 0000913755  | <u> </u>        |
| Autosock (225/40R18)   | 0000913755  | <u>Re</u>       |
| Turisport (195/65R15)  | 000091303D  | <u> </u>        |
| Turisport (205/55R16)  | 000091303E  | <u> Al</u>      |
| Turisport (225/45R17)  | 0000913755  | <u> </u>        |
| Turisport (225/40R18)  | 0000913755  | Fr<br>M         |
| Protection   |             | Si              |
| Sport Pack (Bag + Towel + Water Bottle + Key fob)  | 000051763L  | Ze              |
| Rear seats protection for pets   | 000061609C  | lc              |
| Luggage compartment cover  | 000061609D  | In              |
| Air compressor (tyre shape)  | 000071716A  | In              |
| Tyre cover   | 000071770C  | D               |
| Ventilation grille support   | 6J0051700F  | 30              |
| Key cover - FR   | 000087013AE | 30              |
| Key cover - SEAT logo  | 000087013AF | Si              |
| Key cover - CUPRA  | 000087013AJ | W               |
| Key cover - Leon   | 000087013T  | To              |
| Foil boot protector  | 5F0061197   | To              |
| Luggage compartment protective tray  | 5F9061205   | To              |
| Luggage compartment protective FOAM shelf  | 5F0061205G  | To              |
| Reversible boot mat  | 5F0061210B  | Tc              |
| Cargo area separation grille   | 5F9061205B  | To              |

| Boot organiser                             | 1SL061205      |
|--|----------------|
| Luggage compartment net                    | 5P5861873      |
| SERIES floor mat set                       | 5F0863011 LOE  |
| Set of black rubber mats                   | 5F0061500 041  |
| Velpic® black floor mat set                | 5F0061675 041  |
| Red car cover                              | 5F0061701      |
| Black car cover                            | 5F0061701A     |
| Front mudflaps                             | 5F0075111      |
| Rear mudflaps                              | 5F0075101C     |
| Maintenance                                |                |
| Electric air freshener                     | 000091500      |
| Limoncello air freshener                   | 000091500B     |
| Insilver & Limoncello refill air freshener | 000091500D     |
| Insilver Passion refill air freshener      | 000091500E     |
| Mixt fruit refill air freshener            | 000091500FM    |
| Red fruits refill air freshener            | 000091500FR    |
| Mild herbs air freshener refill            | 000091500HS    |
| Alize aroma air freshener                  | 000091500L     |
| Calima aroma air freshener                 | 000091500M     |
| Fresh mint refill air freshener            | 000091500MC    |
| Mistral aroma air freshener                | 000091500N     |
| Sirocco aroma air freshener                | 000091500P     |
| Zephyros aroma air freshener               | 000091500Q     |
| Ice Scraper                                | 000096010C     |
| Insect remover                             | 000096320FRABH |
| Interior cleaner                           | 000096320FRABK |
| Dashboard Cleaner                          | 000096320FRABM |
| 300 ml concentrated shampoo                | 000096320GFAAB |
| 300 ml windscreen wash                     | 000096320GFAAD |
| Summer maintenance kit                     | 000096354B     |
| Winter maintenance kit                     | 000071980BPADA |
| Touch-up pencil White                      | 000098500L B9A |
| Touch-up pencil Mediterraneo Blue          | 000098500L 511 |
| Touch-up pencil Boheme Purple              | 000098500LML4U |
| Touch-up pencil Mystery Blue               | 000098500LMW5L |
| Touch-up pencil Estrella Silver            | 000098500LMX7W |
| Touch-up pencil Midnight Black             | 000098500LMY9T |

#### <u>Maintenance</u>

Touch-up pencil Touch-up pencil Touch-up pencil

### Child car sea SEAT PEKE Peke (

ISOFIX Baby-safe SEAT PEKE G11-S ISOFIX Duo Plus Child safety Kidfi

| e                |                     |
|------------------|---------------------|
| l Nevada White   | 000098500LMS9R      |
| l Desire Red     | 000098500LM0X1      |
| l Magnetic Tech  | 000098500LMS7H      |
| ats              | Age (approximate)   |
| e G0 I-Size Plus | Up to 15 months     |
| fe Plus SHR II   | Up to 15 months     |
| Size Trifix      | 9 months to 4 years |
| ;                | 9 months to 4 years |
| fix XP           | 4 to 12 years       |
|                  |                     |

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

### Leon.

| Freine                             |     | 1.0 EcoTSI 115 HP (85 kW)<br>Man-6 Start/Stop¹ | 1.5 EcoTSI Evo 130 HP (96 kW)<br>Man-6 Start/Stop1 | 1.5 EcoTSI Evo 150 HP (110 kW)<br>Man-6 Start/Stop<br>  DSG-7 Start/Stop |
|------------------------------------|-----|--|--|--|
| Engine<br>Cylinder/Valve (total)   |     | 3/12   | 4/16   | 4/16   |
| Displacement (cc)                  |     | 999  | 1.498  | 1.498  |
| Cylinder bore and stroke (mm)      |     | 74.5×76.4                                      | 74.5×85.9  | 74.5×85.9  |
|                                    |     | 10.5   | 74.5×85.9<br>12.5                                  | 74.5×85.9<br>10.5  |
| Compression ratio                  |     |  |  |  |
| Maximum power (kW (HP)/rpm)        |     | 85 (115)/5,000-5,500                           | 96 (131) /5,000-6,000                              | 110 (150)/5,000 - 6,000  |
| Maximum torque (Nm/rpm)            |     | 200/2,000-3,500                                | 200/1,400-4,000                                    | 250/1,500 - 3,500  |
| Fuel supply system                 |     | TSI Direct Injection                           | TSI Direct Injection                               | TSI Direct Injection   |
| Ignition                           |     | Electronic map-controlled ignition             |  |  |
| Atmospheric/Supercharged           |     | Turbo Charged                                  | Turbo Charged                                      | Turbo Charged  |
| Fuel type                          |     | ROZ 95   | ROZ 95   | ROZ 95   |
| Oil capacity in initial fill [1]   |     | 4.3  | 4.8  | 4.8  |
| Emission control                   |     | EU6  | EU6  | EU6  |
| Alternator (A)                     |     | 110-140  | 110-140  | 110-140  |
| Battery (Ah/A)                     |     | 59-69  | 59-69/320-360                                      | 59-69/320-360  |
| Performance                        |     |  |  |  |
| Maximum speed (km/h)               |     | 195 (V)  | 203 (V)  | 215 (V)   213 (VI)   |
| Acceleration 0-80 km/h (s)         |     | 6.8  | 6.3  | 5.6   5.9  |
| Acceleration 0-100 km/h (s)        |     | 9.8  | 9.4  | 8.2   8.3  |
| Acceleration 80-120 km/h (s)       |     | 11.1   | 11.5   | 8.7   -  |
| Acceleration 1000 m (s)            |     | 31.5   | 30.9   | 29.4   29.8  |
| <b>Fuel consumption</b>            |     |  |  |  |
| Urban (l/100 km)                   |     | _  | _  | _  |
| Extra urban (l/100 km)             |     | -  | -  | _  |
| Combined (l/100 km)                |     | -  | -  | -  |
| CO2 mass emission                  |     |  |  |  |
| CO <sub>2</sub> Urban (g/km)       |     | _  | _  | -  |
| CO <sub>2</sub> Extra Urban (g/km) |     | _  | _  | _  |
| CO2 Combined (g/km)                |     | _  | _  | -  |
| Transmission                       |     |  |  |  |
| Gearbox type                       |     | MQ200GA-6F                                     | MQ200GA-6F   | MQ250-6F  DQ200-7F   |
| Ratios                             | I   | 3.769  | 3,615  | 3.778   3.500  |
|                                    | II  | 1.955  | 1,947  | 2.118   2.087  |
|                                    | III | 1.281  | 1,281  | 1.360   1.343  |
|                                    | IV  | 0.973  | 0,973  | 1.029   0.933  |
|                                    | V   | 0.778  | 0,778  | 0.857   0.974  |
|                                    | VI  | 0.642  | 0,646  | 0.733   0.778  |

#### Transmission

| Group 1 ratio     |
|-------------------|
| Group 2 ratio     |
| Group 3 ratio     |
| Speed 1000 rpm in |
| Chassis           |
| Front suspension  |
|                   |

#### Rear suspension Steering System Turning diameter (m Brake system Front/Rear brake tyj Front brakes (mm)

Rear brakes (mm)

#### Wheels

Rims

Tyres

#### Dimensions

Body type Length/width/heigh Wheelbase (mm) Track front/rear (mn Boot capacity (I) Fuel tank capacity (I)

#### Weights

In running order wit In running order wit Maximum weight al Maximum towing w Maximum towing w Maximum towing w

| I                           | 1.0 EcoTSI 115 HP (85 kW)<br>Man-6 Start/Stop¹                   | 1.5 EcoTSI Evo 130 HP (96 kW)<br>Man-6 Start/Stop¹             | 1.5 EcoTSI Evo 150 HP (110 kW)<br>Man-6 Start/Stop'<br>  DSG-7 Start/Stop' |
|-----------------------------|--|--|--|
| VII                         | -  | -  | -   0.653  |
| R                           | 3.182  | 3.182  | 3.600   3.721  |
|                             | 4.056  | 4.056  | 3.647   4.800  |
|                             | -  | _  | -   3.429  |
|                             | -  | -  | -   4.500  |
| in IV/V/VI/VII (km/h)       | 29.5/36.9/44.7/-   | 29.3/36.7/44.2/-   | 31.0/37.2/43.5/-   23.2/30.4/37.6/45.0                                     |
|                             | Independent McPherson type - coil springs -                      | hydraulic shock absorber                                       |  |
|                             | Semirigid axle, coil springs and hydraulic shock                 | absorber   |  |
|                             | R-EPS (Rack Electric Power System)                               |  |  |
| (m)                         | 10.3   |  |  |
|                             | Dual hydraulic circuit and brake system diagon                   | al split with brake booster                                    |  |
| type                        | Front ventilated disc brakes and rear solid disc                 | brakes   |  |
| n]                          | Ø 276×24   | Ø 288×25 (DCC 312×25)  | Ø 288×25 (DCC 312×25)  |
| )                           | 253×10 (EPB 272×10)  | 272×10   | 272×10   |
|                             |  |  |  |
|                             | 6J×15 ET43<br>6.5J×16 ET46/7J×17 ET49                            | 6.5J×16 ET46<br>7J×17 ET49/7.5J×18 ET51                        | 6.5J×16 ET46<br>7J×17 ET49/7.5J×18 ET51                                    |
|                             | 195/65 R15 91H-205/55 R16 91V<br>225/45 R17 91W-205/50R17 93V XL | 205/55 R16 91V-225/45 R17 91W<br>205/50 R17 93V-225/40 R18 92Y | 205/55 R16 91V-225/45 R17 91W<br>205/50 R17 93V-225/40 R18 92Y             |
|                             | 5D   |  |  |
| ight (mm)                   | 4,282/1,816/1,459  |  |  |
|                             | 2.636  |  |  |
| ,<br>mm)                    | ET43: 1549/1520 ET46: 1544/1514 ET49: 1538/                      | 1508 FT51· 1534/1504   |  |
|                             | 380  |  |  |
| y (l)                       | 50   |  |  |
| , (0)                       |  |  |  |
| with driver (kg)            | 1,197  | 1.239  | 1,243   1,258  |
| with driver (kg) Front/Rear | 721/476  | 751/488  | 755/488   770/488  |
| t allowed (kg)              | 1,720  | 1.780  | 1,780   1,790  |
| g weight without brake (kg) | 590  | 610  | 620   620  |
| g weight w/brake 8% (kg)    | 1,300  | 1.700  | 1,700   1,700  |
| g weight w/brake 12% (kg)   | 1,000  | 1.400  | 1,500   1,500  |

<sup>1</sup> This engine will be available from w.37, 2019

### Leon.

| Engine                           |    | 1.6 TDI CR 115 HP (85 kW)<br>Man-5 Start/Stop | 2.0 TDI CR 150 HP (110 kW) Man-6 Start/Stop<br>  DSG-7 Start/Stop | 1.5 TGI 130 HP (96 kW) Man-6 Start/Stop¹<br>  DSG-7 Start/Stop |
|----------------------------------|----|---|---|--|
| Cylinder/Valve (total)           |    | 4/16  | 4/16  | 4/16   |
| Displacement (cc)                |    | 1.598   | 1.968   | 1,498  |
| Cylinder bore and stroke (mm)    |    | 79.5×80.5                                     | 81.0×95.5   | 74.5×85.9  |
| Compression ratio                |    | 16.2  | 16.2  | 12.5   |
| Maximum power (kW (HP)/rpm)      |    | 85 (115)/3,250-4,000                          | 110 (150)/3,500-4,000   | 96 (131)/5,000 - 6,000   |
| Maximum torque (Nm/rpm)          |    | 250/1,500-3,250                               | 340/1,750-3,000   | 200/1,400-4,000  |
| Fuel supply system               |    | Direct injection: Common Rail                 | Direct injection: Common Rail                                     | MPI Multipoint injection                                       |
| Ignition                         |    | Compressed Ignition                           |   | Electronic map-controlled ignition                             |
| Atmospheric/Supercharged         |    | Turbo Charged                                 | Turbo Charged   | Turbo charged  |
| Fuel type                        |    | Diesel  | Diesel  | ROZ 95 + CNG   |
| Oil capacity in initial fill [1] |    | 5.0   | 5.0   | 4.8  |
| Emission control                 |    | EU6   | EU6   | EU6  |
| Alternator (A)                   |    | 110-140                                       | 110-140   | 110-140  |
| Battery (Ah/A)                   |    | 70/420  | 68/380  | 59-69/320-360   69/360   |
| Performance                      |    |   |   |  |
| Maximum speed (km/h)             |    | 197 (VI)                                      | 215   211   | 206 (VI)   206 (VI)  |
| Acceleration 0-80 km/h (s)       |    | 6.8   | 6.0   6.0   | 6.8   6.7  |
| Acceleration 0-100 km/h (s)      |    | 9.8   | 8.5   8.4   | 10.1   9.9   |
| Acceleration 80-120 km/h (s)     |    | 13.0  | 12.2   -  | 15.2   -   |
| Acceleration 1000 m (s)          |    | 31.1  | 30.1   29.9   | 31.8   31.5  |
| Fuel consumption                 |    |   |   |  |
| Urban (l/100 km)                 |    | _   | _   | -  |
| Extra urban (l/100 km)           |    | _   | _   | _  |
| Combined (l/100 km)              |    | -   | -   | -  |
| CO2 mass emission                |    |   |   |  |
| CO₂ Urban (g/km)                 |    | -   | -   | -  |
| CO2 Extra Urban (g/km)           |    | -   | -   | -  |
| CO2 Combined (g/km)              |    | -   | -   | -  |
| Transmission                     |    |   |   |  |
| Gearbox type                     |    | MQ250-5F                                      | MQ350-6F   DQ381-7F   | MQ200GA-6F   DQ200-7F  |
| Ratios                           |    | 3.778   | 3.769   3.579   | 3.615   3.765  |
|                                  |    | 1.944   | 1.958   2.750   | 1.947   2.273  |
|                                  | Ш  | 1.185   | 1.257   1.677   | 1.281   1.531  |
|                                  | IV | 0.816   | 0.870   0.889   | 0.973   1.133  |
|                                  | V  | 0.625   | 0.857   0.677   | 0.778   1.176  |
|                                  | VI | -   | 0.717   0.722   | 0.642   0.956  |

#### Group 1 ratio Group 2 ratio

Transmission

Group 3 ratio Speed 1000 rpm in l

#### Chassis Front suspension Rear suspension Steering System Turning diameter (m Brake system Front/Rear brake typ Front brakes (mm)

Rear brakes (mm) **Wheels** 

Rims Tyres

#### Dimensions

Body type Length/width/heigh Wheelbase (mm) Track front/rear (mn

Boot capacity (l) Fuel tank capacity (l

#### Weights

In running order with In running order with Maximum weight al Maximum towing w Maximum towing w Maximum towing w

|                            | 1.6 TDI CR 115 HP (85 kW)<br>Man-5 Start/Stop  | 2.0 TDI CR 150 HP (110 kW) Man-6 Start/Stop<br>  DSG-7 Start/Stop              | 1.5 TGI 130 HP (96 kW) Man-6 Start/Stop¹<br>  DSG-7 Start/Stop                        |
|----------------------------|--|--|---|
| VII                        | -  | -   0.561  | -   0.795   |
| R                          | 3.600  | 4.549   2.900  | 3.182   4.170   |
|                            | 3.647  | 3.450   4.167  | 4.056   4.438   |
|                            | -  | 2.760   3.125  | -   3.227   |
|                            | -  | -   -  | -   4.176   |
| n IV/V/VI/VII (km/h)       | 39.1/51.0/-/-  | 38.6/48.9/58.4/- 31.1/41.6/50.3/-  | 29.4 / 36.8 / 44.6 / -   23.1 / 30.6 / 37.7 / 45.2                                    |
|                            | Independent McPherson type - coil springs - hydraulic :                              |  |   |
|                            | Semirigid axle, coil springs and hydraulic shock absorb                              | er   |   |
|                            | R-EPS (Rack Electric Power System)   |  |   |
| n)                         | 10.3   |  |   |
|                            | Dual hydraulic circuit and brake system diagonal split w                             | <i>v</i> ith brake booster   |   |
| /pe                        | Front ventilated disc brakes and rear solid disc brakes                              |  |   |
|                            | Ø 288×25   | 288×25 (DCC: 312×25)   | Ø 288×25  |
|                            | 253×10 (EPB:272×10)  | 253×10 (EPB:272×10)  | 272×10  |
|                            |  |  |   |
|                            | 6J×15 ET43/6.5J×16 ET46/7J×17 ET49/7.5J×18 ET51                                      | 6.5J×16 ET46/7J×17 ET49/7.5J×18 ET51/7.5J×18 ET51                              | 6J×15 ET43/6.5J×16 ET46/7J×17 ET49/7.5J×18 ET5  |
|                            | 195/65 R15 91H - 205/55 R16 91V<br>225/45 R17 91W - 205/50 R17 93V<br>225/40 R18 92Y | 205/55 R16 91V - 225/45 R17 91W<br>225/40 R18 92Y - 205/50 R17 93V             | 195/65 R15 91H /205/55 R16 91V<br>225/45 R17 91W /205/50 R17 93V XL<br>225/40 R18 92Y |
|                            |  |  |   |
|                            | 5D   | 5D   | 5D  |
| ht (mm)                    | 4,282/1,816/1,459  | 4,282/1,816/1,459  | 4,282/1,816/1,459   |
|                            | 2.636  | 2.636  | 2,634 - 2,636   |
| m)                         | ET43: 1,549 / 1,520<br>ET46: 1,544 / 1,514   | ET43: 1,549/1,520 - ET46: 1,544/1,514<br>ET49: 1,538/1,508 - ET51: 1,534/1,504 | ET 43: 1,549/1,520<br>ET46: 1,544/1,514   |
|                            | 380  | 380  | 275   |
| (l)                        | 50   | 50   | 17,3 kg at 200 bar  |
|                            |  |  |   |
| ith driver (kg)            | 1,311   1,339  | 1,332   1,372  | 1,301   1,334   |
| ith driver (kg) Front/Rear | 815/496   844/495  | 832/500   872/500  | 746/555   773/561   |
| allowed (kg)               | 1,870   1,890  | 1,850   1,890  | 1,810   1,840   |
| weight without brake (kg)  | 650   660  | 660   680  | 650   660   |
| weight w/brake 8% (kg)     | 1,800  | 1,800   1,800  | 1,700   1,700   |
| weight w/brake 12% (kg)    | 1,500  | 1,600   1,600  | 1,400   1,400   |

' This engine will be available from w.39, 2019

# Leon Sportstourer.

| <b>-</b>                           |     | 1.0 EcoTSI 115 HP (85 kW)<br>Man-6 Start/Stop' | 1.5 EcoTSI Evo 130 HP (96 kW)<br>Man-6 Start/Stop¹ | 1.5 EcoTSI Evo 150 HP (110 kW)<br>Man-6 Start/Stop ACT1 |
|------------------------------------|-----|--|--|---|
| Engine<br>Cylinder/Valve (total)   |     | 3/12   | 4/16   | DSG-7 Start/Stop ACT <sup>1</sup>                       |
|                                    |     |  |  | 4/16  |
| Displacement (cc)                  |     | 999  | 1.498  | 1.498   |
| Cylinder bore and stroke (mm)      |     | 74.5×76.4                                      | 74.5×85.9  | 74.5×85.9   |
| Compression ratio                  |     | 10.5   | 12.5   | 10.5  |
| Maximum power (kW (HP)/rpm)        |     | 85 (115)/5,000-5,500                           | 96 (131)/5,000-6,000                               | 110 (150)/5,000 - 6,000                                 |
| Maximum torque (Nm/rpm)            |     | 200/2,000-3,500                                | 200/1,400 - 4,000                                  | 250/1,500 - 3,500                                       |
| Fuel supply system                 |     | TSI Direct Injection                           |  |   |
| Ignition                           |     | Electronic map-controlled ignition             |  |   |
| Atmospheric/Supercharged           |     | Turbo charged                                  | Turbo charged                                      | Turbo charged   |
| Fuel type                          |     | ROZ 95   | ROZ 95   | ROZ 95  |
| Oil capacity in initial fill (I)   |     | 4.3  | 4.8  | 4.8   |
| Emission control                   |     | EU6  | EU6  | EU6   |
| Alternator (A)                     |     | 110-140  | 110-140  | 110-140   |
| Battery (Ah/A)                     |     | 59-69/320-360                                  | 59-69/320-360                                      | 59-69/320-360   |
| Performance                        |     |  |  |   |
| Maximum speed (km/h)               |     | 196 (V)  | 207 (V)  | 215 (IV)   215 (V)                                      |
| Acceleration 0-80 km/h (s)         |     | 6.7  | 6.4  | 5.8   5.9   |
| Acceleration 0-100 km/h (s)        |     | 10.1   | 9.5  | 8.2   8.3   |
| Acceleration 80-120 km/h (s)       |     | 11.2   | 11.7   | 9.5   9.2   |
| Acceleration 1000 m (s)            |     | 31.8   | 31.0   | 29.8   29.6   |
| <b>Fuel consumption</b>            |     |  |  |   |
| Urban (l/100 km)                   |     | -  | -  | _   |
| Extra urban (l/100 km)             |     | -  | _  | _   |
| Combined (l/100 km)                |     | -  | -  | _   |
| CO2 mass emission                  |     |  |  |   |
| CO <sub>2</sub> Urban (g/km)       |     | -  | -  | -   |
| CO <sub>2</sub> Extra Urban (g/km) |     | -  | -  | -   |
| CO₂ Combined (g/km)                |     | -  | -  | -   |
| Transmission                       |     |  |  |   |
| Gearbox type                       |     | MQ200GA-6F                                     | MQ200GA-6F   | MQ250-6F   DQ200-7F                                     |
| Ratios                             | I   | 3.769  | 3.615  | 3.778   3.500   |
|                                    | II  | 1.955  | 1.947  | 2.118   2.087   |
|                                    | III | 1.281  | 1.281  | 1.360   1.343   |
|                                    | IV  | 0.973  | 0.973  | 1.029   0.933   |
|                                    | V   | 0.778  | 0.778  | 0.857   0.974   |
|                                    | VI  | 0.642  | 0.646  | 0.733   0.778   |
|                                    |     |  |  | · ·   |

\_\_\_\_\_

#### Group 1 ratio Group 2 ratio Group 3 ratio Speed 1000 rpm in Chassis

Front suspension Rear suspension Steering System Turning diameter (m Brake system Front/Rear brake ty Front brakes (mm)

### Rear brakes (mm) Wheels

Rims

Tyres

#### Dimensions

Body type Length/width/heigh Wheelbase (mm) Track front/rear (mm Boot capacity (l) Fuel tank capacity (l)

#### Weights

In running order wit In running order wit Maximum weight al Maximum towing w Maximum towing w Maximum towing w

|                             | 1.0 EcoTSI 115 HP (85 kW)<br>Man-6 Start/Stop'                            | 1.5 EcoTSI Evo 130 HP (96 kW)<br>Man-6 Start/Stop'               | 1.5 EcoTSI Evo 150 HP (110 kW)<br>Man-6 Start/Stop ACT'<br>  DSG-7 Start/Stop ACT' |  |  |  |  |  |
|-----------------------------|---|--|--|--|--|--|--|--|
| VII                         | -   | -  | -   0.653  |  |  |  |  |  |
| R                           | 3.182   | 3.182  | 3.600   3.721  |  |  |  |  |  |
|                             | 4.056   | 4.056  | 3.647   4.800  |  |  |  |  |  |
|                             | -   | _  | -   3.429  |  |  |  |  |  |
|                             | -   | _  | -   4.500  |  |  |  |  |  |
| in IV/V/VI/VII (km/h)       | 29.5 / 36.9 / 44.7/ -   | 9.3/36.7/44.2/-  | 31.0/37.2/43.5/-  25.8/34.7/33.4/51.7  |  |  |  |  |  |
|                             | Independent McPherson type - coil springs -                               | hydraulic shock absorber   |  |  |  |  |  |  |
|                             | Semirigid axle, coil springs and hydraulic sho                            | ock absorber   |  |  |  |  |  |  |
|                             | R-EPS (Rack Electric Power System)  |  |  |  |  |  |  |  |
| (m)                         | 10.3  |  |  |  |  |  |  |  |
|                             | Dual hydraulic circuit and brake system diagonal split with brake booster |  |  |  |  |  |  |  |
| type                        | Front ventilated disc brakes and rear solid di                            |  |  |  |  |  |  |  |
| ]                           | Ø 276×24  | Ø 288×25(DCC 312×25)   | Ø 288×25(DCC 312×25)   |  |  |  |  |  |
|                             | 253×10 (EPB: 272×10)  | 271×10   | 272×10   |  |  |  |  |  |
|                             |   |  |  |  |  |  |  |  |
|                             | 6J×15 ET43/6.5J×16 ET46<br>7Jx17 ET49/7.5J×28 ET51                        | 6.5J×16 ET46<br>7J×17 ET49/7.5J×18 ET51                          | 6.5J×16 ET46<br>7J×17 ET49/7.5J×18 ET51  |  |  |  |  |  |
|                             | 195/65 R15 91H-205/55 R16 91V<br>225/45 R17 91W-205/50R17 93V             | 205/55 R16 91V-225/45 R17 91W<br>205/50R17 93V XL-225/40 R18 92Y | 205/55 R16 91V-225/45 R17 91W<br>205/50R17 93V XL-225/40 R18 92Y                   |  |  |  |  |  |
|                             |   |  |  |  |  |  |  |  |
|                             | 5D  |  |  |  |  |  |  |  |
| ght (mm)                    | 4,549 / 1,816 / 1,454   |  |  |  |  |  |  |  |
| )                           | 2.636   |  |  |  |  |  |  |  |
| nm)                         | ET43: 1549/1520 ET46: 1544/1514 ET49: 153                                 | 8/1508 E151: 1534/1504   |  |  |  |  |  |  |
| (1)                         | 587   |  |  |  |  |  |  |  |
| y (l)                       | 50  |  |  |  |  |  |  |  |
| vith driver (kg)            | 1,242   | 1,271  | 1,275   1,294  |  |  |  |  |  |
| with driver (kg) Front/Rear | 711/531   | 738/533  | 742/533   759/535  |  |  |  |  |  |
| allowed (kg)                | 1,780   | 1,840  | 1,840   1,860  |  |  |  |  |  |
| weight without brake (kg)   | 620   | 630  | 630   640  |  |  |  |  |  |
| weight w/brake 8% (kg)      | 1,300   | 1,700  | 1,700  |  |  |  |  |  |
| yweight w/brake 12% (kg)    | 1,000   | 1,400  | 1,500  |  |  |  |  |  |

' This engine will be available from w.37, 2019

# Leon Sportstourer.

| gine<br>inder/viole (tod) <tr 4/16         4/16         /16           inder/viole (tod)         1,58         1,668         1,638           inder bare and stoke (ma)         55.8         10.695.5         17.585.9           inder bare and stoke (ma)         16.2         16.2         12.5           immumove (Mt/Pl/rem)         1517/3250.4,000         10150/3500.4,000         961315,000.6,000           immumove (Mt/Pl/rem)         507.500.3250         340/1750.30,000         961315,000.6,000           istoppity Steppity Steppity (Steppity Steppity Steppit  |                                  |     | 1.6 TDI 115 HP (85 kW)<br>Man-5 Start/Stop | 2.0 TDI CR 150 HP (110 kW)<br>Man-6 Start/Stop   DSG-7 Start/Stop | 1.5 TGI 130 HP (96 kW)<br>Man-6 Start/Stop'   DSG-7 Start/Stop |
|---|----------------------------------|-----|--|---|--|
| placement (cl)1598169816981498inder bore nd stroke (mm)75.80.516.212.5indirum orgue (MW (HP) /rpm)65 (151 / 2.50.4.000100 (150 / 3.50.4.00096 (131 / 5.00.4.000istimum orgue (MW (HP) /rpm)65 (151 / 2.50.4.000100 (150 / 3.50.4.00096 (131 / 5.00.4.000istimum orgue (MW (Ppm)65 (151 / 2.50.4.000100 (150 / 3.50.4.00096 (131 / 5.00.4.000istimum orgue (MW (Ppm)00 (150 / 3.50.4.00096 (131 / 5.00.4.00096 (131 / 5.00.4.000istimum orgue (MW (Ppm)00 (150 / 3.00.4.00096 (131 / 5.00.4.00096 (131 / 5.00.4.000istimum orgue (MW (Ppm)00 (150 / 5.00.4.00096 (131 / 5.00.4.00096 (131 / 5.00.4.000istimum orgue (MW (Ppm)00 (150 / 5.00.4.00096 (131 / 5.00.4.00096 (131 / 5.00.4.000istimum orgue (MW (Ppm)00 (150 / 5.00.4.000100 / 5.00.4.0.0096 (131 / 5.00.4.0.00istimum orgue (MW (Ppm)10 - 40.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.  | Engine                           |     | -  |   |  |
| inder bore and stroke Imm)75-80.5810-95.574.5-85.9mpresiden critic16.216.212.5simum pover IWI (HP)/tpm)85 (115) 73.250-44.000110 (150) 73.500-44.00096 (131) 75.000 - 6,000simum pover IWI (hP)/tpm)250/1.500.325030.07,150 30.00200/1.400 -4,000stopp systemDesct injection: Common RollDirect injection: Common RollMP Multipoint lujectiontionCompressed IgnitionCompressed IgnitionElectronic mapcontrolled Ignitiontion poper i/S log stopp systemDirect injection: Common RollDirect injection: Common RollMP Multipoint lujectiontion poper i/S log stopp systemDirect injection: Common RollDirect injection: Common RollElectronic mapcontrolled Ignitiontopp systemDirect injection: Common RollDirect injection: Common RollMP Multipoint lujectiontopp systemDirect injection: Common RollDirect injection: Common RollElectronic mapcontrolled Ignitiontopp systemDirect injection: Common RollDirect injection: Common RollElectronic mapcontrolled Ignitiontopp systemDirect injection: Common RollDirect injection: Common RollElectronic mapcontrolled Ignitiontopp systemDirect injection: Common RollDirect injection: Common RollElectronic mapcontrolled Ignitiontopp systemDirect injection: Common RollElectronic mapcontrolled IgnitionElectronic mapcontrolled Ignitiontopp systemDirect injection: Common RollElectronic mapcontrolled IgnitionElectronic mapcontrolled Igniti  | Cylinder/Valve (total)           |     |  |   |  |
| mpression ratio16.216.212.5simum torque (Nm/rpm)≤ 50/1.500-3.250340/1.750-3.000961131/3.050-6.000(supply system)Direct injector: Common RollMP Ruitipoint Injectorio(supply system)Direct injector: Common RollCompressed graphinoElectron: impre-controlled ignition(supply system)Direct injector: Common RollCompressed graphinoElectron: impre-controlled ignition(supply system)Direct injector: Common RollCompressed graphinoElectron: impre-controlled ignition(supply system)Direct injector: Common RollDirect injector: Common RollMP Ruitipoint Injectoric(supply system)Direct injector: Common RollCompressed graphinoElectron: impre-controlled ignition(supply system)Direct injector: Common RollDirect injector: Common RollMP Ruitipoint Injectoric(supply system)Direct injector: Common RollDirect injector: Common RollMP Ruitipoint Injectoric(supply system)Direct injector: Common RollDirect injector: Common RollMP Ruitipoint Injectoric(supply system)Direct injector: Common RollDirect injector: Common RollRoll 2010(supply system)Direct injector: Common RollDirect injector: Common RollRoll 2010(supply system)Direct injector: Common RollSigne Common RollSigne Common Roll(supply system)Direct injector: Common RollDirect injector: Common RollSigne Common Roll(supply system)Direct injector: Common RollElector: Common RollSigne Common Rol  | Displacement (cc)                |     | 1,598                                      | 1,968   | 1,498  |
| simun power (WI (PPI/pm)         85 (119) / 220-4,000         10 (160) / 520-4,000         96 (131) / 500-6,000           simun corque (Nm/rpm)         250 / 1,50-3,250         340/1,750-3,000         2001/400-4,000           simun corque (Nm/rpm)         Direct injection: Common Roll         Direct injection: Common Roll         MPI Mutipoint injection           topph ystem         Compressed grittion         Compressed grittion         Electronic map-controlled ignition           topph wstem         Dieset         Dieset         Dieset         RX 95 × NS           comport // Wrbo Charged         Turbo Charged         Turbo Charged         RX 95 × NS           sistion control         EU6         EU6         EU6 AG         Eu6 AG           sistion control         UNA2         70/420         63/380         50-63         4.8           sistion control         UNA2         215 (VII   21 (VII         206 (VII   | Cylinder bore and stroke (mm)    |     | 79.5×80.5                                  | 81.0×95.5   | 74.5×85.9  |
| winum torque l/km/pmi250/1509-3250340/1750-3.000200/1400-4.0004 supply systemDirect injectors: Common RollDirect injectors: Common RollMPI Multipoint Injectors16 unCompressed lightionCompressed lightionElectronic map-controlled lightiontorspheric/SuperchargedTurbo ChargedTurbo ChargedTurbo Charged17 unDirect lightionBeselR02.95 r.CNGcopacity in initial fill [[]5.05.04.8sision controlElefElefEleftorspheric/Supercharged10.14010.14010.140torspheric/Supercharged10.14010.14010.140torspheric/Supercharged10.14010.14010.140torspheric/Supercharged10.14010.14010.140torspheric/Supercharged10.14010.14010.140torspheric/Supercharged10.14010.14010.140torspheric/Supercharged10.14010.14010.140torspheric/Supercharged10.140215 (VI [ 212 (VI]206 (VI ] 206 (VI)elerditor 0.00 km/h [s]10.68.8 [ 8.710.1 [ 10.0elerditor 0.100 km/h [s]14.212.6 [ 10.413.2 [ 13.6elerditor 1000 mland thige (J/100 km]and torspheric/Superchargedtorspheric/Superchargedtorspheric/Superchargedtorspheric/Superch   | Compression ratio                |     | 16.2                                       | 16.2  | 12.5   |
| sysple         Direct injection: Common Roil         MPI Multipoit hijection           tion         Compressed Ignition         Electronic map-controlled ignition           topsphrid/Sysperhanged         Turbo Charged         Turbo Charged         Turbo Charged           type         Diesel         Diesel         R02 95 × CNG           copacity in infini fill (1)         5,0         4,8           siston control         EU6         EU6 AG           terry (Ah/A)         10-14/0         10-14/0           terry (Ah/A)         70/420         68/380         59-59/320-360 [ 69/360           terry (Ah/A)         73         6.2 [ 5.9         6.8 [ 6.8           terry (Ah/A)         73         6.2 [ 5.9         6.8 [ 6.8      <   | Maximum power (kW (HP)/rpm)      |     | 85 (115) /3,250-4,000                      | 110 (150)/3,500-4,000   | 96 (131)/5,000 - 6,000   |
| tion Compressed Ignition Compressed Ignition Electronic map-controlled ignition<br>iosopheric/Supercharged in turbo Charged Intro Charged Intro Charged Intro Charged Intro Charged Intro Charged Composition<br>iosopheric/Supercharged in turbo Charged Desel R0295 + CNG<br>capacity in Initial fill [] 5.0 5.0 5.0 4.8<br>ission control EU6 6.0 EU6 A.6<br>enter IA1 10-140 10-140 10-140<br>terry IA1/A] 70-420 68/380 59-69/320-360 169/360<br>fformance<br>fformance<br>ferramon 0-80 km/h [s] 194 [V] 7420 68/380 59-69/320-360 169/360<br>fformance<br>election 0-80 km/h [s] 7.3 6.2 [S.9 6.8 [8.8<br>election 0-80 km/h [s] 10.6 8.8 [8.7 10.1 [10.0<br>election 0-80 km/h [s] 14.2 12.6 [10.4 15.8 [12.9<br>election 0-80 km/h [s] 14.2 12.6 [10.4 15.8 [12.9<br>election 0-80 km/h [s] 14.2 12.6 [10.4 15.8 [12.9<br>election 0-100 km/h [s] 14.2 12.6 [10.4 15.8 [12.9<br>election 0-100 km/h [s] 2.6 [10.4 15.8 [12.9<br>election 0-100 km/h [s] 14.2 12.6 [10.4 15.8 [12.9<br>election 0-100 km/h [s] 15.8 [12.9<br>election 0-100 km/h [s] 14.2 12.6 [10.4 15.8 [12.9<br>election 0-100 km/h [s] 14.2 12.6 [10.4 15.8 [12.9<br>election 0-100 km/h [s] 14.2 12.6 [10.4 15.8 [12.9<br>election 0.100 km/h [s] 14.2 12.6 [10.4 15.8 [12.9<br>election 0.100 km/h [s] 14.2 12.6 [10.4 15.8 [12.9<br>election 0.100 km/h [s] 15.8 [12.9<br>election 0.100 km/h [s] 14.3 [10.0 [10 | Maximum torque (Nm/rpm)          |     | 250/1,500-3,250                            | 340/1,750-3,000   | 200/1,400-4,000  |
| nospheric/Supercharged         Turbo charged         Turbo charged         Turbo charged           ktype         Diesel         RO2 95 + CNG           copacity initid fill (II)         5,0         4,8           sission control         EU6         EU6 A G           martar (A)         10-140         10-140           tarry (Ah/A)         70/420         68/380         59-69/320-360 [69/360           tarry (Ah/A)         73         62 [5.9         6.8 [6.8           electrion 0-30 km/h [s]         73         62 [5.9         6.8 [6.8           electrion 0-100 km/h [s]         10.6         8.8 [8.7         101 [10.0           electrion 0-100 km/h [s]         14.2         12 [10.4         158 [12.9           electrion 0-100 km/h [s]         14.2         12 [10.4         158 [12.9           electrion 0-100 km/h [s]         -         -         -           outbon (J100 km)         -         -         -           outbon (J100 km)         -  | Fuel supply system               |     | Direct injection: Common Rail              | Direct injection: Common Rail                                     | MPI Multipoint Injection                                       |
| Itype         Diesel         Diesel         ROZ 95 + CNG           capacity initiot fill (1)         5.0         5.0         4.8           capacity initiot fill (1)         5.0         5.0         4.8           sion control         EU6         EU6         EU6 Ac           emator (A)         110-14.0         110-14.0         110-14.0           terry (Ah/A)         70420         68/380         59-69/320-360 (69/360           rformance  | Ignition                         |     | Compressed Ignition                        | Compressed Ignition   | Electronic map-controlled ignition                             |
| capacity in initial fill [1]         5.0         5.0         4.8           ission cortol         EU6         EU6 Cortol         EU6 Cortol           ission cortol         10-140         110-140         110-140           terry [Ah/A)         70/420         68/380         59-69/320-360 [69/360           iterry [Ah/A)         70/420         68/380         59-69/320-360 [69/360           iterry [Ah/A]         70/420         68/380         59-69/320-360 [69/360           iterry [Ah/A]         194 [V]         215 [VI] [212 [VI]         206 [VI] [206 [VI]           eleration 0-80 km/h [s]         7.3         62 [5.9         6.8 [6.8           eleration 0-100 km/h [s]         10.6         88 [8.7         101 [10.0           eleration 0-100 km/h [s]         14.2         12 [10.4         15.8 [12.9           eleration 1000 m [s]         32.6         30.4 [30.1         32.0 [31.6           eleration 1000 m [s]         -         -         -           and [U100 km]         -         -         -           and [U100 km]         -         -         -           ato thole (U100 km]         -         -         -           ato thole (U100 km]         -         -         -  | Atmospheric/Supercharged         |     | Turbo Charged                              | Turbo Charged   | Turbo charged  |
| ission control         EU6         EU6         EU6 AG           irmator (A)         10-14Q         110-14Q         110-14Q           irmator (A)         70/42O         68/38O         59-69/32O-36O (69/36O           ifformance         irmator speed (km/h)         94 (V)         215 (VI) [22 (VI)         206 (VI) [206 (VI)           isleration 0-80 km/h (s)         7.3         6.2 [5.9         6.8 [6.8         6.8           eleration 0-100 km/h [s]         10.6         8.8 [8.7         10.1 [10.0         10.4           eleration 0.00 km/h [s]         14.2         12.6 [10.4         15.8 [12.9         12.0 [31.6           eleration 1000 m (s)         32.6         30.4 [30.1         32.0 [31.6         12.0 [31.6           el consumption         -         -         -         -         -           a (U/00 km)         - <td>Fuel type</td> <td></td> <td>Diesel</td> <td>Diesel</td> <td>ROZ 95 + CNG</td>   | Fuel type                        |     | Diesel                                     | Diesel  | ROZ 95 + CNG   |
| ammotr (A)         110-140         110-140         110-140           tery (A/A)         70/420         68/380         59-69/320-360 [ 69/360           rformance         simum speed (am/A)         194 (V)         215 (VI) [ 212 (VI)         206 (VI) [ 206 (VI)           aleration 0-80 km/h (s)         7.3         6.2 [ 5.9         6.8 [ 6.8           aleration 0-100 km/h (s)         10.6         8.8 [ 8.7         10.1 [ 10.0           aleration 0-200 km/h (s)         14.2         12.6 [ 10.4         15.8 [ 1.2.9           aleration 0-000 km/h (s)         14.2         12.6 [ 10.4         15.8 [ 1.2.9           aleration 1000 m (s)         32.6         30.4 [ 30.1         32.0 [ 31.6           aleration 1000 m (s)         -         -         -           or ubm(1/100 km)         -         -         -           a routom (I/100 km)         -         -         -           a routom (I/100 km)         -         -         -           b rands emission         -         -         -           c routom (I/100 km)         -         -         -           a routom (I/100 km)         -         -         -           b rands emission         -         -         -   | Oil capacity in initial fill (I) |     | 5.0  | 5.0   | 4.8  |
| ttery (Ah/A)         70/420         68/380         59-69/320-360 [ 69/360           rformance         stimum speed [km/h]         194 [V]         215 [VI] [212 [VI]         206 [VI] [206 [VI]           wimum speed [km/h]         194 [V]         215 [VI] [212 [VI]         206 [VI] [206 [VI]           eleration 0.80 km/h [s]         7.3         62 [2.5.9         6.8 [ 6.8           eleration 0.700 km/h [s]         10.6         8.8 [ 8.7         10.1 [ 10.0           eleration 80-120 km/h [s]         14.2         12.6 [ 10.4         15.8 [ 12.9           eleration 0.000 m [s]         32.6         30.4 [ 30.1         32.0 ] 31.6           eleration 0.000 m [s]         32.6         30.4 [ 30.1         32.0 ] 31.6           el consumption         -         -         -           ora (J/100 km]         -         -         -           zetra (J/100 km]         -         -         -   | Emission control                 |     | EU6  | EU6   | EU6 AG   |
| Arrown speed (km/h)         194 (V)         215 (VI) [212 (VI)         206 (VI) [206 (VI)           eleration 0-80 km/h [s]         7.3         6.2 [5.9         6.8 [6.8           eleration 0-80 km/h [s]         10.6         8.8 [8.7         10.1 [0.0           eleration 0-00 km/h [s]         14.2         12.6 [10.4         15.8 [12.9           eleration 0-00 km/h [s]         32.6         30.4 [30.1         32.0 [ 31.6           eleration 1000 m [s]         32.6         30.4 [ 30.1         32.0 [ 31.6           eleration 0-100 km/h [s]         -         -         -           ant (V100 km)         -         -         -         -           and (V100 km)         -         -         -         -         -           base emission         -         -         -         -         -         -           base for (g/km)         -   | Alternator (A)                   |     | 110-140                                    | 110-140   | 110-140  |
| ximum speed [km/h]         194 [V]         215 [VI] [212 [VI]         206 [VI] 206 [VI]           elerotion 0-80 km/h [s]         73         6.2 [5.9         6.8 [6.8           elerotion 0-100 km/h [s]         10.6         8.8 [8.7         10.1 [10.0           elerotion 0-20 km/h [s]         14.2         12.6 [10.4         15.8 [12.9           elerotion 0.20 km/h [s]         32.6         30.4 [30.1         32.0 [31.6           elerotion 0.00 m [s]         32.6         30.4 [30.1         32.0 [31.6           el consumption         -         -         -           on (I/100 km]         -         -         -           ora (I/100 km]         -         -         -           on (I/100 km]         -         -         -           semission         -         -         -           z Urban (g/km]         -         -         -           z Combied [g/km]         -         -         -           z  | Battery (Ah/A)                   |     | 70/420                                     | 68/380  | 59-69/320-360   69/360   |
| ximum speed [km/h]         194 [V]         215 [VI] [212 [VI]         206 [VI] 206 [VI]           elerotion 0-80 km/h [s]         73         6.2 [5.9         6.8 [6.8           elerotion 0-100 km/h [s]         10.6         8.8 [8.7         10.1 [10.0           elerotion 0-20 km/h [s]         14.2         12.6 [10.4         15.8 [12.9           elerotion 0.20 km/h [s]         32.6         30.4 [30.1         32.0 [31.6           elerotion 0.00 m [s]         32.6         30.4 [30.1         32.0 [31.6           el consumption         -         -         -           on (I/100 km]         -         -         -           ora (I/100 km]         -         -         -           on (I/100 km]         -         -         -           semission         -         -         -           z Urban (g/km]         -         -         -           z Combied [g/km]         -         -         -           z  | Performance                      |     |  |   |  |
| eleration 0-100 km/h [s]       10.6       8.8 [ 8.7       10.1 [ 10.0         eleration 80-120 km/h [s]       14.2       12.6 [ 10.4       15.8 [ 12.9         eleration 1000 m [s]       32.6       30.4 [ 30.1       32.0 [ 31.6         el consumption       -       -       -         el consumption       -       -       -         aurban [/100 km]       -       -       -         moined [/100 km]       -       -       -         aurban [/100 km]       -       -       -         bards emission       -       -       -         2 Urban [g/km]       -       -       -         2 Combined [g/km]       -       -       -         3 T78       3.769 [ 3.579       3.165 [ 3.765         10 1944       1958 [ 2.750       1947 [ 2.273         11 185       1.257 [ 1.677       1.281 [ 1.531         11 185       1.257 [ 1.677       0.973 [ 1.133         11 0 </td <td>Maximum speed (km/h)</td> <td></td> <td>194 (V)</td> <td>215 (VI)   212 (VI)</td> <td>206 (VI)   206 (VI)</td>  | Maximum speed (km/h)             |     | 194 (V)                                    | 215 (VI)   212 (VI)   | 206 (VI)   206 (VI)  |
| electation 0-100 km/h (s)       10.6       8.8   8.7       10.1   10.0         electation 80-120 km/h (s)       14.2       12.6   10.4       15.8   12.9         electation 1000 m (s)       32.6       30.4   30.1       32.0   31.6         el consumption       -       -       -         a traban (1/100 km)       -       -       -         a traban (1/100 km)       -       -       -         b mass emission       -       -       -         z Urban (g/km)       -       -       -         2 Combined (g/km)       -       -       -         ansmission       -       -       -         10s       1.4 3.778       3.769   3.579       3.165   3.765   | Acceleration 0-80 km/h (s)       |     | 7.3  | 6.2   5.9   | 6.8   6.8  |
| eleration 80-120 km/h [s]       14.2       12.6   10.4       15.8   12.9         eleration 1000 m [s]       32.6       30.4   30.1       32.0   31.6         el consumption       -       -       -         an [/100 km]       -       -       -         a ourbon (/100 km]       -       -       -         a ourbon (/100 km]       -       -       -         b mbied (/100 km]       -       -       -         a urbon (/100 km]       -       -       -         b mbied (/100 km]       -       -       -         c mbied (g/km]       -       -       -         c mbied (g  | Acceleration 0-100 km/h (s)      |     | 10.6                                       |   |  |
| el consumption         ian (l/100 km)       -       -         ia urban (l/100 km)       -       -         mbined (l/100 km)       -       -         ia urban (l/100 km)       -       -         be mass emission       -       -         2 Urban (g/km)       -       -         2 Urban (g/km)       -       -         2 Combined (g/km)       -       -         3 MQ250-5F       MQ350-6F   DQ381-7F       MQ200GA-6F   DQ200-7F         ios       1       3.778       3.769   3.579       3.165   3.765         ios       1       1.944       1.958   2.750       1.947   2.273         imaget the state of the state of the st   | Acceleration 80-120 km/h (s)     |     | 14.2                                       |   | 15.8   12.9  |
| an (1/100 km)       -       -       -         ra urban (1/100 km)       -       -       -         mbined (1/100 km)       -       -       -         be mass emission       -       -       -         a Urban (g/km)       -       -       -         a Urban (g/km)       -       -       -         a Extra Urban (g/km)  | Acceleration 1000 m (s)          |     | 32.6                                       | 30.4   30.1   | 32.0   31.6  |
| an (1/100 km)       -       -       -         ra urban (1/100 km)       -       -       -         mbined (1/100 km)       -       -       -         be mass emission       -       -       -         a Urban (g/km)       -       -       -         a Urban (g/km)       -       -       -         a Extra Urban (g/km)  | Fuel consumption                 |     |  |   |  |
| mbined (/100 km)       -       -       -         Dz mass emission       -       -       -         2 luban (g/km)       -       -       -         2 ktra (Jkm)       -       -       -         2 Combined (g/km)       -       -       -         arbox type       -       -       -         arbox type       MQ250-5F       MQ350-6F   DQ381-7F       MQ200GA-6F   DQ200-7F         ios       1       3.778       3.769   3.579       3.165   3.765         ios       1       3.944       1.958   2.750       1.947   2.273         II       1.85       1.257   1.677       1.281   1.531         II       1.85       0.870   0.889       0.973   1.133         II       0.816       0.870   0.677       0.778   1.76  | Urban (l/100 km)                 |     | _  | _   | _  |
| Mass emission         -         -           2 Urban (g/km)         -         -         -           2 Extra Urban (g/km)         -         -         -           2 Combined (g/km)         3.778         3.769 [3.579         3.165 [3.765           2 Combined (g/km)   | Extra urban (l/100 km)           |     | _  | -   | _  |
| 2 Urban (g/km)       -       -       -         2 Extra Urban (g/km)       -       -       -         2 Combined (g/km)       -       -       -         arbox type       -       -       -         arbox type       MQ250-5F       MQ350-6F   DQ381-7F       MQ200GA-6F   DQ200-7F         ios       I       3.778       3.769   3.579       3.165   3.765         ios       I       1.944       1.958   2.750       1.947   2.273         II       1.185       1.257   1.677       1.281   1.531         II       1.185       0.870   0.889       0.973   1.133         II       0.625       0.857   0.677       0.778   1.176   | Combined (l/100 km)              |     | _  | -   | _  |
| 2 Urban (g/km)       -       -       -         2 Extra Urban (g/km)       -       -       -         2 Combined (g/km)       -       -       -         arbox type       -       -       -         arbox type       MQ250-5F       MQ350-6F   DQ381-7F       MQ200GA-6F   DQ200-7F         ios       I       3.778       3.769   3.579       3.165   3.765         ios       I       1.944       1.958   2.750       1.947   2.273         II       1.185       1.257   1.677       1.281   1.531         II       1.185       0.870   0.889       0.973   1.133         II       0.625       0.857   0.677       0.778   1.176   | CO2 mass emission                |     |  |   |  |
| 2 Combined (g/km)       -       -       -         ansmission       MQ250-5F       MQ350-6F   DQ381-7F       MQ200GA-6F   DQ200-7F         ios       I       3.778       3.769   3.579       3.165   3.765         II       1.944       1.958   2.750       1.947   2.273         III       1.185       1.257   1.677       1.281   1.531         IV       0.816       0.870   0.889       0.973   1.133         V       0.625       0.857   0.677       0.778   1.176   | CO₂Urban (g/km)                  |     | -  | _   | _  |
| MQ250-5F         MQ350-6F   DQ381-7F         MQ200GA-6F   DQ200-7F           ios         I         3.778         3.769   3.579         3.165   3.765           II         1.944         1.958   2.750         1.947   2.273           III         1.185         1.257   1.677         1.281   1.531           V         0.816         0.870   0.889         0.973   1.133           V         0.625         0.857   0.677         0.778   1.176   | CO₂ Extra Urban (g/km)           |     | -  | -   | =  |
| MQ250-5F         MQ350-6F   DQ381-7F         MQ200GA-6F   DQ200-7F           ios         I         3.778         3.769   3.579         3.165   3.765           II         1.944         1.958   2.750         1.947   2.273           III         1.185         1.257   1.677         1.281   1.531           V         0.816         0.870   0.889         0.973   1.133           V         0.625         0.857   0.677         0.778   1.176   | CO2 Combined (g/km)              |     | _  | _   | _  |
| ios     I     3.778     3.769   3.579     3.165   3.765       II     1.944     1.958   2.750     1.947   2.273       III     1.185     1.257   1.677     1.281   1.531       IV     0.816     0.870   0.889     0.973   1.133       V     0.625     0.857   0.677     0.778   1.176   | Transmission                     |     |  |   |  |
| II         1.944         1.958   2.750         1.947   2.273           III         1.185         1.257   1.677         1.281   1.531           IV         0.816         0.870   0.889         0.973   1.133           V         0.625         0.857   0.677         0.778   1.176   | Gearbox type                     |     | MQ250-5F                                   | MQ350-6F   DQ381-7F   | MQ200GA-6F   DQ200-7F  |
| III         1.185         1.257   1.677         1.281   1.531           IV         0.816         0.870   0.889         0.973   1.133           V         0.625         0.857   0.677         0.778   1.176  | Ratios                           | I   | 3.778                                      | 3.769   3.579   | 3.165   3.765  |
| III         1.85         1.257   1.677         1.281   1.531           IV         0.816         0.870   0.889         0.973   1.133           V         0.625         0.857   0.677         0.778   1.176   |                                  | II  | 1.944                                      | 1.958   2.750   | 1.947   2.273  |
| V 0.625 0.857   0.677 0.778   1.176   |                                  | III | 1.185                                      |   | 1.281   1.531  |
|   |                                  | IV  | 0.816                                      | 0.870   0.889   | 0.973   1.133  |
| VI – 0.717   0.722 0.642   0.956  |                                  | V   | 0.625                                      | 0.857   0.677   | 0.778   1.176  |
|   |                                  | VI  | _  | 0.717   0.722   | 0.642   0.956  |

| Front suspensic  | n    |
|------------------|------|
| Rear suspensio   | n    |
| Steering Syster  | n    |
| Turning diameter |      |
| Brake system     |      |
| Front/Rear bral  | ke t |
| Front brakes (m  | ım)  |
| Rear brakes (m   | m)   |

#### Wheels

#### Dimensions

```
Boot capacity (l)
Fuel tank capacity (
```

#### Weights

| Transmission                                |     | 1.6 TDI 115 HP (85 kW)<br>Man-5 Start/Stop                         | 2.0 TDI CR 150 HP (110 kW)<br>Man-6 Start/Stop   DSG-7 Start/Stop   | 1.5 TGI 130 HP (96 kW)<br>Man-6 Start/Stop'   DSG-7 Start/Stop                  |
|---|-----|--|---|---|
|   | VII | -  | -   0.561   | -   0.795   |
|   | R   | 3.600  | 4.549   2.901   | 3.182   4.170   |
| Group 1 ratio                               |     | 3.647  | 3.450   4.167   | 4.056   4.438   |
| Group 2 ratio                               |     | -  | 2.760   3.125   | -   3.227   |
| Group 3 ratio                               |     | -  | -   -   | -   4.176   |
| Speed 1000 rpm in IV/V/VI/VII (km/h)        |     | 38.9/50.8/-  | 38.6/48.9/58,4/-   31.2/41.0/51.3/66.0  | 29.4/36.8/44.6/ -   23.1/30.6/37.7/45.2   |
| Chassis                                     |     |  |   |   |
| Front suspension                            |     | Independent McPherson type - coil springs - hydraulic s            | hock absorber   |   |
| Rear suspension                             |     | Semirigid axle,coil springs, hydraulic shock absorber              | Semirigid axle,coil springs a. hyd. shock abs   Semirigid<br>axle,coil springs a. hyd. shock abs   Multilink axle | Semirigid axle, coil springs and hydraulic shock absorber                       |
| Steering System                             |     | R-EPS (Rack Electric Power System)                                 |   |   |
| Turning diameter (m)                        |     | 10.3   |   |   |
|   |     | Dual hydraulic circuit and brake system diagonal split w           | ith brake booster   |   |
| Front/Rear brake type                       |     | Front ventilated disc brakes and rear solid disc brakes            |   | Front and rear ventilated disc brakes   |
| Front brakes (mm)                           |     | Ø 288×25   | Ø 288×25 (DCC 312×25)   | Ø288×25   |
| Rear brakes (mm)                            |     | 253×10 (EPB or 4WD 272×10)   | 253×10 (EPB or 4Drive: 272×10)  | 272×10  |
| Wheels                                      |     |  |   |   |
| Rims  |     | 6J×15 ET43/6.5J×16 ET46/7J×17 ET49                                 | 6.5J×16 ET46/7J×17 ET49/7.5J×18 ET51  | 6J×15 ET43/6.5J×16 ET46/7J×17 ET49/7.5J×18 ET51                                 |
| Tyres                                       |     | 195/65 R15 91H - 205/55 R16 91V<br>225/45 R17 91W - 205/50R17 93V  | 205/55 R16 91V - 225/45 R17 91W<br>225/40 R18 92Y - 205/50R17 93V   | 195/65 R15 91H/205/55 R16 91V-225/45 R17<br>91W/205/50R17 93V XL-225/40 R18 92Y |
| Dimensions                                  |     |  |   |   |
| Body type                                   |     | 5D   | 5D  | 5D  |
| Length/width/height (mm)                    |     | 4,549/1,816/1,454  | 4,549/1,816/1,454   | 4,548/1,816/1,431   |
| Wheelbase (mm)                              |     | 2.636  | 2.636   | 2,634 - 2,636   |
| Track front/rear (mm)                       |     | ET43: 1549/1520 ET46: 1544/1514<br>ET49: 1538/1508 ET51: 1534/1504 | ET43: 1549/1520 ET46: 1544/1514<br>ET49: 1538/1508 ET51: 1534/1504  | ET43: 1,549/1,514<br>ET51: 1,534/1,504  |
| Boot capacity (l)                           |     | 587  | 587   | 482   |
| Fuel tank capacity (l)                      |     | 50   50   55   | 50   50   55  | 17,3 kg at 200 bar  |
| Weights                                     |     |  |   |   |
| In running order with driver (kg)           |     | 1,352  | 1,385   1,425   | 1,342   1,374   |
| In running order with driver (kg) Front/Rea | r   | 806/546  | 837/548   877/548   | 738 / 604   764 / 610   |
| Maximum weight allowed (kg)                 |     | 1,920  | 1,940   1,980   | 1,850   1,880   |
| Maximum towing weight without brake (kg     | g)  | 670  | 690   710   | 670   680   |
| Maximum towing weight w/brake 8% (kg)       |     | 1,800  | 1,800   1,800   | 1,700   1,700   |
| Maximum towing weight w/brake 12% (kg)      |     | 1,500  | 1,600   1,600   | 1,400   1,400   |

'This engine will be available from w.39, 2019

# Engine specs.

| Style | Xcellence<br>O  | FR  |  |
|-------|---|---|--|
| 0     |   | 0   |  |
| 0     | 0   | 0   |  |
| 0     | 0   | 0   |  |
| 0     | 0   | 0   |  |
|       |   |   |  |
| 0     | 0   | 0   |  |
| 0     | 0   | 0   |  |
|       | Style           0           0           0           0           0           0           0           0           0           0           0           0           0 | Style         Xcellence           0         0           0         0           0         0           0         0           0         0           0         0           0         0           0         0           0         0           0         0           0         0 |  |

| Die | esel           |
|-----|----------------|
| 1.6 | TDI 115 HP (85 |
| 2.0 | TDI 150 HP (11 |
| 2.0 | TDI 150 HP (11 |
|     |                |

<sup>1</sup>Only available for Leon 5D. <sup>2</sup>This engine will be available from w.39, 2019 <sup>3</sup>This engine will be available from w.37, 2019

|  | Style | Xcellence | FR |  |
|--|-------|-----------|----|--|
| (85 kW) Man-5 <sup>1</sup> /Man-6 Start/Stop | 0     | 0         | 0  |  |
| P (110 kW) Man-6 Start/Stop                  | 0     | 0         | 0  |  |
| P (110 kW) DSG-7 Start/Stop                  | 0     | 0         | 0  |  |

## **Dimensions.**

Leon.

861

2636

4282

785

1549\*


1816

1520\*

1975

Leon Sportstourer.





Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

34





SEAT is committed to a policy of continuous product development and reserves the right to make changes to specifications, colours and prices without notice. The information in this brochure can therefore be given as guidance only. While SEAT makes every effort to ensure that specifications are accurate at the time of publication, you should always check with your authorised SEAT Partner for the latest information. Due to limitations of the printing process the colours reproduced in this brochure may vary slightly from the actual paint colour and material. This vehicle and all its parts, as well as the original spares, were designed according to the Legal Regulations governing the prevention and minimisation of Environmental lmpact, through the use of recycled/recyclable materials, with measures taken to achieve suitable recycling for the conservation and improvement of environmental quality.

10/2019. Printed in Spain.