



The new  
**SEAT Tarraco.**





# Your technical bit.

## Data & equipment.



Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

# The technical bit.

- Standard
- Optional
- Not available

<sup>1</sup> Obligatory and only available for European + assimilated countries in Xcellence (see country list).  
<sup>2</sup> Included in 5\* Safety Pack Euro NCAP (standard for European countries).  
<sup>3</sup> Includes safe function.  
<sup>4</sup> Standard for European countries (see country list availability).  
<sup>5</sup> Standard if optional emergency spare wheel is not mounted.  
<sup>6</sup> Requires 5\* Safety Pack Euro NCAP.  
<sup>7</sup> Requires 5\* Safety Pack Euro NCAP, requires Safe Driving Europe, requires DSG engine, requires Navi System Standard or Navi System Plus.  
<sup>8</sup> Included in Light & Style.  
<sup>9</sup> Without storage compartment for sunglasses in roof. Available from 4/8/18 until 2/7/19.  
<sup>10</sup> Not available for countries with bad road conditions (see country availability list).  
<sup>11</sup> Available as country setting.  
<sup>12</sup> Not compatible with trailer towing device preinstallation.  
<sup>13</sup> Not compatible with electric trailer towing device.

**Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.**

| Safety   | Style | Xcellence |
|--|-------|-----------|
| Rear parking sensors including Optical Parking System  | ●     | -         |
| Park Assist: Self-parking function (includes front and rear parking sensors)   | ○     | ●         |
| Cruise Control System  | ●     | ●         |
| Adaptive Cruise Control <sup>1</sup>   | -     | ○         |
| Tiredness Recognition  | ●     | ●         |
| Driver and front passenger airbags   | ●     | ●         |
| Front passenger airbag de-activation   | ●     | ●         |
| Two front side airbags   | ●     | ●         |
| Two curtain airbags  | ●     | ●         |
| Driver's knee airbag <sup>2</sup>  | ○     | ○         |
| Active front head restraints   | ●     | ●         |
| Front seat belt reminder   | ●     | ●         |
| Front seat belts with pretensioner and height adjustment   | ●     | ●         |
| Alarm <sup>3</sup>   | ○     | ○         |
| eCall - Emergency Call <sup>4</sup>  | ○     | ○         |
| Breakdown kit (tyre fit) <sup>5</sup>  | ●     | ●         |
| Emergency spare wheel + Tool kit and jack  | ○     | ○         |
| Tyre pressure monitor  | ●     | ●         |
| Electronic Stability Control (ESC)   | ●     | ●         |
| Electronic Differential Lock System (XDS)  | ●     | ●         |
| Anti-lock brakes (ABS)   | ●     | ●         |
| Traction control system (ASR)  | ●     | ●         |
| ISOFIX points with Top Tether anchorage point in outer seats of second row and passenger seat  | ●     | ●         |
| <b>Safe Driving Europe<sup>6</sup>:</b><br>Light Assist, Blind Spot Detection, Exit Assist, Adaptive Cruise Control, Pre-Crash Assist, Rollover Assist | ○     | -         |
| <b>Safe Driving Europe<sup>6</sup>:</b><br>Light Assist, Blind Spot Detection, Exit Assist, Pre-Crash Assist, Rollover Assist                          | -     | ○         |
| <b>Safe Driving Europe Plus<sup>7</sup>:</b><br>Traffic Jam Assist, Emergency Assist, Traffic Sign Recognition   | ○     | ○         |

| Exterior   | Style | Xcellence |
|--|-------|-----------|
| Exterior mirrors and door handles in body colour   | ●     | ●         |
| Exterior mirrors with Welcome Light including car silhouette and Tarraco lettering   | ●     | ●         |
| Electrically adjustable and heated exterior mirrors, with lowering function when reversing on passenger side   | ●     | ●         |
| Black wheel arch mouldings   | ●     | ●         |
| Bumpers for Style version  | ●     | -         |
| Bumpers for Xcellence version  | -     | ●         |
| Front grille with hot-stamping technology  | -     | ●         |
| Black roof rails and black lateral moulding  | ●     | -         |
| Chromed roof rails and chromed lateral moulding  | -     | ●         |
| Black window frames  | ●     | -         |
| Chromed window frame <sup>8</sup>  | ○     | ●         |
| Panoramic sunroof without light <sup>9</sup>   | ○     | ○         |
| 17" Dynamic Alloy Wheels with 215/65 R17 99V tyres   | ●     | -         |
| 18" Performance Machined Alloy Wheels with 235/55 R18 100V tyres   | ○     | -         |
| 19" Exclusive Machined Alloy Wheels with 235/50 R19 99V tyres  | -     | ●         |
| 20" Supreme 37/1 Matte Machined with 235/45 R20 100V tyres <sup>10</sup>   | -     | ○         |
| 17" all-season tyres 215/65 R17 99V  | ○     | -         |
| 18" all-season tyres with 18" Performance Machined Alloy Wheels  | ○     | -         |
| Anti-theft wheel bolts <sup>11</sup>   | ○     | ○         |
| Sliding trunk cover  | ●     | ●         |
| Double floor   | ●     | ●         |
| Transport protection film <sup>11</sup>  | ○     | ○         |
| Electric trailer towing device, foldable <sup>12</sup>   | ○     | ○         |
| Trailer towing device preinstallation <sup>13</sup>  | ○     | ○         |
| Soft exterior colour   | ●     | ●         |
| Metallic exterior colour   | ○     | ○         |
| Exclusive exterior colour  | ○     | ○         |
| <b>Light &amp; Style:</b><br>Dark-tinted windows, chromed window frames, white ambient lighting in front and rear door panels, LED lights in interior door handles | ○     | ●         |

| <b>Exterior</b>   | <b>Style</b> | <b>Xcellence</b> |
|---|--------------|------------------|
| <b>Convenience Pack:</b><br>Rear view mirror, frameless and auto-dimming<br>Light sensor for auto headlights with automatic<br>Coming & Leaving Home function - Rain sensor | ●            | ●                |
| <b>Interior</b>   |              |                  |
| 3 x 12V plug (centre console, back of front armrest, boot)  | ●            | ●                |
| Illuminated door step with Xcellence lettering  | -            | ●                |
| Interior LED illumination including LED reading lights<br>and LED illumination in footwell  | ●            | ●                |
| Electric parking brake with autohold function   | ●            | ●                |
| Front and rear armrests (air outlet on back of front armrest)   | ●            | ●                |
| Illuminated sun visors with mirror  | ●            | ●                |
| Air conditioning  | ●            | -                |
| 3-zone Climatronic  | ○            | ●                |
| Multifunction leather steering wheel <sup>14</sup>  | ●            | -                |
| Multifunction leather steering wheel with Xcellence pin <sup>14</sup>   | -            | ●                |
| Second row backrest 1/3 2/3 split folding + second row forwards<br>& backwards moveable + second row with flat to floor function<br>(when folded)                           | ●            | ●                |
| Mechanical rear seat release mechanism from boot  | ●            | ●                |
| Front seat backrests with luggage pockets and tables  | ●            | ●                |
| Front seats with manual height and lumbar adjustment  | ●            | ●                |
| Foldable passenger seat   | ●            | ●                |
| Front Comfort seats with textile Olot upholstery<br>with black Alcantara <sup>®</sup> insert  | ●            | -                |
| Front Sport/Comfort seats with textile Baza/Alcantara <sup>®</sup> upholstery   | -            | ●                |
| Black leather upholstery  | -            | ○                |
| Document holder under front left seat   | ●            | ●                |
| Black interior roof   | ●            | ●                |
| Storage compartment for sunglasses in roof <sup>15</sup>  | ●            | ●                |
| Divider net <sup>16</sup>   | ○            | ○                |
| 7 seats version   | ○            | ○                |
| Electric driver seat with memory function (including memory<br>function for exterior mirrors) <sup>17</sup>   | -            | ○                |

● Standard  
○ Optional  
- Not available

<sup>14</sup> Paddles included for DSG engines.

<sup>15</sup> In combination with panoramic sunroof, no storage compartment available.

<sup>16</sup> Only available in combination with Storage Pack or panoramic sunroof.

<sup>17</sup> Requires Leather or for Standard Textil/Alcantara<sup>®</sup> seats.

Winter Pack required. Not available with Storage Pack.

<sup>18</sup> Not available with panoramic sunroof. Not available with electric driver seat

with memory. Requires divider net.

<sup>19</sup> Requires electric towing hook. Requires Rear View Camera or Top View Camera.

<sup>20</sup> Requires alarm.

<sup>21</sup> Only available with Navi System Standard.

<sup>22</sup> Only available with Navi System Plus.

<sup>23</sup> Available with all Radios and Navi Systems.

<sup>24</sup> Requires Preparation for SD Card Cartography with/without MapCare.

<sup>25</sup> Requires Winter Pack. Only available for left-hand drive.

<sup>26</sup> Available as country setting for right-hand driving countries.

<sup>27</sup> Obligatory for right-hand driving countries and 4Drive versions.

Offered together with SEAT Drive Profile.

<sup>28</sup> Obligatory for right-hand drive countries and 4Drive versions.

<sup>29</sup> Not available for countries with alarm country setting.

**Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.**

| <b>Interior</b>  | <b>Style</b> | <b>Xcellence</b> |
|--|--------------|------------------|
| 230V socket in boot  | ○            | ○                |
| <b>Storage Pack<sup>18</sup>:</b><br>Big storage box in roof (includes storage compartment<br>for sunglasses), 2 storage boxes under front seats and<br>horizontal net in boot | ○            | ○                |
| <b>Electronics</b>   |              |                  |
| SEAT Digital Cockpit with 10.25" screen  | ●            | ●                |
| Wash water level indicator   | ●            | ●                |
| 2 USB and AUX-in ports in centre console,<br>1 charging USB port at rear of front armrest  | ●            | ●                |
| 8 speakers   | ●            | ●                |
| Full Link smartphone integration (MirrorLink™,<br>Apple CarPlay™, Google Android Auto™)  | ●            | ●                |
| Voice control  | ●            | ●                |
| Bluetooth <sup>®</sup>   | ●            | ●                |
| Full LED headlights with LED daytime running lights  | ●            | ●                |
| Front LED fog lights with cornering function   | ●            | ●                |
| LED tail lights  | ●            | ●                |
| Trailer Assist <sup>19</sup>   | ○            | ○                |
| Kessy Go - engine start button in centre console   | ●            | ●                |
| Kessy - Keyless Entry and Go   | ○            | ●                |
| Rear View Camera   | ○            | ●                |
| Top View Camera  | -            | ○                |
| Easy Access System: Kessy - Keyless Entry and Go, Hands-free<br>Electric Tailgate with Virtual Pedal (with Safe function) <sup>20</sup>  | ○            | -                |
| Preparation for SD Card Cartography Europe (without MapCare) <sup>21</sup>   | ○            | ○                |
| Preparation for SD Card Cartography Europe (with MapCare) <sup>21</sup>  | ○            | ○                |
| Cartography Europe (without MapCare) <sup>22</sup>   | ○            | ○                |
| Cartography Europe (with MapCare) <sup>22</sup>  | ○            | ○                |
| Connectivity Box (Wireless Charger) <sup>23</sup>  | ○            | ○                |
| DAB (Digital Audio Broadcasting)   | ○            | ○                |
| Dynamic Chassis Control (DCC)  | -            | ○                |
| Navi System Standard with 8" screen <sup>24</sup>  | ○            | ○                |
| Navi System Plus with 8" screen <sup>24</sup>  | ○            | ○                |

| <b>Electronics</b>   | <b>Style</b> | <b>Xcellence</b> |
|--|--------------|------------------|
| Parking heater <sup>25</sup>   | ○            | ○                |
| Right-hand driving <sup>26</sup>   | ○            | ○                |
| Winter Pack: Heated front seats, heated wash water nozzles,<br>wash water level indicator  | ○            | -                |
| Winter Pack: Heated front and rear seats,<br>heated wash water nozzles, wash water level indicator   | -            | ○                |
| Servotronic  | ●            | -                |
| Progressive steering <sup>27</sup>   | ○            | ●                |
| Radio Media System Plus with 8" screen   | ●            | ●                |
| BeatsAudio™ including 10 speakers  | ○            | ○                |
| SEAT Drive Profile with Driving Experience Button <sup>28</sup><br>Four different modes (Normal/Sport/Eco/Individual)<br>4Drive versions include Off-road and Snow modes | ○            | ●                |
| Easy Access System <sup>29</sup> : Kessy - Keyless Entry and Go, Hands-free<br>Electric Tailgate with Virtual Pedal (without Safe function)                              | ○            | ●                |

# Accessories.

## Exterior

|                                 |                       |
|---------------------------------|-----------------------|
| Silver hatch door moulding      | 5FJ071360A            |
| Black hatch door moulding       | 5FJ071360B            |
| Silver side door moulding       | 5FJ071004 - 5FJ071328 |
| Rear bumper protective moulding | 5FJ061155             |
| Rear bumper protective foil     | 5FJ061197             |
| Silver fog lights moulding      | 5FJ071004             |

## Transport

|                                      |             |
|--------------------------------------|-------------|
| Surf rack                            | 000071120HA |
| Ski rack for 4 pairs or 2 snowboards | 000071129S  |
| Ski rack for 6 pairs or 4 snowboards | 000071129T  |
| Ski rack xtender                     | 000071129R  |
| Roof box - 400l                      | 000071200T  |
| Roof box - 420l                      | 000071200AB |
| Roof box - 450l                      | 000071180A  |
| SEAT Roof Box - 460l                 | 000071200AG |
| Roof Bars                            | 5FJ071151A  |
| Tow bar                              | 5FJ092160   |
| Electric kit (w/o prewiring)         | 5FJ055204   |
| Bike rack                            | 5F9071128   |
| Towing Bike Rack                     | 000071128G  |
| Towing ski rack                      | 000071129L  |
| Towing bracket bicycle carrier       | 000071128H  |
| Bicycle rack extension kit           | 000071128J  |
| Licence plate with rear lights       | 000071801AN |
| Bag for SEAT roof bars               | 000071156C  |
| Load-Stop rack                       | 000071223   |

## Interior

|                                       |            |
|---------------------------------------|------------|
| MTA base & net                        | 000061162  |
| MTA handle                            | 000017238C |
| MTA elastic band - MTA elastic band 2 | 000017238B |
| Headrest                              | 000019722A |
| Chrome-plated hanger                  | 000061127E |
| Multi-hanger                          | 000061127D |

## Protection

|  |                         |
|--|-------------------------|
| Textile mats Serie                             | 5FJ863011 LOE           |
| Textile mats Serie (Right hand drive vehicles) | 5FK863011 LOE           |
| Textile mats Serie (3 <sup>rd</sup> row)       | 5FJ863011A LOE          |
| Textile mats Velpic®                           | 5FJ061675B 041          |
| Textile mats Velpic® (3 <sup>rd</sup> row)     | 5FJ061675E 041          |
| Rubber mats                                    | 5FJ061500 041           |
| Rubber mats (Right hand drive vehicles)        | 5FK061500 041           |
| Rubber mats (3 <sup>rd</sup> row)              | 5FJ061500A 041          |
| Classic grey floor mats                        | 5FJ863011B LOE          |
| Classic brown floor mats                       | 5FJ863011D LOE          |
| Boot tray semirigid (5 seats)                  | 5FJ0601201C             |
| Boot tray semirigid (7 seats)                  | 5FJ0601201E             |
| Boot tray foam (5 seats)                       | 5FJ0601201              |
| Boot tray foam (7 seats)                       | 5FJ0601201D             |
| Boot tray reversible (5 seats)                 | 5FJ0601201B             |
| Boot tray high walls                           | 5FJ0601201A             |
| Boot upper tray                                | 5FJ061201F*             |
| Front mudflaps                                 | 5FJ075111               |
| Rear mudflaps                                  | 5FJ075101               |
| Key cover (Natural Wood)                       | 5FJ087013               |
| Key cover (Hexagons)                           | 5FJ087013A              |
| Key cover (Tarraco)                            | 5FJ087013B              |
| Tyre cover                                     | 000071770C              |
| Ice scrapper                                   | 000096010D - 000096010C |

## Infotainment

|                                  |                |
|----------------------------------|----------------|
| Parrot® MiniKit Neo 2 HD - BLACK | 000051473AE041 |
| Start 62 EU 45                   | 000051818CE    |
| GO 520 EU 45                     | 000051818CJ    |
| GO 620 EU 45                     | 000051818CK    |
| GO 5200 EU 45                    | 000051818CL    |
| GO 6200 EU 45                    | 000051818CM    |
| Universal magnetic mount         | 000051991K     |
| Nextbase 101 Elite               | 000054731A     |
| Navlet 7i Full Hd Tablet + GPS   | 000063500M     |

## Infotainment

|   |                |
|---|----------------|
| Tetrax XWAY                                       | 000096320GMAAA |
| Tetrax SMART                                      | 000096320GMAAB |
| Tetrax FIX  | 000096320GMAAC |
| SEAT Full Link                                    | 5F0054830      |
| Navlet 10i Full Hd Tablet + Support               | 000051232R     |
| Charging cable for iPhone and Android smartphones | 000051444AK    |
| Charging cable Type C                             | 000051444AL    |
| Charging cable 3 in 1                             | 000051444AM    |
| Inductive charger                                 | 000051763Q     |
| Universal smartphone support                      | 000061129F     |

## Security

|   |            |
|---|------------|
| ISOFIX Duo Plus                           | 000019909G |
| SEAT PEKE G1 I-Size Trifix                | 000019909F |
| SEAT PEKE Peke GO I-Size Plus             | 000019907A |
| Base ISOFIX PEKE GO i-Size                | 000019230L |
| ISOFIX Baby-safe Plus SHR II              | 000019907B |
| ISOFIX Peke base for GO Plus seat         | 000019230C |
| KIDFIX XP safety seat                     | 000019906M |
| Safety Dog Harness - Size XL              | 000084310B |
| Safety Dog Harness - Size L               | 000084310C |
| Safety Dog Harness - Size M               | 000084310D |
| Safety Dog Harness - Size S               | 000084310E |
| CB alarm for klaxon                       | 000054600  |
| SAMART safety pack                        | 000093996C |
| 9,900 mAh battery jump starter            | 000051763F |
| 15,000 mAh battery jump starter + charger | 000051763H |
| Lamp box H1 + H3 + H8                     | 000052001B |
| H1 Xenon bulb + 90%                       | 000052001M |
| H3 Xenon bulb + 90%                       | 000052003M |
| H4 lamp box                               | 000052004C |
| H4 Xenon bulb + 90%                       | 000052004M |
| H7 lamp box.                              | 000052007B |
| H7 Xenon bulb + 90%                       | 000052007M |
| C5W 41 mm LED                             | 000052010B |

\*Available from 09/19.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.



**Security**

|   |  |
|---|--|
| T4W LED   | 000052010C                                 |
| C5W 36 mm LED   | 000052010D                                 |
| W5W LED   | 000052010E                                 |
| Beeper parking sensor   | 000054752D                                 |
| Folding shovel  | 000069704A                                 |
| Tyre-shaped air compressor                                    | 000071716A                                 |
| Smart tracker key finder                                      | 000087013BB                                |
| Warning triangle  | 000093056A - 000093600B                    |
| Safety reflective vest  | 000093056J                                 |
| 3 Emergency triangle pack                                     | 000093600C                                 |
| Fluorescent vest  | 000093900ID - 000093900SA<br>- 000093901ID |
| Travel pack - LongLife III 5W-30 Castrol<br>EDGE Professional | 000093990AL                                |
| Travel pack - OriLHDnal LongLife III 5W-31                    | 000093990AM                                |
| Safety Pack (triangles + vest)                                | 000093990R                                 |
| Seat belt Top Tether  | 3R0019900                                  |
| Triangle fastening support                                    | 6K0860265                                  |
| Kaza live alert smartwatch                                    | 000054635E                                 |
| Additional interior mirror                                    | 000084418A                                 |
| Help Flash  | 000052122A                                 |
| Seat belt pad   | 000069629B                                 |
| Automatic puncture kit  | 000093059AE                                |
| Current converter 300W  | 000063828                                  |
| Rear baby mirror  | 000072549C                                 |

**Maintenance**

|                                       |                |
|---------------------------------------|----------------|
| First-aid kit                         | 6L0093000      |
| Insect remover                        | 000096320FRABH |
| Interior cleaner                      | 000096320FRABK |
| Dashboard Cleaner                     | 000096320FRABM |
| 300ml concentrated shampoo            | 000096320GFAAB |
| 300ml windscreen wash                 | 000096320GFAAD |
| Summer maintenance kit                | 000096354B     |
| Winter maintenance Kit                | 000071980BPADA |
| Maintenance kit                       | 000071980CL    |
| Insilver Passion refill air freshener | 000091500E     |
| Mixt fruit refill air freshener       | 000091500FM    |
| Red fruits refill air freshener       | 000091500FR    |
| Mild herbs air freshener refill       | 000091500HS    |
| Alize aroma air freshener             | 000091500L     |
| Calima aroma air freshener            | 000091500M     |
| Fresh mint refill air freshener       | 000091500MC    |
| Mistral aroma air freshener           | 000091500N     |
| Sirocco aroma air freshener           | 000091500P     |
| Zephyros aroma air freshener          | 000091500Q     |

**Child car seats****Age (approximate)**

|                               |                     |
|-------------------------------|---------------------|
| SEAT PEKE Peke G0 I-Size Plus | Up to 15 months     |
| ISOFIX Baby-safe Plus SHR II  | Up to 15 months     |
| SEAT PEKE G1 I-Size Trifix    | 9 months to 4 years |
| ISOFIX Duo Plus               | 9 months to 4 years |
| Child safety Kidfix XP        | 4 to 12 years       |

Our global range of cars and product specifications varies from country to country.  
Please, visit your local SEAT website to know more about the product offer available for you.

# Engine specs.

| Engine                              | 1.5 EcoTSI EVO 150 HP (110 kW)<br>ACT MQ-6 Start/Stop | 1.5 EcoTSI EVO 150 HP (110 kW)<br>DSG-7 Start/Stop |
|-------------------------------------|---|--|
| Cylinder/Valve (total)              | 4/16  | 4/16   |
| Displacement (cc)                   | 1.498   | 1.498  |
| Cylinder bore and stroke (mm)       | 74.5/85.9   | 74.5/85.9  |
| Compression ratio                   | 11  | 11   |
| Maximum power (kW [HP]/rpm)         | 110 (150)/5,000-6,000                                 | 110 (150)/5,000-6,000                              |
| Maximum torque (Nm/rpm)             | 250/1,500-3,500                                       | 250/1,500-3,500                                    |
| Fuel supply system                  | TSI Direct Injection                                  | TSI Direct Injection                               |
| Ignition                            | Electronic map-controlled ignition                    | Electronic map-controlled ignition                 |
| Atmospheric/Supercharged            | Turbocharged  | Turbocharged                                       |
| Fuel type                           | ROZ 95  | ROZ 95   |
| Oil capacity in initial fill (l)    | 4.8   | 4.8  |
| Emission control                    | EU6   | EU6  |
| Alternator [A]                      | 110 - 140 - 180                                       | 110 - 140 - 180                                    |
| Battery [Ah/A]                      | 59/320 - 69/360 - 68/380 - 70/420                     | 59/320 - 69/360 - 68/380 - 70/420                  |
| <b>Performance</b>                  |   |  |
| Maximum speed (km/h)                | 201 (5)   | 198 (6)  |
| Acceleration 0-80 km/h (s)          | 6.5   | 6.6  |
| Acceleration 0-100 km/h (s)         | 9.7   | 9.5  |
| Acceleration 80-120 km/h (s)        | 11.9  | 12.5   |
| Acceleration 1000 m (s)             | 31.3  | 31.2   |
| <b>Fuel consumption</b>             |   |  |
| Urban (l/100 km)                    | -   | -  |
| Extra urban (l/100 km)              | -   | -  |
| Combined (l/100 km)                 | -   | -  |
| Combined WLTP Range (l/100km)       | -   | -  |
| <b>CO<sub>2</sub> mass emission</b> |   |  |
| CO <sub>2</sub> Urban (g/km)        | -   | -  |
| CO <sub>2</sub> Extra Urban (g/km)  | -   | -  |
| CO <sub>2</sub> Combined (g/km)     | -   | -  |
| Combined WLTP Range (l/100km)       | -   | -  |
| <b>Transmission</b>                 |   |  |
| Gearbox type                        | MQ350-6F  | DQ381-7F   |
| Ratios                              |   |  |
|                                     | I 3.769   | 3.190  |
|                                     | II 2.087  | 2.750  |
|                                     | III 1.324   | 1.897  |
|                                     | IV 0.977  | 1.040  |
|                                     | V 0.975   | 0.793  |
|                                     | VI 0.814  | 0.860  |

| Transmission                               | 1.5 EcoTSI EVO 150 HP (110 kW)<br>ACT MQ-6 Start/Stop                     | 1.5 EcoTSI EVO 150 HP (110 kW)<br>DSG-7 Start/Stop                     |
|--|---|--|
|  | VII -   | 0.661  |
|  | R 4.549   | 2.750  |
| Group 1 ratio                              | 4.563   | 5.200  |
| Group 2 ratio                              | 3.476   | 3.900  |
| Group 3 ratio                              | -   | -  |
| Speed 1000 rpm in IV/V/VI/VII (km/h)       | -   | -  |
| <b>Chassis</b>                             |   |  |
| Front suspension                           | Independent McPherson type - coil springs - hydraulic shock absorber      |  |
| Rear suspension                            | Multilink axle, coil springs and hydraulic shock absorber                 |  |
| Steering System                            | R-EPS (Rack Electric Power System)  |  |
| Turning diameter (m)                       | 11,9  |  |
| Brake system                               | Dual hydraulic circuit and diagonal split brake system with brake booster |  |
| Front/Rear brakes type                     | Front ventilated disc brakes and rear solid disc brakes                   |  |
| Front brakes (mm)                          | 314x30  | 314x30   |
| Rear brakes (mm)                           | 300x12  | 300x12   |
| <b>Wheels</b>                              |   |  |
| Rims                                       | 7Jx17 ET40 - 7Jx18 ET43<br>/ 7Jx19 ET43 - 8Jx20 ET41                      | 7Jx17 ET40 - 7Jx18 ET43<br>/ 7Jx19 ET43 - 8Jx20 ET41                   |
| Tyres                                      | 215/65 R17 99V<br>235/55 R18 100V<br>235/50 R19 99V<br>235/45 R20 100V    | 215/65 R17 99V<br>235/55 R18 100V<br>235/50 R19 99V<br>235/45 R20 100V |
| <b>Dimensions</b>                          |   |  |
| Body type                                  | SUV   |  |
| Length/width/height (mm)                   | 4,735/1,839/1,658 (roof) - 1,674 (roof rails)                             |  |
| Wheelbase (mm)                             | 2,790   |  |
| Track front/rear (mm)                      | 1,585/1,574   |  |
| Boot capacity (l)                          | 5 seats: 760 - 7 seats: 230/700 (with 3 <sup>rd</sup> row seats folded)   |  |
| Fuel tank capacity (l)                     | Front: 58/All-wheel: 60   |  |
| <b>Weights</b>                             |   |  |
| In running order with driver (kg)          | [*] 1,599/[**] 1,634  | [*] 1,621/[**] 1,665   |
| Maximum weight with driver (kg) Front/Rear | [*] 888/711 - [**] 883/751  | [*] 921/700 - [**] 921/744   |
| Maximum weight allowed (kg)                | [*] 2,220/[**] 2,330  | [*] 2,250/[**] 2,370   |
| Maximum weight without brake (kg)          | 750   | 750  |
| Maximum weight w/brake 8% (kg)             | 2,000   | 2,000  |
| Maximum weight w/brake 12% (kg)            | 1,800   | 1,800  |

[\*] 5 seats. [\*\*] 7 seats.

For more information about official fuel consumption and CO<sub>2</sub> emissions values visit your local SEAT website.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

# Engine specs.

| Engine                           | 2.0 EcoTSI 190 HP (140 kW)<br>DSG-7 4Drive Start/Stop |
|----------------------------------|---|
| Cylinder/Valve (total)           | 4/16  |
| Displacement (cc)                | 1.984   |
| Cylinder bore and stroke (mm)    | 82.5/92.8   |
| Compression ratio                | 11.65   |
| Maximum power (kW [HP]/rpm)      | 140 (190)/4,200 - 6,000                               |
| Maximum torque (Nm/rpm)          | 320/1,500 - 4,100                                     |
| Fuel supply system               | TSI Direct Injection                                  |
| Ignition                         | Electronic map-controlled ignition                    |
| Atmospheric/Supercharged         | Turbocharged  |
| Fuel type                        | ROZ 95  |
| Oil capacity in initial fill (l) | 6.6   |
| Emission control                 | EU6   |
| Alternator [A]                   | 110 - 140 - 180                                       |
| Battery [Ah/A]                   | 59/320 - 69/360 - 68/380 - 70/420                     |

| Performance                  |         |
|------------------------------|---------|
| Maximum speed (km/h)         | 211 (6) |
| Acceleration 0-80 km/h (s)   | 5.3     |
| Acceleration 0-100 km/h (s)  | 8.0     |
| Acceleration 80-120 km/h (s) | 13.6    |
| Acceleration 1000 m (s)      | 29.5    |

| Fuel consumption              |   |
|-------------------------------|---|
| Urban (l/100 km)              | - |
| Extra urban (l/100 km)        | - |
| Combined (l/100 km)           | - |
| Combined WLTP Range (l/100km) | - |

| CO <sub>2</sub> mass emission      |   |
|------------------------------------|---|
| CO <sub>2</sub> Urban (g/km)       | - |
| CO <sub>2</sub> Extra Urban (g/km) | - |
| CO <sub>2</sub> Combined (g/km)    | - |
| Combined WLTP Range (l/100km)      | - |

| Transmission |     |          |
|--------------|-----|----------|
| Gearbox type |     | DQ381-7A |
| Ratios       | I   | 3.400    |
|              | II  | 2.750    |
|              | III | 1.767    |
|              | IV  | 0.925    |
|              | V   | 0.705    |
|              | VI  | 0.755    |

| Transmission                         |     | 2.0 EcoTSI 190 HP (140 kW)<br>DSG-7 4Drive Start/Stop |
|--------------------------------------|-----|---|
|                                      | VII | 0.635   |
|                                      | R   | 2.900   |
| Group 1 ratio                        |     | 4.813   |
| Group 2 ratio                        |     | 3.667   |
| Group 3 ratio                        |     | -   |
| Speed 1000 rpm in IV/V/VI/VII (km/h) |     | -   |

| Chassis                |   |
|------------------------|---|
| Front suspension       | Independent McPherson type - coil springs - hydraulic shock absorber      |
| Rear suspension        | Multilink axle, coil springs and hydraulic shock absorber                 |
| Steering System        | R-EPS (Rack Electric Power System)  |
| Turning diameter (m)   | 11,9  |
| Brake system           | Dual hydraulic circuit and diagonal split brake system with brake booster |
| Front/Rear brakes type | Front ventilated disc brakes and rear solid disc brakes                   |
| Front brakes (mm)      | 340x30  |
| Rear brakes (mm)       | 300x12  |

| Wheels |                                   |
|--------|-----------------------------------|
| Rims   | 7Jx19 ET43 - 8Jx20 ET41           |
| Tyres  | 235/50 R19 99V<br>235/45 R20 100V |

| Dimensions               |   |
|--------------------------|---|
| Body type                | SUV   |
| Length/width/height (mm) | 4,735/1,839/1,658 (roof) - 1,674 (roof rails)                           |
| Wheelbase (mm)           | 2,790   |
| Track front/rear (mm)    | 1,585/1,574   |
| Boot capacity (l)        | 5 seats: 760 - 7 seats: 230/700 (with 3 <sup>rd</sup> row seats folded) |
| Fuel tank capacity (l)   | Front: 58/All-wheel: 60   |

| Weights                                    |                                |
|--|--------------------------------|
| In running order with driver (kg)          | [*] 1,773/[**] 1,808           |
| Maximum weight with driver (kg) Front/Rear | [*] 1,006/767 - [**] 1,001/807 |
| Maximum weight allowed (kg)                | [*] 2,380/[**] 2,520           |
| Maximum weight without brake (kg)          | 750                            |
| Maximum weight w/brake 8% (kg)             | 2,250                          |
| Maximum weight w/brake 12% (kg)            | 2,250                          |

[\*] 5 seats. [\*\*] 7 seats.



# Engine specs.

| Engine                              | 2.0 TDI 150 HP (110 kW) SCR MQ-6 Start/Stop<br>  SCR DSG-7 4Drive Start/Stop | 2.0 TDI 190 HP (140 kW)<br>SCR DSG-7 4Drive Start/Stop |
|-------------------------------------|--|--|
| Cylinder/Valve (total)              | 4/16   | 4/16   |
| Displacement (cc)                   | 1.968  | 1.968  |
| Cylinder bore and stroke (mm)       | 81/95.5  | 81/95.5  |
| Compression ratio                   | 16.2   | 15.5   |
| Maximum power (kW [HP]/rpm)         | 110 [150]/3,500 - 4,000  | 140 [190]/3,500 - 4,000                                |
| Maximum torque (Nm/rpm)             | 340/1,750 - 3,000  | 400/1,750 - 3,250                                      |
| Fuel supply system                  | Direct Injection: Common Rail  | Direct Injection: Common Rail                          |
| Ignition                            | Compressed ignition  | Compressed ignition                                    |
| Atmospheric/Supercharged            | Turbocharged   | Turbocharged   |
| Fuel type                           | Diesel   | Diesel   |
| Oil capacity in initial fill (l)    | 5.3  | 5.3  |
| Emission control                    | EU6  | EU6  |
| Alternator [A]                      | 110 - 140 -180   | 110 - 140 -180   |
| Battery [Ah/A]                      | 59/320 - 69/360 - 68/380 - 70/420  | 59/320 - 69/360 - 68/380 - 70/420                      |
| <b>Performance</b>                  |  |  |
| Maximum speed (km/h)                | 202 [6]   198 [6]  | 210 [7]  |
| Acceleration 0-80 km/h [s]          | 6.8   6.3  | 5.2  |
| Acceleration 0-100 km/h [s]         | 9.8   9.8  | 8.0  |
| Acceleration 80-120 km/h [s]        | 14.4   13.2  | 15.5   |
| Acceleration 1000 m [s]             | 31.8   31.6  | 29.4   |
| <b>Fuel consumption</b>             |  |  |
| Urban (l/100 km)                    | -  | -  |
| Extra urban (l/100 km)              | -  | -  |
| Combined (l/100 km)                 | -  | -  |
| Combined WLTP Range (l/100km)       | -  | -  |
| <b>CO<sub>2</sub> mass emission</b> |  |  |
| CO <sub>2</sub> Urban (g/km)        | -  | -  |
| CO <sub>2</sub> Extra Urban (g/km)  | -  | -  |
| CO <sub>2</sub> Combined (g/km)     | -  | -  |
| Combined WLTP Range (l/100km)       | -  | -  |
| <b>Transmission</b>                 |  |  |
| Gearbox type                        | MQ350-6F   DQ381-7A  | DQ500-7A   |
| Ratios                              | I 3.769   3.579  | 3.562  |
|                                     | II 1.958   2.750   | 2.526  |
|                                     | III 1.257   1.677  | 1.586  |
|                                     | IV 0.870   0.889   | 0.938  |
|                                     | V 0.857   0.677  | 0.722  |
|                                     | VI 0.717   0.722   | 0.688  |

| Transmission                               | 2.0 TDI 150 HP (110 kW) SCR MQ-6 Start/Stop<br>  SCR DSG-7 4Drive Start/Stop | 2.0 TDI 190 HP (140 kW)<br>SCR DSG-7 4Drive Start/Stop |
|--|--|--|
|  | VII -   0.561  | 0.574  |
|  | R 4.549   2.900  | 2.789  |
| Group 1 ratio                              | 4.235   4.812  | 4.733  |
| Group 2 ratio                              | 3.273   3.667  | 3.944  |
| Group 3 ratio                              | -  | -  |
| Speed 1000 rpm in IV/V/VI/VII (km/h)       | -  | -  |
| <b>Chassis</b>                             |  |  |
| Front suspension                           | Independent McPherson type - coil springs - hydraulic shock absorber         |  |
| Rear suspension                            | Multilink axle, coil springs and hydraulic shock absorber                    |  |
| Steering System                            | R-EPS (Rack Electric Power System)   |  |
| Turning diameter (m)                       | 11.9   |  |
| Brake system                               | Dual hydraulic circuit and diagonal split brake system with brake booster    |  |
| Front/Rear brakes type                     | Front ventilated disc brakes and rear solid disc brakes                      |  |
| Front brakes (mm)                          | 314x30   | 340x30   |
| Rear brakes (mm)                           | 300x12   | 300x12   |
| <b>Wheels</b>                              |  |  |
| Rims                                       | 7Jx17 ET40 - 7Jx18 ET43<br>/ 7Jx19 ET43 - 8Jx20 ET41                         | 7Jx19 ET43 - 8Jx20 ET41                                |
| Tyres                                      | 215/65 R17 99V<br>235/55 R18 100V<br>235/50 R19 99V<br>235/45 R20 100V       | 235/50 R19 99V<br>235/45 R20 100V                      |
| <b>Dimensions</b>                          |  |  |
| Body type                                  | SUV  |  |
| Length/width/height (mm)                   | 4735/1839/1658 (roof) - 1674 (roof rails)                                    |  |
| Wheelbase (mm)                             | 2,790  |  |
| Track front/rear (mm)                      | 1,585/1,574  |  |
| Boot capacity (l)                          | 5 seats: 760 - 7 seats: 230/700 (with 3 <sup>rd</sup> row seats folded)      |  |
| Fuel tank capacity (l)                     | Front: 58/All-wheel: 60  |  |
| <b>Weights</b>                             |  |  |
| In running order with driver (kg)          | 1,687 [*]/1,735 [*]   1,803 [*]/1,837 [*]                                    | 1,816 [*]/1,845 [*]                                    |
| Maximum weight with driver (kg) Front/Rear | [*] 968/719 - [*] 964/771<br>  [*] 1,026/777 - [*] 1,020/817                 | [*] 1,033/783 - [*] 1,029/816                          |
| Maximum weight allowed (kg)                | 2,290 [*]/2,410 [*]   2,410 [*]/2,540 [*]                                    | 2,410 [*]/2,550 [*]                                    |
| Maximum weight without brake (kg)          | 750   750  | 750  |
| Maximum weight w/brake 8% (kg)             | 2,200   2,300  | 2,300  |
| Maximum weight w/brake 12% (kg)            | 2,000   2,300  | 2,300  |


[\*] 5 seats. [\*\*] 7 seats.

For more information about official fuel consumption and CO<sub>2</sub> emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

# Engine specs.

|   | Style | Xcellence |
|---|-------|-----------|
| <b>Petrol</b>                                       |       |           |
| 1.5 EcoTSI EVO 150 HP (110 kW) ACT MQ-6 Start/Stop  | ○     | ○         |
| 1.5 EcoTSI EVO 150 HP (110 kW) DSG-7 Start/Stop     | ○     | ○         |
| 2.0 EcoTSI 190 HP (140 kW) DSG-7 4Drive Start/Stop  | -     | ○         |
| <b>Diesel</b>                                       |       |           |
| 2.0 TDI 150 HP (110 kW) SCR MQ-6 Start/Stop         | ○     | ○         |
| 2.0 TDI 150 HP (110 kW) SCR DSG-7 4Drive Start/Stop | ○     | ○         |
| 2.0 TDI 190 HP (140 kW) SCR DSG-7 4Drive Start/Stop | -     | ○         |

# Dimensions.



○ Optional  
- Not available

For more information about official fuel consumption and CO<sub>2</sub> emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.



SEAT is committed to a policy of continuous product development and reserves the right to make changes to specifications, colours and prices without notice. The information in this brochure can therefore be given as guidance only. While SEAT makes every effort to ensure that specifications are accurate at the time of publication, you should always check with your authorised SEAT Partner for the latest information. Due to limitations of the printing process the colours reproduced in this brochure may vary slightly from the actual paint colour and material. This vehicle and all its parts, as well as the original spares, were designed according to the Legal Regulations governing the prevention and minimisation of Environmental Impact, through the use of recycled/recyclable materials, with measures taken to achieve suitable recycling for the conservation and improvement of environmental quality.