

 SEAT



SEAT
Leon



Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.



Your technical bit.

Data &
Equipment.

Leon.

- Standard
- Optional
- Not available

- ¹ With airbag deactivation for front passenger and only optional in combination with Leather electric seats.
 - ² With Cruise Control System for Style, Xcellence and FR. Includes 3-point seat belts.
 - ³ Not compatible with other Safe and Driving Packs.
 - ⁴ Not compatible with other Safe and Driving Packs. Requires LED interior Wraparound Ambient Light.
 - ⁵ Not compatible with other Safe and Driving Packs. Requires LED interior Wraparound Ambient Light and Safe and NCAP Pack. Only available with DQ engines.
 - ⁶ Not compatible with SEAT CONNECT.
 - ⁷ With 4 handholds and illuminated sun visors for Style. Not compatible with 1.0 TSI 90HP (66kW) MQ-5 engine.
 - ⁸ Not available for TGI engines.
 - ⁹ Includes wheel bolts with anti-theft protection.
 - ¹⁰ Urban 16" 30/1 Steel wheels for 2.0 TDI evo 115HP (85kW) engine.
 - ¹¹ Not available for 1.0 TSI 90HP (66kW) engine.
 - ¹² Available with sporty tyres for engines up to 110kW. Not available for 1.0 TSI 110HP (81kW) MQ-6 engine
- * Available from February 2022.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Safety	Reference	Style	Xcellence	FR
3-point seat belts in front and rear	●	●	●	●
Visual and acoustic seat belt reminder with electric contact in front and rear	●	●	●	●
Child seat anchors for child seat system i-Size	●	●	●	●
6 Airbags (2 front, 2 front side and 2 curtain) ¹	●	●	●	●
Side, curtain and central airbags	●	●	●	●
Rear side, knee and central airbags: Side airbag in front and rear with curtain airbag and interaction airbag in front. Also airbag for driver and front passenger with knee airbag and front passenger airbag deactivation	-	○	○	○
Safe and NCAP Pack²: Forward collision warning with braking reaction to vehicles, pedestrians and cyclists. It includes multifunctional camera, lane keeping system and driver alert system	●	●	●	●
Safe and Driving Pack M in combination with Media System⁺³: High Beam Assist, Adaptive Cruise Control (ACC) and Light Assist	-	○	○	○
Safe and Driving Pack M in combination with Navi System⁺³: High Beam Assist, Adaptive Cruise Control Predictive, Light Assist and Traffic Sign Recognition	-	○	○	○
Safe and Driving Pack L in combination with Media System⁺⁴: High Beam Assist, Adaptive Cruise Control (ACC), Light Assist, Side Assist, Exit Assist and Rear Traffic Alert	-	-	○	○
Safe and Driving Pack L in combination with Navi System⁺⁴: High Beam Assist, Adaptive Cruise Control Predictive, Light Assist, Side Assist, Exit Assist, Exit Warning and Traffic Sign Recognition	-	-	○	○
Safe and Driving Pack XL in combination with Media System⁺⁵: High Beam Assist, Adaptive Cruise Control (ACC), Light Assist, Travel Assist, Exit Assist, Emergency Assist, Side Assist, Lane Assist Plus with lane central guidance, heated steering wheel and Rear Traffic Alert	-	-	○	○

Safety	Reference	Style	Xcellence	FR
Safe and Driving Pack XL in combination with Navi System⁺⁵: Light Assist, Travel Assist, Adaptive Cruise Control Predictive, Side Assist, Exit Assist, Exit Warning, Emergency Assist, Traffic Sign Recognition and Lane Assist Plus with lane central guidance and heated steering wheel	-	-	○	○
Public emergency call (eCall) ⁶	○	○	○	○
Alarm with safe function	○	○	○	○
Exterior				
Exterior mirrors in body colour	●	●	●	-
Exterior mirrors in Cosmo Grey	-	-	-	●
Exterior mirrors in Carbon Fibre Black*	-	-	-	○
Rear spoiler	●	●	●	●
Electric sunroof with spoiler ⁷	-	○	○	○
Sport bumpers	-	●	-	●
Heat-insulating windshield glass	●	●	●	●
Rear tinted windows	-	○	●	●
Chromed Pack with bright window frames	-	○	●	○
Glossy Black frame windows with black decorative trims	-	-	-	○
Breakdown kit	●	●	●	●
Tyre pressure monitoring system	●	●	●	●
All season tyres 16" ⁸	-	○	-	-
All season tyres 16" with Urban 16" Steel wheels ⁸	○	-	-	-
All season tyres 16" with Design 16" Alloy wheels ⁹	○	-	-	-
All season tyres 17" with Dynamic 17" Alloy wheels ⁹	-	-	○	○
Urban 15" Steel wheels ¹⁰	●	-	-	-
Urban 16" 30/1 Steel wheels ⁸	○	-	-	-
Design 16" 30/2 Brilliant Silver Alloy wheels ⁹	○	●	-	-
Dynamic 17" 30/3 Brilliant Silver Alloy wheels ¹¹	-	○	-	-
Dynamic 17" Brilliant Silver Alloy wheels	-	-	●	-
Dynamic 17" Brilliant Silver Alloy wheels	-	-	-	●
Performance 18" 30/4 Nuclear Grey Machined Alloy wheels ¹²	-	-	○	-

- Standard
- Optional
- Not available

¹³ Not available for 1.0 TSI 110HP [81kW] MQ-6 engine in XC and for 1.0 TSI 90HP [66kW] MQ-5 engine in Style

¹⁴ Includes wheel bolts with anti-theft protection. Not available for 1.0 TSI 110HP [81kW] MQ-6 engine.

¹⁵ Not available for e-HYBRID and TGI engines.

¹⁶ Not compatible with towing hook from factory or with electric sunroof in combination with e-HYBRID engines. Not available for TGI and 1.0 TSI 110HP [81kW] MQ-6 engine.

¹⁷ Not available for TGI or 1.0 TSI 110HP [81kW] MQ-6 engine.

¹⁸ Three handholds.

¹⁹ Four handholds.

²⁰ Vegan leather only for manual engines.

²¹ Not available with Storage Pack or foldable heated exterior mirrors. Requires SEAT Full LED.

²² Includes Winter Pack. Not available with Storage Pack or foldable heated exterior mirrors.

²³ Optional for Reference with Reference Pack.

²⁴ Only passenger seat for Reference.

²⁵ Only passenger seat for Style.

²⁶ With central armrest for Xcellence and FR.

²⁷ Illuminated sun visors available for Style with optional sunroof.

²⁸ Optional for Style with Comfort Pack.

²⁹ Not available for eTSI, TGI, e-HYBRID engines or Leather and Dinamica electric seats. Requires Comfort Pack for Style and includes mats in centre console storage area, cupholder and front armrest (if available).

³⁰ Standard for TGI and e-HYBRID engines.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Exterior	Reference	Style	Xcellence	FR
Performance 18" 30/6 Cosmo Grey Machined Alloy wheels ¹²	-	-	-	○
Performance 18" 30/8 Nuclear Grey Machined Alloy wheels ¹³	-	○	○	-
Performance 18" 30/9 Cosmo Grey Machined Alloy wheels ¹⁴	-	-	-	○
Performance 18" 30/10 Nuclear Grey Machined Aero wheels ¹⁴	-	-	○	-
Performance 18" 30/11 Cosmo Grey Machined Aero wheels ¹⁴	-	-	-	○
Spare wheel 18" ¹⁵	○	○	○	○
Wheel bolts with unlockable anti-theft protection	○	○	○	○
Tool kit	●	●	●	●
Tool kit and jack	○	○	○	○
Towing preparation ¹⁶	○	○	○	○
Towing hook from factory ¹⁷	○	○	○	○

Interior	Reference	Style	Xcellence	FR
Folding grab handles ¹⁸	●	●	-	-
Multi-piece folding grab handles ¹⁹	-	-	●	●
Gearshift knob/handle in plastic	●	-	-	-
Gearshift knob/handle in vegan leather ²⁰	-	●	●	●
Grey greenhouse	●	●	●	●
Black greenhouse	-	-	○	○
Cloth comfort seats	●	●	●	●
Dinamica [®] sport seats ²¹	-	○	○	○
Leather Black sport seats ²²	-	○	○	○
Steering wheel with trim pin	-	-	-	●
Multifunctional steering wheel	●	-	-	-
Multifunctional sport leather steering wheel	○ ²³	●	●	●
Manual height adjustment for front seats ²⁴	●	●	●	●
Manual lumbar support adjustment for front seats ²⁵	-	●	●	●
Drawer under left front seat	-	●	●	●
Luggage pockets on backrest	-	●	●	●
Unsplit rear seat bench, split folding backrest ²⁶	●	●	●	●

Interior	Reference	Style	Xcellence	FR
Comfort luggage compartment	●	●	●	●
Interior chrome inserts	-	●	●	●
Illuminated doorstep	-	-	●	●
Sun visors with illuminated mirror	-	O ²⁷	●	●
Sun visors with ticket pocket on driver side and airbag label	●	-	-	-
Dimming breakaway interior rearview mirror	●	●	-	●
1-zone Climatronic	●	●	-	-
3-zone Climatronic	-	O ²⁸	●	●
One reading light in front	●	-	-	-
Two reading lights in front and two in rear	-	●	●	●
Operating voltage 12 V	●	●	●	●
Alternator 140 A	●	●	●	●
230 V socket in boot	○	○	○	○
Mode 3 charging cable for e-HYBRID	-	-	○	○
SEAT Charger	-	-	○	○
SEAT Charger Pro	-	-	○	○
SEAT Charger Connect	-	-	○	○
Transport protection film	○	○	○	○
Storage Pack²⁹: Drawer under the right front seat, document holder under left front seat, decorative inserts for console, cupholder, front armrest, horizontal net in boot, double floor in boot and luggage compartment trim with storage compartments	-	○	○	○
Electronics				
Instrument cluster with km/h speedometer	●	●	●	●
2x USB type C sockets in front	●	●	-	-
Antenna for FM reception only	●	●	●	●
SEAT Digital Cockpit ³⁰	-	○	●	●
8.25" SEAT Media System+: SEAT CONNECT with Safety & Services and Remote Access	●	●	●	●

Electronics	Reference	Style	Xcellence	FR
10" SEAT Media System+³¹: Infotainment system, voice control, wireless RSE App and SEAT CONNECT with Safety & Services and Remote Access	○	○	○	○
10" SEAT Navi System+³²: Infotainment system, voice control, wireless RSE App and SEAT CONNECT with Safety & Services, Remote Access and Online Infotainment	-	○	○	○
Multifunctional medium display computer	●	●	-	-
Mobile phone interface	-	●	●	●
4 speakers (passive)	●	-	-	-
6 speakers (passive)	-	●	●	●
BeatsAudio™ sound system³³: 9 premium speakers, a subwoofer box, a 340W amplifier and surround technology	-	○	○	○
Driving profile selector and conventional shock absorber	-	-	-	●
Interior Smart Wrapearound	-	-	-	●
LED Interior Ambient Light with Smart Wraparound	-	-	○	○
Interior Ambient Lighting	-	-	●	-
Rear View Camera ³⁴	-	○	○	○
Park Assist	-	○	○	○
Parking heater ³⁵	-	○	○	○
Pre-crash Assist ³⁶	-	○	○	○
Connectivity Box: Wireless charger and Mobile Signal Amplifier	-	○	○	○
Full Link for Media System+, via USB ³⁷	○	○	○	○
Full Link for Media System+, wireless	○	○	○	○
Full Link for 10" Navi System+ or 10" Media System+, wireless with Media Control	-	○	○	○
Cartography for Europe with Mapcare ³⁸	-	○	○	○
SEAT CONNECT for Media System+: Safety & Service and Remote access services ³⁹ . Some functionalities are: Remote lock and unlock, Anti-theft alert, or Private Emergency Call	●	●	●	●
SEAT CONNECT for Navi System+: Safety & Service, Remote access and Online infotainment services ⁴⁰ . Some functionalities are: Online traffic information, Parking & Petrol station locator, or Internet radio & Apple Music	●	●	●	●

- Standard
- Optional
- Not available

³¹ Requires SEAT Digital Cockpit and BeatsAudio™ sound system.

³² Requires SEAT Digital Cockpit and Cartography. Standard for e-HYBRID engines.

³³ Requires emergency spare wheel 18". Not available for e-HYBRID or TGI engines. Only available in combination with Navi System+ 10" or Media System+ 10".

³⁴ Requires Rear Parking Sensor or Park Assist + PLA.

³⁵ Not available for e-HYBRID, TGI, 1.0 TSI 110HP (81kW) MQ-6 and 1.0 TSI 110HP (81kW) MQ-6 engines.

³⁶ Only available in combination with Front Assist.

³⁷ Reference requires Reference Pack.

³⁸ Standard for e-HYBRID engines.

³⁹ Standard with Media System+. Includes private Emergency Call, Safety services for 10 years and Remote access for 1 year (renewals are needed after this period). Not compatible with eCall.

⁴⁰ Standard with Navi System+. Includes private Emergency Call, Safety services for 10 years and Remote access and Online infotainment services for 1 year (renewals are needed after this period). Not compatible with eCall.

⁴¹ Without Safelock.

⁴² Requires alarm.

⁴³ Only available for Style in combination with leather seats with memory feature. Requires SEAT Full LED.

⁴⁴ Includes Air Quality Sensor (AQS), AirCare, iClimates and Climate Achieved functions.

⁴⁵ Not available with Leather electric seats.

⁴⁶ Only available for 1.5 TSI 130HP (96kW), 1.5 TSI 150HP (110kW), 2.0 TDI evo 150HP (110kW), 1.5 eTSI 150HP (110kW) and eTSI engines. Not available for TGI engines.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Electronics	Reference	Style	Xcellence	FR
Rear parking sensor with park distance control	-	○	●	●
Speed limiter	●	-	-	-
Electronic Cruise Control System (CCS)	-	●	●	●
Central locking system Keyless Go ⁴¹	●	●	-	●
Keyless Advanced ⁴¹	-	○	●	○
Keyless Advanced with Safe ⁴²	-	○	○	○
Tailgate lid unlocking from outside	●	●	●	●
Electronic parking brake	●	●	●	●
Electronic differential lock XDS with dynamic traction support	●	●	●	●
Brake control system for vehicles without electric drive (ESC and electromechanical brake booster)	●	●	●	●
Electronic immobilizer	●	●	●	●
Speed-related variable steering assist (Servotronic)	●	●	●	●
Power-adjustable exterior mirrors	●	-	-	-
Power-adjustable heated exterior mirrors	○	●	-	-
Foldable heated exterior mirrors with front passenger lowering function	-	○	●	●
Foldable heated exterior mirrors with memory function ⁴³	-	○	-	-
Windshield wiper intermittent control with potentiometer (four speeds)	●	●	-	●
Heat-insulating side and rear windows glass	●	●	-	-
Power windows with comfort operation and circuit breaker	●	●	●	●
Single-tone horn	●	●	-	-
Two-tone horn	-	-	●	●
Headlight range control	●	●	●	●
Eco LED headlights	●	●	●	●
Eco LED rear lights	●	●	-	-
Full LED rear light (Infinite Light)	-	-	●	●
LED fog lights with cornering function	○	○	●	●
Separate daytime running lights with automatic headlight control	●	●	-	●

Electronics	Reference	Style	Xcellence	FR
LED Interior Illumination Pack: Front and rear reading lights, sunvisor, boot and glove box in LED	-	●	-	-
LED Interior Illumination Pack: Front LED lights in footwell and connectivity box area LED illumination	-	○	-	-
Full LED with automatic headlight adjustment: LED headlights, Full LED rear lights with dynamic light and Welcome Light	-	○	○	○
Reference Pack: Multifunctional sport leather steering wheel, mobile phone interface, vegan leather gearshift ²⁰ and Cruise Control System	○	-	-	-
Comfort Pack: Centre armrest in front, 2x USB type C sockets in front and in rear and 3-zone Climatronic with air conditioning control panel in rear ⁴⁴	-	○	●	●
Winter Pack⁴⁵: Heated front seats, wash water and steering wheel	-	○	○	○
Convenience Pack: Rain and auto-dimming light sensor with Coming and Leaving Home, windshield wiper intermittent control and breakaway interior rearview mirror	-	○	●	○
Dynamic and Comfort Pack⁴⁶: SEAT Drive Profile, Dynamic Chassis Control, Progressive steering, Sport HMI, specific disc brakes and shock absorption in front	-	-	○	○

Leon Sportstourer.

- Standard
- Optional
- Not available

- ¹ With airbag deactivation for front passenger and only optional in combination with Leather electric seats.
- ² With Cruise Control System for Style, Xcellence and FR. Includes 3-point seat belts.
- ³ Not compatible with other Safe and Driving Packs.
- ⁴ Not compatible with other Safe and Driving Packs. Requires LED interior Wraparound Ambient Light.
- ⁵ Not compatible with other Safe and Driving Packs. Requires LED interior Wraparound Ambient Light and Safe and NCAP Pack. Only available with DQ engines.
- ⁶ Not compatible with SEAT CONNECT.
- ⁷ With 4 handholds and illuminated sun visors for Style. Not compatible with 1.0 TSI 90HP (66kW) MQ-5 engine. Not compatible with towing hook from factory or towing hook preparation in combination with e-HYBRID engines.
- ⁸ Not available for TGI engines.
- ⁹ Includes wheel bolts with anti-theft protection.
- ¹⁰ Urban 16" 30/1 Steel wheels for 2.0 TDI evo 115HP (85kW) engine.
- ¹¹ Not available for 1.0 TSI 90HP (66kW) engine.
- ¹² Available with sporty tyres for engines up to 110kW. Not available for 1.0 TSI 110HP (81kW) MQ-6 engine.
- * Available from February 2022.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Safety	Reference	Style	Xcellence	FR
3-point seat belts in front and rear	●	●	●	●
Visual and acoustic seat belt reminder with electric contact in front and rear	●	●	●	●
Child seat anchors for child seat system i-Size	●	●	●	●
6 Airbags (2 front, 2 front side and 2 curtain) ¹	●	●	●	●
Side, curtain and central airbags ²	●	●	●	●
Rear side, knee and central airbags: Side airbag in front and rear with curtain airbag and interaction airbag in front. Also airbag for driver and front passenger with knee airbag and front passenger airbag deactivation	-	○	○	○
Safe and NCAP Pack²: Forward collision warning with braking reaction to vehicles, pedestrians and cyclists. It includes multifunctional camera, lane keeping system and driver alert system	○	○	○	○
Safe and Driving Pack M in combination with Media System+³: High Beam Assist, Adaptive Cruise Control (ACC) and Light Assist	-	○	○	○
Safe and Driving Pack M in combination with Navi System+³: High Beam Assist, Adaptive Cruise Control Predictive, Light Assist and Traffic Sign Recognition	-	○	○	○
Safe and Driving Pack L in combination with Media System+³: High Beam Assist, Adaptive Cruise Control (ACC), Light Assist, Side Assist, Exit Assist and Rear Traffic Alert	-	-	○	○
Safe and Driving Pack L in combination with Navi System+³: High Beam Assist, Adaptive Cruise Control Predictive, Light Assist, Side Assist, Exit Assist, Exit Warning and Traffic Sign Recognition	-	-	○	○
Safe and Driving Pack XL in combination with Media System+³: High Beam Assist, Adaptive Cruise Control (ACC), Light Assist, Travel Assist, Exit Assist, Emergency Assist, Side Assist, Lane Assist Plus with lane central guidance, heated steering wheel and Rear Traffic Alert	-	-	○	○

Safety	Reference	Style	Xcellence	FR
Safe and Driving Pack XL in combination with Navi System+⁵: Light Assist, Travel Assist, Adaptive Cruise Control Predictive, Side Assist, Exit Assist, Exit Warning, Emergency Assist, Traffic Sign Recognition and Lane Assist Plus with lane central guidance and heated steering wheel	-	-	○	○
Public emergency call (eCall) ⁶	○	○	○	○
Alarm with safe function	○	○	○	○
Exterior				
Exterior mirrors in body colour	●	●	●	-
Exterior mirrors in Cosmo Grey	-	-	-	●
Exterior mirrors in Carbon Fibre Black*	-	-	-	○
Rear spoiler	●	●	●	●
Panoramic sunroof with spoiler ⁷	-	○	○	○
Sport bumpers	-	-	-	●
Heat-insulating windshield glass	●	●	●	●
Rear tinted windows	-	○	●	●
Black roof rails	●	●	-	●
Chromed Pack: Bright window frames and bright roof rails	-	○	●	○
Glossy Black Pack: Glossy black roof rails and black decorative trims	-	-	-	○
Breakdown kit	●	●	●	●
Tyre pressure monitoring system	●	●	●	●
All season tyres 16" ⁸	-	○	-	-
All season tyres 16" with Urban 16" steel wheel ⁸	○	-	-	-
All season tyres 16" with Design 16" Alloy wheels ⁹	○	-	-	-
All season tyres 17" with Dynamic 17" Alloy wheels ⁹	-	-	○	○
Urban 15" Steel wheels ¹⁰	●	-	-	-
Urban 16" 30/1 Steel wheels ⁸	○	-	-	-
Design 16" 30/2 Brilliant Silver Alloy wheels ⁹	○	●	-	-
Dynamic 17" 30/3 Brilliant Silver Alloy wheels ¹¹	-	○	-	-
Dynamic 17" Brilliant Silver Alloy wheels	-	-	●	-
Dynamic 17" Brilliant Silver Alloy wheels	-	-	-	●

- Standard
- Optional
- Not available

¹³ Includes wheel bolts with anti-theft protection.
Not available for 1.0 TSI 110HP [81kW] MQ-6 engine.

¹⁴ Not available for e-HYBRID and TGI engines.

¹⁵ Not compatible with towing hook from factory or with electric sunroof in combination with e-HYBRID engines. Not available for TGI and 1.0 TSI 110HP [81kW] MQ-6 engine.

¹⁶ Not available for TGI or 1.0 TSI 110HP [81kW] MQ-6 engine.

¹⁷ Four handholds.

¹⁸ Vegan leather only for manual engines.

¹⁹ Not available with Storage Pack or foldable heated exterior mirrors. Requires SEAT Full LED.

²⁰ Includes Winter Pack. Not available with Storage Pack or foldable heated exterior mirrors.

²¹ Optional for Reference with Reference Pack.

²² Only passenger seat for Reference.

²³ Only passenger seat for Style.

²⁴ With central armrest for Xcellence and FR.

²⁵ Illuminated sun visors available for Style with optional sunroof.

²⁶ Optional for Style with Comfort Pack.

²⁷ Not available for eTSI, TGI, e-HYBRID engines or Leather and Dinamica electric seats. Requires Comfort Pack for Style and includes mats in centre console storage area, cupholder and front armrest (if available).

²⁸ Standard for TGI & e-HYBRID engines.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Exterior	Reference	Style	Xcellence	FR
Performance 18" 30/4 Nuclear Grey Machined Alloy wheels ¹²	-	-	○	-
Performance 18" 30/6 Cosmo Grey Machined Alloy wheels ¹²	-	-	-	○
Performance 18" 30/8 Nuclear Grey Machined Alloy wheels ¹³	-	○	○	-
Performance 18" 30/9 Cosmo Grey Machined Alloy wheels ¹³	-	-	-	○
Performance 18" 30/10 Nuclear Grey Machined Aero wheels ¹³	-	-	○	-
Performance 18" 30/11 Cosmo Grey Machined Aero wheels ¹³	-	-	-	○
Spare wheel 18" ¹⁴	○	○	○	○
Wheel bolts with unlockable anti-theft protection	○	○	○	○
Tool kit	●	●	●	●
Tool kit and jack	○	○	○	○
Towing hook preparation ¹⁵	○	○	○	○
Towing hook from factory ¹⁶	○	○	○	○

Interior				
Multi-piece folding grab handles ¹⁷	●	●	●	●
Gearshift knob/handle in plastic	●	-	-	-
Gearshift knob/handle in vegan leather ¹⁸	-	●	●	●
Grey greenhouse	●	●	●	●
Black greenhouse	-	-	○	○
Cloth comfort seats	●	●	●	●
Dinamica [®] sport seats ¹⁹	-	○	○	○
Leather Black sport seats ²⁰	-	○	○	○
Steering wheel with trim pin	-	-	-	●
Multifunctional steering wheel	●	-	-	-
Multifunctional sport leather steering wheel	○ ²¹	●	●	●
Manual height adjustment for front seats ²²	●	●	●	●
Manual lumbar support adjustment for front seats ²³	-	●	●	●
Drawer under left front seat	-	●	●	●
Luggage pockets on backrest	-	●	●	●

Interior	Reference	Style	Xcellence	FR
Unsplit rear seat bench, split folding backrest ²⁴	●	●	●	●
Comfort luggage compartment	●	●	●	●
Interior chrome inserts	-	●	●	●
Illuminated doorstep	-	-	●	●
Sun visors with illuminated mirror	-	○ ²⁵	●	●
Sun visors with ticket pocket on driver side and airbag label	●	-	-	-
Dimming breakaway interior rearview mirror	●	●	-	●
1-zone Climatronic	●	●	-	-
3-zone Climatronic	-	○ ²⁵	●	●
One reading light in front	●	●	-	-
Two reading lights in front and two in rear	-	●	●	●
Operating voltage 12 V	●	●	●	●
Alternator 140 A	●	●	●	●
230 V socket in boot	○	○	○	○
Mode 3 charging cable for e-HYBRID	-	-	○	○
SEAT Charger	-	-	○	○
SEAT Charger Pro	-	-	○	○
SEAT Charger Connect	-	-	○	○
Transport protection film	○	○	○	○
Storage Pack²⁷: Drawer under the right front seat, document holder under left front seat, decorative inserts for console, cupholder, front armrest, horizontal net in boot, double floor in boot and luggage compartment trim with storage compartments	-	○	○	○
Electronics				
Instrument cluster with km/h speedometer	●	●	●	●
2x USB type C sockets in front	●	●	-	-
Antenna for FM reception only	●	●	●	●
SEAT Digital Cockpit ²⁸	-	○	●	●
8.25" SEAT Media System+: SEAT CONNECT with Safety & Services and Remote Access	●	●	●	●

- Standard
- Optional
- Not available

²⁹ Requires SEAT Digital Cockpit and BeatsAudio™ sound system.

³⁰ Requires SEAT Digital Cockpit and Cartography.
Standard for e-HYBRID engines.

³¹ Requires emergency spare wheel 18". Not available for e-HYBRID or TGI engines. Only available in combination with Navi System + 10" or Media System+ 10".

³² Requires Rear Parking Sensor or Park Assist + PLA.

³³ Not available for e-HYBRID, 1.0 TSI 110HP (81kW) MQ-6 and 1.0 TSI 110HP (81kW) MQ-6 engines.

³⁴ Only available in combination with Front Assist.

³⁵ Reference requires Reference Pack.

³⁶ Standard for e-HYBRID engines.

³⁷ Standard with Media System+. Includes private Emergency Call, Safety services for 10 years and Remote access for 1 year (renewals are needed after this period). Not compatible with eCall.

³⁸ Standard with Navi System+. Includes private Emergency Call, Safety services for 10 years and Remote access and Online infotainment services for 1 year (renewals are needed after this period). Not compatible with eCall.

³⁹ Without Safelock.

⁴⁰ Requires alarm.

⁴¹ Only available for Style in combination with leather seats with memory feature. Requires SEAT Full LED.

⁴² Includes Air Quality Sensor (AQS), AirCare, iClimates and Climate Achieved functions.

⁴³ Not available with Leather electric seats.

⁴⁴ Only available for 1.5 TSI 130HP (96kW), 1.5 TSI 150HP (110kW), 2.0 TDI evo 150HP (110kW), 1.5 eTSI 150HP (110kW) and eTSI engines. Not available for TGI engines.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Electronics	Reference	Style	Xcellence	FR
10" SEAT Media System+²⁹: Infotainment system, voice control, wireless RSE App and SEAT CONNECT with Safety & Services and Remote Access	○	○	○	○
10" SEAT Navi System+³⁰: Infotainment system, voice control, wireless RSE App and SEAT CONNECT with Safety & Services, Remote Access and Online Infotainment	-	○	○	○
Multifunctional medium display computer	●	●	-	-
Mobile phone interface	-	●	●	●
4 speakers (passive)	●	-	-	-
6 speakers (passive)	-	●	●	●
BeatsAudio™ sound system³¹: 9 premium speakers, a subwoofer box, a 340W amplifier and surround technology	-	○	○	○
Interior Smart Wraparound	-	-	-	●
LED Interior Ambient Light with Smart Wraparound	-	-	○	○
Interior Ambient Lighting	-	-	●	-
Rear View Camera ³²	-	○	○	○
Park Assist	-	○	○	○
Parking heater ³³	-	○	○	○
Pre-crash Assist ³⁴	-	○	○	○
Connectivity Box: Wireless charger and mobile signal amplifier	-	○	○	○
Full Link for Media System+, via USB ³⁵	○	○	○	○
Full Link for Media System+, wireless	○	○	○	○
Full Link for 10" Navi System+ or 10" Media System+, wireless with Media Control	-	○	○	○
Cartography for Europe with Mapcare ³⁶	-	○	○	○
SEAT CONNECT for Media System+: Safety & Service and Remote access services ³⁷ . Some functionalities are: Remote lock and unlock, Anti-theft alert, or Private Emergency Call	●	●	●	●
SEAT CONNECT for Navi System+: Safety & Service, Remote access and Online infotainment services ³⁸ . Some functionalities are: Online traffic information, Parking & Petrol station locator, or Internet radio & Apple Music	●	●	●	●

Electronics	Reference	Style	Xcellence	FR
Rear parking sensor with park distance control	-	○	●	●
Speed limiter	●	-	-	-
Electronic Cruise Control System (CCS)	-	●	●	●
Central locking system Keyless Go ³⁹	●	●	-	●
Keyless Advanced ³⁹	-	○	●	○
Keyless Advanced with Safe ⁴⁰	-	○	○	○
Tailgate lid unlocking from outside	●	●	●	●
Electronic parking brake	●	●	●	●
Electronic differential lock XDS with dynamic traction support	●	●	●	●
Brake control system for vehicles without electric drive (ESC and electromechanical brake booster)	●	●	●	●
Electronic immobilizer	●	●	●	●
Speed-related variable steering assist (Servotronic)	●	●	●	●
Power-adjustable exterior mirrors	●	-	-	-
Power-adjustable heated exterior mirrors	○	●	-	-
Foldable heated exterior mirrors with front passenger lowering function	-	○	●	●
Foldable heated exterior mirrors with memory function ⁴¹	-	○	-	-
Windshield wiper intermittent control with potentiometer (four speeds)	●	●	-	●
Heat-insulating side and rear windows glass	●	●	-	-
Power windows with comfort operation and circuit breaker	●	●	●	●
Single-tone horn	●	●	-	-
Two-tone horn	-	●	●	●
Headlight range control	●	●	●	●
Eco LED headlights	●	●	●	●
Eco LED rear lights	●	●	●	●
Full LED rear light (Infinite Light)	●	●	●	●
LED fog lights with cornering function	○	○	●	●
Separate daytime running lights with automatic headlight control	●	●	-	●

Electronics	Reference	Style	Xcellence	FR
LED Interior Illumination Pack: Front and rear reading lights, sunvisor, boot and glove box in LED	-	●	-	-
LED Interior Illumination Pack: Front LED lights in footwell and connectivity box area LED illumination	-	○	-	-
Full LED with automatic headlight adjustment: LED headlights, Full LED rear lights with dynamic light and Welcome Light	-	○	○	○
Reference Pack: Multifunctional sport leather steering wheel, mobile phone interface, vegan leather gearshift ¹⁸ and Cruise Control System	○	-	-	-
Comfort Pack: Centre armrest in front, 2x USB type C sockets in front and in rear and 3-zone Climatronic with air conditioning control panel in rear ⁴²	-	○	●	●
Winter Pack⁴³: Heated front seats, wash water and steering wheel	-	○	○	○
Convenience Pack: Auto-dimming Light and Rain Sensor with Coming and Leaving Home, windshield wiper intermittent control and breakaway interior rearview mirror	-	○	●	○
Dynamic and Comfort Pack⁴⁴: SEAT Drive Profile, Dynamic Chassis Control, Progressive steering, Sport HMI, disc brakes and shock absorption in front	-	-	○	○

Accessories.

Customisation

Rear spoiler in Cosmo Grey	5FA071640 GRU
Side skirts in Cosmo Grey	5FA071685 GRU
Rear spoiler in Carbon fibre	5FA071606A
Rear spoiler in Nuclear Grey	5FA071640
Side skirts in Nuclear Grey	5FA071685
Front moulding in matt chrome	5FA071005
Rear diffuser in matt chrome	5FA071611A 3Q7
Pedals (manual)	5FA064200 3Q7
Pedals (automatic)	5FA064205 3Q7
Footrest	5FA071750 3Q7

Transport

Surf Rack	000071120HA
Ski Rack for 4 pairs or 2 snowboards	000071129S
Ski Rack for 6 pairs or 4 snowboards	000071129T
Ski Rack Xtender	000071129R
Roof Box - 400l	000071200T
Roof Box - 420l	000071200AB
Roof Box - 450l	000071180A
Roof Box - 460l	000071200AG
Roof Bars	5FA071151
Bag for SEAT Roof Bars	000071156C
Tow Bar	5FA092160A
Electric Kit (w/o prewiring)	5FA055204
Bike Rack	5F9071128
Towing Bike Rack	000071128K
Towing bracket bicycle carrier	000071128H
Load-Stop Rack	000071223

Our global range of cars and product specifications varies from country to country.
Please, visit your local SEAT website to know more about the product offer available for you.

Interior

Inox side sills	5FA071691A
Foil side sills	5FA071310
Chrome-plated hanger	000061127E
Multi-hanger	000061127D

Protection

Floor mats serie	5FB863011 LOE
Floor mats serie (right hand drive vehicles)	5FC863011 LOE
Floor mats serie MHEV	5FB863011C LOE
Floor mats serie MHEV (right hand drive vehicles)	5FC863011C LOE
Classic floor mats FR	5FB863011B LOE
Classic floor mats FR (right hand drive vehicles)	5FC863011B LOE
Classic floor mats XC	5FB863011A LOE
Classic floor mats XC (right hand drive vehicles)	5FC863011A LOE
TPE Tufting floor mats	5FB061675A 041
Custom floor mats	5FB061675 041
Rubber floor mats	5FB061500 041
Rubber floor mats (right hand drive vehicles)	5FC061500 041
Rear bumper protective foil	5FA071363
Rear bumper protective moulding	5FA061155
Semirigid boot tray	5FA061201B
Foam boot tray	5FA061201
High walls boot tray	5FA061201C
Reversible boot tray	5FA061201A
Key cover FR	5FA087013B
Key cover XC	5FA087013A
Key cover Leather	5FA087013
Front mudflaps	5FA075111
Rear mudflaps	5FA075101
Car cover	5FA061701
Protective seat cover for dogs	000061609C

Infotainment

SEAT Full Link	5F0054830
USB to Type C adapter	000051444AP
Charging cable 3 in 1	000051444AM
Pack cable 3 in 1	000051444AS

Security

ISOFIX Duo Plus	000019909G
SEAT PEKE G1 I-Size Trifix	000019909F
SEAT PEKE G0 I-Size	000019907A
Base ISOFIX PEKE G0 i-Size	000019230L
ISOFIX Baby-safe Plus SHR II	000019907B
ISOFIX PEKE base for G0 Plus seat	000019230C
KIDFIX 2S safety seat	000019906S
Safety Dog Harness-Size XL	000084310B
Safety Dog Harness-Size L	000084310C
Safety Dog Harness-Size M	000084310D
Safety Dog Harness-Size S	000084310E
CB alarm for klaxon	000054600
Safety pack	000093996C
20,000 mAh battery jump starter + charger	000051763H
Lamp box H1 + H3 + H8	000052001B
H4 lamp box	000052004C
H4 Xenon bulb + 90%	000052004M
H7 lamp box	000052007B
H7 Xenon bulb + 90%	000052007M
C5W 41mm LED	000052010B
C5W 36 mm LED	000052010D
W5W LED	000052010E
Beeper parking sensor	000054752D
Smart tracker key finder	000087013BB
Warning triangle	000093056A-000093600B
Safety reflective vest	000093056J
Emergency triangle pack	000093600C
Fluorescent vest	000093900ID-000093900SA-000093901ID

Security

Safety Pack (triangles + vest)	000093990R
Triangle fastening support	6K0860265
Additional interior mirror	000084418A
Help Flash	000052122A
Seat belt pad	000069629B
Automatic puncture kit	000093059AE
Current converter 300W	000063828

Maintenance

First-aid kit	6L0093000
Insect remover	000096320FRABH
Interior cleaner	000096320FRABK
Dashboard Cleaner	000096320FRABM
300 ml concentrated shampoo	000096320GFAAB
300 ml windscreen wash	000096320GFAAD
Summer maintenance kit	000096354B
Winter maintenance Kit	000071980BPADA
Maintenance kit	000071980CL
Insilver Passion refill air freshener	000091500E
Mixt fruit refill air freshener	000091500FM
Red fruits refill air freshener	000091500FR
Mild herbs air freshener refill	000091500HS
Alize aroma air freshener	000091500L
Calima aroma air freshener	000091500M
Fresh mint refill air freshener	000091500MC
Mistral aroma air freshener	000091500N
Sirocco aroma air freshener	000091500P
Zephyros aroma air freshener	000091500Q

Our global range of cars and product specifications varies from country to country.
Please, visit your local SEAT website to know more about the product offer available for you.

Child car seats	Age (approximate)
SEAT PEKE GO I-Size Plus	Up to 15 months
ISOFIX Baby-safe Plus SHR II	Up to 15 months
SEAT PEKE GI I-Size Trifix	9 months to 4 years
ISOFIX Duo Plus	9 months to 4 years
KIDFIX 2S safety seat	3,5 to 12 years

Accessories.

Customisation

Rear spoiler in Cosmo Grey	5FE071640 GRU
Side skirts in Cosmo Grey	5FA071685 GRU
Rear spoiler in Nuclear Grey	5FE071640
Side skirts in Nuclear Grey	5FA071685
Front moulding in matt chrome	5FA071005
Rear diffuser in matt chrome	5FE071611 3Q7
Pedals (manual)	5FA064200 3Q7
Pedals (automatic)	5FA064205 3Q7
Footrest	5FA071750 3Q7

Transport

Surf Rack	000071120HA
Ski Rack for 4 pairs or 2 snowboards	000071129S
Ski Rack for 6 pairs or 4 snowboards	000071129T
Ski Rack Xtender	000071129R
Roof Box - 400l	000071200T
Roof Box - 420l	000071200AB
Roof Box - 450l	000071180A
Roof Box - 460l	000071200AG
Roof Bars	5FE071151
Bag for SEAT Roof Bars	000071156C
Tow Bar	5FA092160A
Electric Kit (w/o prewiring)	5FA055204
Bike Rack	5F9071128
Towing Bike Rack	000071128K
Towing bracket bicycle carrier	000071128H
Load-Stop Rack	000071223

Our global range of cars and product specifications varies from country to country.
Please, visit your local SEAT website to know more about the product offer available for you.

Interior

Inox side sills	5FA071691A
Foil side sills	5FA071310
Chrome-plated hanger	000061127E
Multi-hanger	000061127D

Protection

Floor mats serie	5FB863011 LOE
Floor mats serie (right hand drive vehicles)	5FC863011 LOE
Floor mats serie MHEV	5FB863011C LOE
Floor mats serie MHEV (right hand drive vehicles)	5FC863011C LOE
Classic floor mats FR	5FB863011B LOE
Classic floor mats FR (right hand drive vehicles)	5FC863011B LOE
Classic floor mats XC	5FB863011A LOE
Classic floor mats XC (right hand drive vehicles)	5FC863011A LOE
TPE Tufting floor mats	5FB061675A 041
Custom floor mats	5FB061675 041
Rubber floor mats	5FB061500 041
Rubber floor mats (right hand drive vehicles)	5FC061500 041
Rear bumper protective foil	5FA071363
Rear bumper protective moulding	5FE061155
Semirigid boot tray	5FE061201B
Foam boot tray	5FE061201
High walls boot tray	5FE061201C
Reversible boot tray	5FE061201A
Key cover FR	5FA087013B
Key cover XC	5FA087013A
Key cover Leather	5FA087013
Front mudflaps	5FA075111
Rear mudflaps	5FE075101
Car cover	5FE061701
Protective seat cover for dogs	000061609C
Separation grille	5FE017221

Infotainment

SEAT Full Link	5F0054830
USB to Type C adapter	000051444AP
Charging cable 3 in 1	000051444AM
Pack cable 3 in 1	000051444AS

Security

ISOFIX Duo Plus	000019909G
SEAT PEKE G1 I-Size Trifix	000019909F
SEAT PEKE G0 I-Size	000019907A
Base ISOFIX PEKE G0 i-Size	000019230L
ISOFIX Baby-safe Plus SHR II	000019907B
ISOFIX PEKE base for G0 Plus seat	000019230C
KIDFIX 2S safety seat	000019906S
Safety Dog Harness-Size XL	000084310B
Safety Dog Harness-Size L	000084310C
Safety Dog Harness-Size M	000084310D
Safety Dog Harness-Size S	000084310E
CB alarm for klaxon	000054600
Safety pack	000093996C
20,000 mAh battery jump starter + charger	000051763H
Lamp box H1 + H3 + H8	000052001B
H4 lamp box	000052004C
H4 Xenon bulb + 90%	000052004M
H7 lamp box	000052007B
H7 Xenon bulb + 90%	000052007M
C5W 41mm LED	000052010B
C5W 36 mm LED	000052010D
W5W LED	000052010E
Beeper parking sensor	000054752D
Smart tracker key finder	000087013BB
Warning triangle	000093056A-000093600B
Safety reflective vest	000093056J
Emergency triangle pack	000093600C
Fluorescent vest	000093900ID-000093900SA-000093901ID

Security

Travel pack-LongLife III 5W-30 Castrol EDGE Professional	000093990AL
Travel pack-OriLHDnal LongLife III 5W-31	000093990AM
Safety Pack (triangles + vest)	000093990R
Triangle fastening support	6K0860265
Additional interior mirror	000084418A
Help Flash	000052122A
Seat belt pad	000069629B
Automatic puncture kit	000093059AE
Current converter 300W	000063828

Maintenance

First-aid kit	6L0093000
Insect remover	000096320FRABH
Interior cleaner	000096320FRABK
Dashboard Cleaner	000096320FRABM
300ml concentrated shampoo	000096320GFAAB
300ml windscreen wash	000096320GFAAD
Summer maintenance kit	000096354B
Winter maintenance Kit	000071980BPADA
Maintenance kit	000071980CL
Insilver Passion refill air freshener	000091500E
Mixt fruit refill air freshener	000091500FM
Red fruits refill air freshener	000091500FR
Mild herbs air freshener refill	000091500HS
Alize aroma air freshener	000091500L
Calima aroma air freshener	000091500M
Fresh mint refill air freshener	000091500MC
Mistral aroma air freshener	000091500N
Sirocco aroma air freshener	000091500P
Zephyros aroma air freshener	000091500Q

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Child car seats	Age (approximate)
SEAT PEKE G0 I-Size Plus	Up to 15 months
ISOFIX Baby-safe Plus SHR II	Up to 15 months
SEAT PEKE G1 I-Size Trifix	9 months to 4 years
ISOFIX Duo Plus	9 months to 4 years
KIDFIX 2S safety seat	3,5 to 12 years

Engine specs.

Engine	1.0 TSI 90 HP (66 kW) MQ-5	1.0 TSI 110 HP (81 kW) MQ-6	1.0 eTSI 110 HP (81 kW) DSG-7
Cylinder/Valve (total)	3/12	3/12	3/12
Displacement (cc)	999	999	999
Cylinder bore and stroke (mm)	74.5/76.4	74.5/76.4	74.5/76.4
Compression ratio	11.5	11.5	11.5
Maximum power (kW (HP)/rpm)	66 (90)/5,000-5,500	81 (110)/5,500	81 (110)/5,500
Maximum torque (Nm/rpm)	175/1,600-3,000	200/2,000-3,000	200/2,000-3,000
Fuel supply system	TSI Direct Injection	TSI Direct Injection	TSI Direct Injection
Ignition	Electronic map-controlled ignition		
Atmospheric/Supercharged	Turbocharged	Turbocharged	Turbocharged
Fuel type	ROZ 95	ROZ 95	ROZ 95
Oil capacity in initial fill (l)	4.3	4.3	4.3
Emission control			
Alternator (A)	140 ME	140 ME	
Battery (Ah/A)	59-68-70/320-380-420	59-68-70/320-380-420	59-68-70/320-380-420
Performance			
Maximum speed (km/h)	183 (IV)	197 (V)	192 (VI)
Acceleration 0-80 km/h (s)	8.1	7.2	7.3
Acceleration 0-100 km/h (s)	12.6	10.9	10.8
Acceleration 80-120 km/h (s)	12.0	12.0	13.1
Acceleration 1000 m (s)	34.4	32.6	32.7
Fuel consumption			
Urban (l/100 km)	-	-	-
Extra urban (l/100 km)	-	-	-
Combined (l/100 km)	-	-	-
CO₂ mass emission			
CO ₂ Urban (g/km)	-	-	-
CO ₂ Extra Urban (g/km)	-	-	-
CO ₂ Combined (g/km)	-	-	-

Chassis	1.0 TSI 90 HP (66 kW) MQ-5	1.0 TSI 110 HP (81 kW) MQ-6	1.0 eTSI 110 HP (81 kW) DSG-7
Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber		
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber		
Steering System	R-EPS (Rack Electric Power System)		
Turning diameter (m)	10.5/11.2 (between walls)		
Brake system	Dual hydraulic circuit and brake system diagonal split with electric brake booster		
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes		
Front brakes (mm)	288x25	288x25	288x25
Rear brakes (mm)	272x10	272x10	272x10

Wheels

Rims	6Jx15 ET43-6.5Jx16 ET46 7Jx16 ET43-7.5Jx17 ET46	6Jx15 ET43-6.5Jx16 ET46-7Jx16 ET43 7.5Jx17 ET46-7.5Jx18 ET46	6.5Jx16 ET46-7Jx16 ET43 7.5Jx17 ET46-7.5Jx18 ET46
Tyres	195/65 R15 91H 205/55 R16 91V-225/45 R17 91W	195/65 R15 91H-205/55 R16 91V 225/45 R17 91W-205/50R17 93V-225/40 R18 92Y	205/55 R16 91V-225/45 R17 91W 205/50R17 93V-225/40 R18 92Y

Dimensions

Body type	5D	5D	5D
Length/width/height (mm)	4,368/1,799/1,456	4,368/1,799/1,456	4,368/1,799/1,456
Length/width/height FR (mm)	4,368/1,799/1,442	4,368/1,799/1,442	4,368/1,799/1,442
Wheelbase (mm)	2,686	2,686	2,686
Wheelbase FR (mm)	2,684	2,684	2,684
Track front/rear (mm)	ET 43 1,550/1,520	ET 43 1,550/1,520	ET 43 1,550/1,520
Track front/rear FR (mm)	ET 46 1,544/1,514	ET 46 1,544/1,514	ET 46 1,544/1,514
Boot capacity (l)	380	380	380
Fuel tank capacity (l)	45	45	45

Weights

In running order with driver (kg)	1,273	1,281	1,338
In running order with driver (kg) Front/Rear	763/510	772/509	812/526
Maximum weight allowed (kg)	1,750	1,750	1,860
Maximum towing weight without brake (kg)	630	630	660
Maximum towing weight w/brake 8% (kg)	1,300	1,500	1,500
Maximum towing weight w/brake 12% (kg)	1,100	1,300	1,300

For more information about official fuel consumption and CO₂ emissions values visit your local SEAT website.
Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Engine specs.

Engine	1.5 TSI 130 HP (96 kW) MQ-6	1.5 TSI 150 HP (110 kW) MQ-6	1.5 eTSI 150 HP (110 kW) DSG-7	2.0 TSI 190 HP (140 kW) DSG-7
Cylinder/Valve (total)	4/16	4/16	4/16	4/16
Displacement (cc)	1,498	1,498	1,498	1,984
Cylinder bore and stroke (mm)	74.5/85.9	74.5/85.9	74.5/85.9	82.5/92.8
Compression ratio	12.5	10.5	10.5	12.2
Maximum power (kW [HP])/rpm	96 (130)/5,000-6,000	110 (150)/5,000-6,000	110 (150)/5,000-6,000	140 (190)/4,200-6,000
Maximum torque (Nm/rpm)	200/1,400-4,000	250/1,500-3,500	250/1,500-3,500	320/1,500-4,100
Fuel supply system	TSI Direct Injection	TSI Direct Injection	TSI Direct Injection	TSI Direct Injection
Ignition	Electronic map-controlled ignition	Electronic map-controlled ignition	Electronic map-controlled ignition	Electronic map-controlled ignition
Atmospheric/Supercharged	Turbocharged	Turbocharged	Turbocharged	Turbocharged
Fuel type	ROZ 95	ROZ 95	ROZ 95	ROZ 95
Oil capacity in initial fill (l)	4.8	4.8	4.8	6.6
Emission control				
Alternator (A)	140 ME	140 ME	140 ME	140 ME
Battery (Ah/A)	59-68-70/320-380-420	59-68-70/320-380-420	59-68-70/320-380-420	68-70/380-420
Performance				
Maximum speed (km/h)	208 (V)	217 (V)	217 (VI)	231 (V)
Acceleration 0-80 km/h (s)	6.3	5.9	6.0	5.2
Acceleration 0-100 km/h (s)	9.4	8.7	8.5	7.4
Acceleration 80-120 km/h (s)	11.7	10.6	11.3	8.2
Acceleration 1000 m (s)	31.1	29.9	29.7	28.2
Fuel consumption				
Urban (l/100 km)	-	-	-	-
Extra urban (l/100 km)	-	-	-	-
Combined (l/100 km)	-	-	-	-
CO₂ mass emission				
CO ₂ Urban (g/km)	-	-	-	-
CO ₂ Extra Urban (g/km)	-	-	-	-
CO ₂ Combined (g/km)	-	-	-	-

Chassis	1.5 TSI 130 HP (96 kW) MQ-6	1.5 TSI 150 HP (110 kW) MQ-6	1.5 eTSI 150 HP (110 kW) DSG-7	2.0 TSI 190 HP (140 kW) DSG-7
Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber			
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber			
Steering System	R-EPS (Rack Electric Power System)			
Turning diameter (m)	10.5/11.2 (between walls)			
Brake system	Dual hydraulic circuit and brake system diagonal split with electric brake booster			
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes			Front ventilated disc brakes and rear ventilated disc brakes
Front brakes (mm)	288×25 (DCC 312×25)	288×25 (DCC 312×25)	288×25 (DCC 312×25)	310×25
Rear brakes (mm)	272×10	272×10	272×10	310×22

Wheels

Rims	6.5J×16 ET46-7J×16 ET43 7.5J×17 ET46-7.5J×18 ET46	6.5J×16 ET46-7J×16 ET43 7.5J×17 ET46-7.5J×18 ET46	6.5J×16 ET46-7J×16 ET43 7.5J×17 ET46-7.5J×18 ET46	7.5J×17 ET46 7.5J×18 ET46
Tyres	205/55 R16 91V-225/45 R17 91W 205/50R17 93V-225/40 R18 92Y	205/55 R16 91V-225/45 R17 91W 205/50R17 93V-225/40 R18 92Y	205/55 R16 91V-225/45 R17 91W 205/50R17 93V-225/40 R18 92Y	225/45 R17 91W 205/50R17 93V- 225/40 R18 92Y

Dimensions

Body type	5D	5D	5D	5D
Length/width/height (mm)	4,368/1,799/1,456	4,368/1,799/1,456	4,368/1,799/1,456	4,368/1,799/1,456
Length/width/height FR (mm)	4,368/1,799/1,442	4,368/1,799/1,442	4,368/1,799/1,442	4,368/1,799/1,442
Wheelbase (mm)	2,686	2,686	2,686	2,686
Wheelbase FR (mm)	2,684	2,684	2,684	2,684
Track front/rear (mm)	ET 43 1,550/1,520	ET 43 1,550/1,520	ET 43 1,550/1,520	ET 43 1,550/1,520
Track front/rear FR (mm)	ET 46 1,544/1,514	ET 46 1,544/1,514	ET 46 1,544/1,514	ET 46 1,544/1,514
Boot capacity (l)	380	380	380	380
Fuel tank capacity (l)	45	45	45	50

Weights

In running order with driver (kg)	1,326	1,336	1,372	1,465
In running order with driver (kg) Front/Rear	801/518	813/523	843/529	905/560
Maximum weight allowed (kg)	1,850	1,870	1,900	1,970
Maximum towing weight without brake (kg)	650	660	680	720
Maximum towing weight w/brake 8% (kg)	1,700	1,700	1,700	1,800
Maximum towing weight w/brake 12% (kg)	1,400	1,500	1,500	1,600

For more information about official fuel consumption and CO₂ emissions values visit your local SEAT website.
Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Engine specs.

Engine	2.0 TDI evo 115 HP (85 kW) MQ-6	2.0 TDI evo 150 HP (110 kW) MQ-6	2.0 TDI evo 150 HP (110 kW) DSG-7
Cylinder/Valve (total)	4/16	4/16	4/16
Displacement (cc)	1,968	1,968	1,968
Cylinder bore and stroke (mm)	81.0/95.5	81.0/95.5	81.0/95.5
Compression ratio	16	16	16
Maximum power (kW [HP])/rpm)	85 (115)/2,750-4,250	110 (150)/3,250 - 4,200	110 (150)/3,000-4,200
Maximum torque (Nm/rpm)	300/1,600-2,500	360/1,600 - 3,000	360/1,600-2,750
Fuel supply system	Direct Injection: Common Rail	Direct Injection: Common Rail	Direct Injection: Common Rail
Ignition	Compressed ignition	Compressed ignition	Compressed ignition
Atmospheric/Supercharged	Turbocharged	Turbocharged	Turbocharged
Fuel type	Diesel	Diesel	Diesel
Oil capacity in initial fill (l)	5.0	5.0	5.0
Emission control	-	-	-
Alternator [A]	140 ME	140ME	140 ME
Battery [Ah/A]	68-70/380-420	68-70/380-420	68-70/380-420
Performance			
Maximum speed (km/h)	200 (VI)	215 (VI)	215 (VI)
Acceleration 0-80 km/h (s)	6.7	6.0	5.9
Acceleration 0-100 km/h (s)	10.2	8.9	8.5
Acceleration 80-120 km/h (s)	11.0	12.8	9.3
Acceleration 1000 m (s)	32.1	30.4	29.9
Fuel consumption			
Urban (l/100 km)	-	-	-
Extra urban (l/100 km)	-	-	-
Combined (l/100 km)	-	-	-
CO₂ mass emission			
CO ₂ Urban (g/km)	-	-	-
CO ₂ Extra Urban (g/km)	-	-	-
CO ₂ Combined (g/km)	-	-	-

Chassis	2.0 TDI evo 115 HP (85 kW) MQ-6	2.0 TDI evo 150 HP (110 kW) MQ-6	2.0 TDI evo 150 HP (110 kW) DSG-7
Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber		
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber		
Steering System	R-EPS (Rack Electric Power System)		
Turning diameter (m)	10,5/11,2 (between walls)		
Brake system	Dual hydraulic circuit and brake system diagonal split with electric brake booster		
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes		
Front brakes (mm)	288x25 (DCC 312x25)	288x25 (DCC 312x25)	288x25 (DCC 312x25)
Rear brakes (mm)	272x10	272x10	272x10

Wheels

Rims	6Jx15 ET43-6,5Jx16 ET46-7Jx16 ET43 7,5Jx17 ET46-7,5Jx18 ET46	6,5Jx16 ET46-7Jx16 ET43 7,5Jx17 ET46-7,5Jx18 ET46	6,5Jx16 ET46-7Jx16 ET43 7,5Jx17 ET46-7,5Jx18 ET46
Tyres	195/65 R15 91H-205/55 R16 91V 225/45 R17 91W-225/40 R18 92Y	205/55 R16 91V 225/45 R17 91W-225/40 R18 92Y	205/55 R16 91V 225/45 R17 91W-225/40 R18 92Y

Dimensions

Body type	5D	5D	5D
Length/width/height (mm)	4,368/1,799/1,456	4,368/1,799/1,456	4,368/1,799/1,456
Length/width/height FR (mm)	4,368/1,799/1,442	4,368/1,799/1,442	4,368/1,799/1,442
Wheelbase (mm)	2,686	2,686	2,686
Wheelbase FR (mm)	2,684	2,684	2,684
Track front/rear (mm)	ET 43 1,550/1,520	ET 43 1,550/1,520	ET 43 1,550/1,520
Track front/rear FR (mm)	ET 46 1,544/1,514	ET 46 1,544/1,514	ET 46 1,544/1,514
Boot capacity (l)	380	380	380
Fuel tank capacity (l)	45	45	45

Weights

In running order with driver (kg)	1,393	1,415	1,448
In running order with driver (kg) Front/Rear	876/517	888/527	921/527
Maximum weight allowed (kg)	1,930	1,950	1,980
Maximum towing weight without brake (kg)	690	-	720
Maximum towing weight w/brake 8% (kg)	1,800	-	1,800
Maximum towing weight w/brake 12% (kg)	1,500	-	1,600

For more information about official fuel consumption and CO₂ emissions values visit your local SEAT website.
Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Engine specs.

Engine	1.5 TGI 130 HP [96 kW] MQ-6	1.5 TGI 130 HP [96 kW] DSG-7
Cylinder/Valve (total)	4/16	4/16
Displacement (cc)	1,498	1,498
Cylinder bore and stroke (mm)	74.5/85.9	74.5/85.9
Compression ratio	12.5	12.5
Maximum power (kW [HP]/rpm)	96 (130)/5,000 - 6,000	96 (130)/5,000 - 6,000
Maximum torque (Nm/rpm)	200/1,400 - 4,000	200/1,400 - 4,000
Fuel supply system	TSI Direct Injection/CNG mode: MPI Multipoint injection	TSI Direct Injection/CNG mode: MPI Multipoint injection
Ignition	Electronic map-controlled ignition	Electronic map-controlled ignition
Atmospheric/Supercharged	Turbocharged	Turbocharged
Fuel type	CNG/ROZ 95	CNG/ROZ 95
Oil capacity in initial fill (l)	4.8	4.8
Emission control	-	-
Alternator [A]	140 ME	140 ME
Battery [Ah/A]	59-68-70/320-380-420	59-68-70/320-380-420
Performance		
Maximum speed (km/h)	203 (VI)	203 (VI)
Acceleration 0-80 km/h (s)	6.6	6.6
Acceleration 0-100 km/h (s)	9.8	9.6
Acceleration 80-120 km/h (s)	12.0	13.1
Acceleration 1000 m (s)	31.6	31.3
Fuel consumption		
Urban (l/100 km)	-	-
Extra urban (l/100 km)	-	-
Combined (l/100 km)	-	-
CO₂ mass emission		
CO ₂ Urban (g/km)	-	-
CO ₂ Extra Urban (g/km)	-	-
CO ₂ Combined (g/km)	-	-

Chassis	1.5 TGI 130 HP (96 kW) MQ-6	1.5 TGI 130 HP (96 kW) DSG-7
Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber	
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber	
Steering System	R-EPS (Rack Electric Power System)	
Turning diameter (m)	10.5/11.2 (between walls)	
Brake system	Dual hydraulic circuit and brake system diagonal split with electric brake booster	
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes	
Front brakes (mm)	288x25	288x25
Rear brakes (mm)	272x10	272x10

Wheels		
Rims	6.5Jx16 ET46-7Jx16 ET43 7.5Jx17 ET46-7.5Jx18 ET46	6.5Jx16 ET46-7Jx16 ET43 7.5Jx17 ET46-7.5Jx18 ET46
Tyres	205/55 R16 91V-225/45 R17 91W 205/50 R17 93V-225/40 R18 92Y	205/55 R16 91V-225/45 R17 91W 205/50 R17 93V-225/40 R18 92Y

Dimensions		
Body type	5D	5D
Length/width/height (mm)	4,368/1,799/1,456	4,368/1,799/1,456
Length/width/height FR (mm)	4,368/1,799/1,442	4,368/1,799/1,442
Wheelbase (mm)	2,686	2,686
Wheelbase FR (mm)	2,684	2,684
Track front/rear (mm)	ET 43 1,550/1,520	ET 43 1,550/1,520
Track front/rear FR (mm)	ET 46 1,544/1,514	ET 46 1,544/1,514
Boot capacity (l)	300	300
Fuel tank capacity (l)	9 + gas capacity	9 + gas capacity

Weights		
In running order with driver (kg)	1,388	1,417
In running order with driver (kg) Front/Rear	795/593	823/594
Maximum weight allowed (kg)	1,860	1,890
Maximum towing weight without brake (kg)	-	-
Maximum towing weight w/brake 8% (kg)	-	-
Maximum towing weight w/brake 12% (kg)	-	-

For more information about official fuel consumption and CO₂ emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Engine specs.

Engine	1.4 e-HYBRID 204 HP (110-150 kW) DSG-6
Cylinder/Valve (total)	4/16
Displacement (cc)	1,395
Cylinder bore and stroke (mm)	74.5/80
Compression ratio	10
Combined Maximum power (kW (HP)/rpm)	150 (204)/5,000 - 6,000
Combined Maximum torque (Nm/rpm)	350/1,550 - 3,500
Fuel supply system	TSI Direct Injection
Ignition	Electronic map-controlled ignition
Atmospheric/Supercharged	Turbo charged
Fuel type	ROZ 95
Oil capacity in initial fill (l)	4.5
Emission control	
Alternator (A)	
Battery (Ah/A)	59/320

Electric engine/charging system

Maximum power (kW (PS))	85 (116)
Maximum torque (Nm)	330
Battery type	Li-ion
Number of cells	96
Nominal Pack Voltage (V)	353
Maximal Pack Voltage (V)	404
Battery capacity (kWh)	12.8
Charging time AC 2.3 kW 0-100% SoC	5h
Charging time AC 3.6 kW 0-100% SoC	3h 33 min

Combustion engine

Maximum power (kW (HP)/rpm)	110 (150)/5,000-6,000
Maximum torque (Nm/rpm)	250/1,550-3,500

Performance

Maximum speed (km/h)	220 (5.G)
Acceleration 0-80 km/h (s)	5.5
Acceleration 0-100 km/h (s)	7.5
Acceleration 80-120 km/h (s) at V. max. Gear	7.8
Acceleration 1000 m (s)	28.3

Chassis **1.4 e-HYBRID 204 HP (110-150 kW) DSG-6**

Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber
Rear suspension	Multilink axle, coil springs and hydraulic shock absorber
Steering System	R-EPS (Rack Electric Power System)
Turning diameter (m)	10.5/11.2 (between walls)
Brake system	Dual hydraulic circuit and brake system diagonal split with electric brake booster
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes
Front brakes (mm)	312x25
Rear brakes (mm)	272x10

Wheels

Rims	7.5Jx17 ET46-7.5Jx18 ET46
Tyres	225/45 R17-225/40 R18

Dimensions

Body type	5D e-HYBRID
Length/width/height (mm)	4,368/1,799/1,460
Wheelbase (mm)	2,682
Track front/rear (mm)	1,544/1,514
Boot capacity (l)	270
Fuel tank capacity (l)	40

Weights

In running order with driver (kg)	1,614
In running order with driver (kg) Front/Rear	911/703
Maximum weight allowed (kg)	2,060
Maximum towing weight without brake (kg)	750
Maximum towing weight w/brake 8% (kg)	1,700
Maximum towing weight w/brake 12% (kg)	1,500

Engine specs.

Engine	1.0 TSI 90 HP (66 kW) MQ-5	1.0 TSI 110 HP (81 kW) MQ-6	1.0 eTSI 110 HP (81 kW) DSG-7
Cylinder/Valve (total)	3/12	3/12	3/12
Displacement (cc)	999	999	999
Cylinder bore and stroke (mm)	74.5/76.4	74.5/76.4	74.5/76.4
Compression ratio	11.5	11.5	11.5
Maximum power (kW [HP])/rpm	66 (90)/5,000-5,500	81 (110)/5,500	81 (110)/5,500
Maximum torque (Nm/rpm)	175/1,600-3,000	200/2,000-3,000	200/2,000-3,000
Fuel supply system	TSI Directo Injection	TSI Directo Injection	TSI Directo Injection
Ignition	Electronic map-controlled ignition	Electronic map-controlled ignition	Electronic map-controlled ignition
Atmospheric/Supercharged	Turbocharged	Turbocharged	Turbocharged
Fuel type	ROZ 95	ROZ 95	ROZ 95
Oil capacity in initial fill (l)	4.3	4.3	4.3
Emission control	-	-	-
Alternator (A)	140 ME	140 ME	-
Battery (Ah/A)	59-68-70/320-380-420	59-68-70/320-380-420	59-68-70/320-380-420
Performance			
Maximum speed (km/h)	184 (IV)	199 (V)	199 (VI)
Acceleration 0-80 km/h (s)	8.5	7.4	7.4
Acceleration 0-100 km/h (s)	13.2	11.2	10.9
Acceleration 80-120 km/h (s)	12.5	12.4	13
Acceleration 1000 m (s)	34.9	32.9	32.8
Fuel consumption			
Urban (l/100 km)	-	-	-
Extra urban (l/100 km)	-	-	-
Combined (l/100 km)	-	-	-
CO₂ mass emission			
CO ₂ Urban (g/km)	-	-	-
CO ₂ Extra Urban (g/km)	-	-	-
CO ₂ Combined (g/km)	-	-	-

Chassis	1.0 TSI 90 HP (66 kW) MQ-5	1.0 TSI 110 HP (81 kW) MQ-6	1.0 eTSI 110 HP (81 kW) DSG-7
Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber		
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber		
Steering System	R-EPS (Rack Electric Power System)		
Turning diameter (m)	10.5/11.2 (between walls)		
Brake system	Dual hydraulic circuit and brake system diagonal split with electric brake booster		
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes		
Front brakes (mm)	288x25	288x25	288x25
Rear brakes (mm)	272x10	272x10	272x10

Wheels

Rims	6Jx15 ET43-6.5Jx16 ET46 7Jx16 ET43-7.5Jx17 ET46	6Jx15 ET43-6.5Jx16 ET46-7Jx16 ET43 7.5Jx17 ET46-7.5Jx18 ET46	6.5Jx16 ET46-7Jx16 ET43 7.5Jx17 ET46-7.5Jx18 ET46
Tyres	195/65 R15 91H -205/55 R16 91V 225/45 R17 91W-205/50 R17 93V	195/65 R15 91H-205/55 R16 91V 225/45 R17 91W-205/50R17 93V 225/40 R18 92Y	205/55 R16 91V-225/45 R17 91W 205/50R17 93V-225/40 R18 92Y

Dimensions

Body type	5 SP	5 SP	5 SP
Length/width/height (mm)	4,642/1,799/1,450	4,642/1,799/1,450	4,642/1,799/1,450
Length/width/height FR (mm)	4,642/1,799/1,437	4,642/1,799/1,437	4,642/1,799/1,437
Wheelbase (mm)	2,686	2,686	2,686
Wheelbase FR (mm)	2,684	2,684	2,684
Track front/rear (mm)	ET 43 1,550/1,520	ET 43 1,550/1,520	ET 43 1,550/1,520
Track front/rear FR (mm)	ET 46 1,544/1,514	ET 46 1,544/1,514	ET 46 1,544/1,514
Boot capacity (l)	620	620	620
Petrol tank capacity (l)	45	45	45

Weights

In running order with driver (kg)	1,319	1,327	1,390
In running order with driver (kg) Front/Rear	750/569	759/568	800/590
Maximum weight allowed (kg)	1,750	1,910	1,950
Maximum towing weight without brake (kg)	660	630	680
Maximum towing weight w/brake 8% (kg)	1,300	1,500	1,500
Maximum towing weight w/brake 12% (kg)	1,100	1,300	1,300

For more information about official fuel consumption and CO₂ emissions values visit your local SEAT website.
Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Engine specs.

Engine	1.5 TSI 130 HP (96 kW) MQ-6	1.5 TSI 150 HP (110 kW) MQ-6	1.5 eTSI 150 HP (110 kW) DSG-7	2.0 TSI 190 HP (140 kW) DSG-7
Cylinder/Valve (total)	4/16	4/16	4/16	4/16
Displacement (cc)	1,498	1,498	1,498	1,984
Cylinder bore and stroke (mm)	74.5/85.9	74.5/85.9	74.5/85.9	82.5/92.8
Compression ratio	12.5	10.5	10.5	12.2
Maximum power (kW [HP])/rpm	96 (130)/5,000-6,000	110 (150)/5,000-6,000	110 (150)/5,000-6,000	140 (190)/4,200 - 6,000
Maximum torque (Nm/rpm)	200/1,400-4,000	250/1,500-3,500	250/1,500-3,500	320/1,500 - 4,100
Fuel supply system	TSI Directo Injection	TSI Directo Injection	TSI Directo Injection	TSI Direct Injection
Ignition	Electronic map-controlled ignition			Electronic map-controlled ignition
Atmospheric/Supercharged	Turbocharged	Turbocharged	Turbocharged	Turbocharged
Fuel type	ROZ 95	ROZ 95	ROZ 95	ROZ 95
Oil capacity in initial fill (l)	4.8	4.8	4.8	6.6
Emission control	140 ME			140ME
Alternator [A]	140 ME	140 ME	140 ME	140ME
Battery [Ah/A]	59-68-70/320-380-420	59-68-70/320-380-420	59-68-70/320-380-420	68-70/380-420
Performance				
Maximum speed (km/h)	209 (V)	218 (V)	218 (VI)	233 (V)
Acceleration 0-80 km/h (s)	6.6	6.2	6.2	5.4
Acceleration 0-100 km/h (s)	9.7	8.9	8.7	7.6
Acceleration 80-120 km/h (s)	12.	10.9	11.8	8.4
Acceleration 1000 m (s)	31.4	30.2	30.0	28.5
Fuel consumption				
Urban (l/100 km)	-	-	-	-
Extra urban (l/100 km)	-	-	-	-
Combined (l/100 km)	-	-	-	-
CO₂ mass emission				
CO ₂ Urban (g/km)	-	-	-	-
CO ₂ Extra Urban (g/km)	-	-	-	-
CO ₂ Combined (g/km)	-	-	-	-

Chassis	1.5 TSI 130 HP (96 kW) MQ-6	1.5 TSI 150 HP (110 kW) MQ-6	1.5 eTSI 150 HP (110 kW) DSG-7	2.0 TSI 190 HP (140 kW) DSG-7
Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber			
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber			
Steering System	R-EPS (Rack Electric Power System)			
Turning diameter (m)	10.5/11.2 (between walls)			
Brake system	Dual hydraulic circuit and brake system diagonal split with electric brake booster			
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes			Front ventilated disc brakes and rear ventilated disc brakes
Front brakes (mm)	288x25 (DCC 312x25)	288x25 (DCC 312x25)	288x25 (DCC 312x25)	312x25
Rear brakes (mm)	272x10	272x10	272x10	310x22
Wheels				
Rims	6.5Jx16 ET46-7Jx16 ET43 7.5Jx17 ET46-7.5Jx18 ET46	6.5Jx16 ET46-7Jx16 ET43 7.5Jx17 ET46-7.5Jx18 ET46	6.5Jx16 ET46-7Jx16 ET43 7.5Jx17 ET46-7.5Jx18 ET46	7.5Jx17 ET46 7.5Jx18 ET46
Tyres	205/55 R16 91V-225/45 R17 91W 205/50R17 93V-225/40 R18 92Y	205/55 R16 91V-225/45 R17 91W 205/50R17 93V-225/40 R18 92Y	205/55 R16 91V-225/45 R17 91W 205/50R17 93V-225/40 R18 92Y	225/45 R17 91W 205/50R17 93V-225/40 R18 92Y
Dimensions				
Body type	5 SP	5 SP	5 SP	5 SP
Length/width/height (mm)	4,642/1,799/1,450	4,642/1,799/1,450	4,642/1,799/1,450	4,642/1,799/1,450
Length/width/height FR (mm)	4,642/1,799/1,437	4,642/1,799/1,437	4,642/1,799/1,437	4,642/1,799/1,437
Wheelbase (mm)	2,686	2,686	2,686	2,686
Wheelbase FR (mm)	2,684	2,684	2,684	2,684
Track front/rear (mm)	ET 43 1,550/1,520	ET 43 1,550/1,520	ET 43 1,550/1,520	ET 43 1,550/1,520
Track front/rear FR (mm)	ET 46 1,544/1,514	ET 46 1,544/1,514	ET 46 1,544/1,514	ET 46 1,544/1,514
Boot capacity (l)	620	480	620	620
Petrol tank capacity (l)	45	45	45	50
Weights				
In running order with driver (kg)	1,378	1,388	1,424	1,511
In running order with driver (kg) Front/Rear	789/589	801/587	831/593	893/618
Maximum weight allowed (kg)	1,950	1,960	1,990	2,050
Maximum towing weight without brake (kg)	680	680	700	750
Maximum towing weight w/brake 8% (kg)	1,700	1,700	1,700	1,800
Maximum towing weight w/brake 12% (kg)	1,400	1,500	1,500	1,600

*Provisional data.

For more information about official fuel consumption and CO₂ emissions values visit your local SEAT website.
Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Engine specs.

Engine	2.0 TDI evo 115 HP (85 kW) MQ-6	2.0 TDI evo 150 HP (110 kW) MQ-6	2.0 TDI evo 150 HP (110 kW) DSG-7	2.0 TDI evo 150 HP (110 kW) 4DRIVE DSG-7
Cylinder/Valve (total)	4/16	4/16	4/16	4/16
Displacement (cc)	1,968	1,968	1,968	1,968
Cylinder bore and stroke (mm)	81.0/95.5	81.0/95.5	81.0/95.5	81.0/95.5
Compression ratio	16	16	16	16
Maximum power (kW [HP]/rpm)	110 (150)/2,750-4,250	110 (150)/3,250 - 4,200	110 (150)/3,000-4,200	110 (150)/3,000 - 4,200
Maximum torque (Nm/rpm)	360/1,600-2,500	360/1,600 - 3,000	360/1,600-2,750	360/1,600 - 2,750
Fuel supply system	Direct Injection: Common Rail	Direct Injection: Common Rail	Direct Injection: Common Rail	Direct Injection: Common Rail
Ignition	Compressed ignition	Compressed ignition	Compressed ignition	Compressed ignition
Atmospheric/Supercharged	Turbocharged	Turbocharged	Turbocharged	Turbocharged
Fuel type	Diesel	Diesel	Diesel	Diesel
Oil capacity in initial fill (l)	5.0	5.0	5.0	5.0
Emission control	-	-	-	-
Alternator (A)	140 ME	140 ME	140 ME	140ME
Battery (Ah/A)	68-70/380-420	68-70 / 380-420	68-70/380-420	68-70/380-420
Performance				
Maximum speed (km/h)	200 (VI)	217 (VI)	217 (VI)	214 (VI)
Acceleration 0-80 km/h (s)	6.9	6.2	6.1	5.5
Acceleration 0-100 km/h (s)	10.5	9.1	8.8	8.4
Acceleration 80-120 km/h (s)	11.3	10.1	9.6	10.4
Acceleration 1000 m (s)	32.4	30.7	30.2	29.9
Fuel consumption				
Urban (l/100 km)	-	-	-	-
Extra urban (l/100 km)	-	-	-	-
Combined (l/100 km)	-	-	-	-
CO₂ mass emission				
CO ₂ Urban (g/km)	-	-	-	-
CO ₂ Extra Urban (g/km)	-	-	-	-
CO ₂ Combined (g/km)	-	-	-	-

Chassis	2.0 TDI evo 115 HP (85 kW) MQ-6	2.0 TDI evo 150 HP (110 kW) MQ-6	2.0 TDI evo 150 HP (110 kW) DSG-7	2.0 TDI evo 150 HP (110 kW) 4DRIVE DSG-7
Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber			
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber			
Steering System	R-EPS (Rack Electric Power System)			
Turning diameter (m)	10.5/11.2 (between walls)			
Brake system	Dual hydraulic circuit and brake system diagonal split with electric brake booster			
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes			
Front brakes (mm)	312x25	312x25	312x25	312x25
Rear brakes (mm)	272x10	272x10	272x10	272x10

Wheels

Rims	6Jx15 ET43 (if no DCC)-6.5Jx16 ET46 7Jx16 ET43-7.5Jx17 ET46-7.5Jx18 ET46	6.5Jx16 ET46-7Jx16 ET43 7.5Jx17 ET46-7.5Jx18 ET46	6.5Jx16 ET46-7Jx16 ET43 7.5Jx17 ET46-7.5Jx18 ET46	6.5Jx16 ET46-7Jx16 ET43 7.5Jx17 ET46-7.5Jx18 ET46
Tyres	195/65 R15 91H (if no DCC)-205/55 R16 91V 225/45 R17 91W-225/40 R18 92Y	205/55 R16 91V 225/45 R17 91W-225/40 R18 92Y	205/55 R16 91V 225/45 R17 91W-225/40 R18 92Y	205/55 R16 91V-225/45 R17 91W 225/40 R18 92Y

Dimensions

Body Type	5 SP	5 SP	5 SP	5 SP
Length/width/height (mm)	4,642/1,799/1,450	4,368/1,799/1,456	4,642/1,799/1,450	4,642/1,799/1,450
Length/width/height FR (mm)	4,642/1,799/1,437	4,368/1,799/1,442	4,642/1,799/1,437	4,642/1,799/1,437
Wheelbase (mm)	2,686	2,686	2,686	2,686
Wheelbase FR (mm)	2,684	2,684	2,684	2,684
Front/Rear track (mm)	ET 43 1,550/1,520	ET 43 1,550/1,520	ET 43 1,550/1,520	ET 43 1,550/1,520
Front/Rear track FR (mm)	ET 46 1,544/1,514	ET 46 1,544/1,514	ET 46 1,544/1,514	ET 46 1,544/1,514
Boot capacity (l)	620	380	1600	620
Petrol tank capacity (l)	45	45	45	55

Weights

In running order with driver (kg)	1,436	1,468	1,491	1,598
In running order with driver (kg) Front/Rear	862/574	884/584	907/584	929/669
Maximum weight allowed (kg)	2,030	2,060	2,080	2,16
Maximum towing weight without brake (kg)	710	-	740	750
Maximum towing weight w/brake 8% (kg)	1,800	-	1,800	-
Maximum towing weight w/brake 12% (kg)	1,500	-	1,600	2,000

For more information about official fuel consumption and CO₂ emissions values visit your local SEAT website.
Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Engine specs.

Engine	1.5 TGI 130 HP [96 kW] MQ-6	1.5 TGI 130 HP [96 kW] DSG-7
Cylinder/Valve (total)	4/16	4/16
Displacement (cc)	1,498	1,498
Cylinder bore and stroke (mm)	74.5/85.9	74.5/85.9
Compression ratio	12.5	12.5
Maximum power (kW [HP]/rpm)	96 (130)/5,000 - 6,000	96 (130)/5,000 - 6,000
Maximum torque (Nm/rpm)	200/1,400 - 4,000	200/1,400 - 4,000
Fuel supply system	TSI Direct Injection/CNG mode: MPI Multipoint injection	TSI Direct Injection/CNG mode: MPI Multipoint injection
Ignition	Electronic map-controlled ignition	Electronic map-controlled ignition
Atmospheric/Supercharged	Turbocharged	Turbocharged
Fuel type	CNG/ROZ 95	CNG/ROZ 95
Oil capacity in initial fill (l)	4.8	4.8
Emission control		
Alternator (A)	140 ME	140 ME
Battery (Ah/A)	59-68-70/320-380-420	59 - 68 - 70/320 - 380 - 420
Performance		
Maximum speed (km/h)	203 (VI)	203 (VI)
Acceleration 0-80 km/h (s)	6.8	6.9
Acceleration 0-100 km/h (s)	10.1	9.9
Acceleration 80-120 km/h (s)	12.3	13.5
Acceleration 1000 m (s)	31.9	31.6
Fuel consumption		
Urban (l/100 km)	-	-
Extra urban (l/100 km)	-	-
Combined (l/100 km)	-	-
CO₂ mass emission		
CO ₂ Urban (g/km)	-	-
CO ₂ Extra Urban (g/km)	-	-
CO ₂ Combined (g/km)	-	-

Chassis	1.5 TGI 130 HP [96 kW] MQ-6	1.5 TGI 130 HP [96 kW] DSG-7
Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber	
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber	
Steering System	R-EPS (Rack Electric Power System)	
Turning diameter (m)	10.5/11.2 (between walls)	10.5/11.2 (between walls)
Brake system	Dual hydraulic circuit and brake system diagonal split with electric brake booster	
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes	
Front brakes (mm)	288x25 (DCC 312x25)	288x25 (DCC 312x25)
Rear brakes (mm)	272x10	272x10

Wheels

Rims	6.5Jx16 ET46 - 7Jx16 ET43 7.5Jx17 ET46 - 7.5Jx18 ET46	6.5Jx16 ET46 - 7Jx16 ET43 7.5Jx17 ET46 - 7.5Jx18 ET46
Tyres	205/55 R16 91V - 225/45 R17 91W 205/50 R17 93V-225/40 R18 92Y	205/55 R16 91V - 225/45 R17 91W 225/50 R17 93V-225/40 R18 92Y

Dimensions

Body Type	5 SP	5 SP
Length/width/height (mm)	4,642/1,799/1,450	4,642/1,799/1,450
Length/width/height FR (mm)	4,642/1,799/1,437	4,642/1,799/1,437
Wheelbase (mm)	2,686	2,686
Wheelbase FR (mm)	2,684	2,684
Front/Rear track (mm)	ET 43 1,550/1,520	ET 43 1,550/1,520
Front/Rear track FR (mm)	ET 46 1,544/1,514	ET 46 1,544/1,514
Boot capacity (l)	480	480
Petrol tank capacity (l)	9 + gas capacity	9 + gas capacity

Weights

In running order with driver (kg)	1,442	1,471
In running order with driver (kg) Front/Rear	783/659	811/669
Maximum weight allowed (kg)	1,950	1,980
Maximum towing weight without brake (kg)	-	-
Maximum towing weight w/brake 8% (kg)	-	-
Maximum towing weight w/brake 12% (kg)	-	-

For more information about official fuel consumption and CO₂ emissions values visit your local SEAT website.
Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Engine specs.

Engine	1.4 e-HYBRID 204 HP (110-150 kW) DSG-6
Cylinder/Valve (total)	4/16
Displacement (cc)	1,395
Cylinder bore and stroke (mm)	74.5/80
Compression ratio	10
Combined Maximum power (kW (HP)/rpm)	150 (204)/5,000 - 6,000
Combined Maximum torque (Nm/rpm)	350/1,550 - 3,500
Fuel supply system	TSI Direct Injection
Ignition	Electronic map-controlled ignition
Atmospheric/Supercharged	Turbocharged
Fuel type	ROZ 95
Oil capacity in initial fill (l)	4,5
Emission control	
Alternator (A)	
Battery (Ah/A)	59/320

Electric engine/charging system

Maximum power (kW (PS))	85 (116)
Maximum torque (Nm)	330
Battery type	Li-ion
Number of cells	96
Nominal Pack Voltage (V)	353
Maximal Pack Voltage (V)	404
Battery capacity (kWh)	12.8
Charging time AC 2.3 kW 0-100% SoC	5h
Charging time AC 3.6 kW 0-100% SoC	3h 33 min

Combustion engine

Maximum power (kW (HP)/rpm)	110 (150)/5,000-6,000
Maximum torque (Nm/rpm)	250/1,550-3,500

Performance

Maximum speed (km/h)	220 (5.G)
Acceleration 0-80 km/h (s)	5.6
Acceleration 0-100 km/h (s)	7.7
Acceleration 80-120 km/h (s) at V. max. Gear	7.9
Acceleration 1000 m (s)	28.5

Chassis**1.4 e-HYBRID 204 HP (110-150 kW) DSG-6**

Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber
Rear suspension	Multilink axle, coil springs and hydraulic shock absorber
Steering System	R-EPS (Rack Electric Power System)
Turning diameter (m)	10.5/11.2 (between walls)
Brake system	Dual hydraulic circuit and brake system diagonal split with electric brake booster
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes
Front brakes (mm)	312x25
Rear brakes (mm)	272x10

Wheels

Rims	7.5Jx17 ET46-7.5Jx18 ET46
Tyres	225/45 R17-225/40 R18

Dimensions

Body Type	SP E-HYBRID
Length/width/height (mm)	4,642/1,799/1,456
Wheelbase (mm)	2,682
Front/Rear track (mm)	1,558/1,514
Boot capacity (l)	470
Petrol tank capacity (l)	40

Weights

In running order with driver (kg)	1,656
In running order with driver (kg) Front/Rear	901/755
Maximum weight allowed (kg)	2,070
Maximum towing weight without brake (kg)	750
Maximum towing weight w/brake 8% (kg)	1,700
Maximum towing weight w/brake 12% (kg)	1,500

*The accurate range for your vehicle will vary according to a number of different factors which include the route, weather conditions, vehicle load (occupants + luggage), battery age and condition, optional equipment (alloys, tyres, etc.), the use of peripheral energy consumption systems such as heating, air conditioning and heated seats, as well as your driving style. The indicated range has been calculated in compliance with WLTP standards, which set out test conditions applicable to all car manufacturers to ensure the comparability of these tests for all vehicles.

For more information about official fuel consumption and CO₂ emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Engine specs.

TSI & eTSI	Reference	Style	Xcellence	FR
1.0 TSI 90 HP (66 kW) MQ-5	○	○	-	-
1.0 TSI 110 HP (81 kW) MQ-6	○	○	○	○
1.0 eTSI 110 HP (81 kW) DSG-7	-	○	○	○
1.5 TSI 130 HP (96 kW) MQ-6	-	○	○	○
1.5 TSI 150 HP (110 kW) MQ-6	-	○	○	○
1.5 eTSI 150 HP (110 kW) DSG-7	-	○	○	○
2.0 TSI 190 HP (140 kW) DSG-7	-	-	○	○


- Standard
- Optional
- Not available

*This engine is only available for SEAT Leon Sportstourer.

For more information about official fuel consumption and CO₂ emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.


TDI	Reference	Style	Xcellence	FR
2.0 TDI evo 115 HP (85 kW) MQ-6	○	○	○	○
2.0 TDI evo 150 HP (110 kW) MQ-6	-	○	○	○
2.0 TDI evo 150 HP (110 kW) DSG-7	-	○	○	○
2.0 TDI evo 150 HP (110 kW) DSG-7 4Drive ¹	-	○	○	○
TGI				
1.5 TGI 130 HP (96 kW) MQ-6	-	○	○	○
1.5 TGI 130 HP (96 kW) DSG-7	-	○	○	○
e-HYBRID				
1.4 e-HYBRID 204 HP (110-150 kW) DSG-6	-	-	○	○

Dimensions.



* Model with 195/65 R15 ET45

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.



* Model with 195/65 R15 ET45



SEAT is committed to a policy of continuous product development and reserves the right to make changes to specifications, colours and prices without notice. The information in this brochure can therefore be given as guidance only. While SEAT makes every effort to ensure that specifications are accurate at the time of publication, you should always check with your authorised SEAT Partner for the latest information. Due to limitations of the printing process the colours reproduced in this brochure may vary slightly from the actual paint colour and material. This vehicle and all its parts, as well as the original spares, were designed according to the Legal Regulations governing the prevention and minimisation of Environmental Impact, through the use of recycled/recyclable materials, with measures taken to achieve suitable recycling for the conservation and improvement of environmental quality.

11/2021. Printed in Spain.

