





Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Your technical bit.

Data & Equipment.

Tarraco.

● Standard O Optional

- Not available

- ¹ Not compatible with Trailer Assist.
- ² In the FR is only optional with leather upholstery.
- ³ Includes safe function.
- ⁴ Breakdown kit (tyre fit) only for 17" wheels. 18", 19" and 20" wheels have already selfsealing tires.
- ⁵ Not available for e-HYBRID engine.
- ⁶ Not compatible with the rest of packages M, L and XL.
- ⁷ Only available with automatic engines.
- Not compatible with the rest of packages M, L and XL.
- ⁸ With memory function for FR.
- ⁹ Style and Xcellence: Included in Light & Style.
- FR: Included in Exterior Chrome Pack.
- ¹⁰ Style and Xcellence: Included in Light & Style.
- ¹¹ Includes anti-theft protection wheel bolts. ¹² It's optional only in 17" and 19" Alloy wheels.
- ¹³ Not compatible with trailer towing device preinstallation.

¹⁴ Not compatible with electric trailer towing device.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Safety	Style	Xcellence	FR
Park Distance Control	•	_	-
Park Assist (includes front and rear parking sensors) ¹	0	•	•
Cruise Control System	•	•	•
Front Assist	•	•	•
Tiredness Recognition	٠	•	•
Driver and front passenger airbags	•	•	•
Front passenger airbag deactivation	٠	•	•
Two front side airbags	•	•	•
Two curtain airbags	٠	•	•
Driver's knee airbag	•	•	•
Active front head restraints ²	•	•	0
Front seat belt reminder	•	•	•
Front seat belts with tensioner and height adjustment	٠	•	•
ISOFIX points with top tether anchorage point in outer seats of second row and passenger seat	٠	•	•
Interior rearview mirror, frameless, electrochromic and auto-dimming	•	•	•
Alarm ³	0	0	0
Breakdown kit (tyre fit) ⁴	•	_	-
Emergency spare wheel and tool kit and jack⁵	0	0	0
Rear shock absorption, sports version	-	_	•
Tyre pressure monitor	•	•	•
Electronic Stability Control (ESC)	•	•	•
Electric parking brake with autohold function	•	•	•
Safe & Driving Pack S: 5* Safety Pack Euro NCAP: Front Assist, Lane Assist, multifunction camera, airbag for driver and front passenger with knee airbag, front passenger airbag deactivation, extended and proactive pedestrian and cyclist protection, 3-point seat belts and visual and acoustic seat belt reminder	•	•	•
Safe & Driving Pack M in combination with Media System with 8.25" screen: Adaptive Cruise Control and speed limiter, Front Assist and extended and proactive pedestrian and cyclist protection ⁶	0	•	•

Safety

Safe & Drivina with Navi Syste Adaptive Cruise Front Assist, exte and cyclist prote

Safe & Driving with Media Sys Adaptive Cruise High Beam Cont Pre-crash Assist

Safe & Driving l with Navi Syste Adaptive Cruise Front Assist, High traffic alert, Pre-Sign Recognition

Safe & Driving with Media Sys Adaptive Cruise High Beam Cont Pre-crash Assist Off Detection ar steering wheel h

Safe & Driving with Navi Syste Adaptive Cruise Front Assist, High traffic alert, Prewith Hands Off [steering wheel h Recognition⁷

Exterior

Exterior mirrors a Exterior mirrors p Exterior mirrors w Electrically adjus Windshield wiper Black wheel arch mouldings

	Style	Xcellence	FR	Exterior	Style	Xcellence	FR
g Pack M in combination				Front grille with hot-stamping technology	-	•	-
tem with 9.2" screen: se Control Predictive and speed limiter,	0	0	0	Black roof rails and lateral mouldings	٠	_	_
xtended and proactive pedestrian	0	0	0	Chromed roof rails and lateral mouldings	-	•	_
otection and Traffic Sign Recognition ⁶				Black roof rails and Cosmo Grey lateral mouldings	-	_	•
g Pack L in combination vstem with 8.25" screen:				Black window frames	•	_	•
se Control and speed limiter, Front Assist,	0	0	0	Chromed window frames ⁹	0	•	0
ntrol, Side Assist with rear cross traffic alert, ist and Rollover Assist ⁶				Tinted windows ¹⁰	0	•	•
				- Panoramic sunroof	0	0	0
g Pack L in combination tem with 9.2" screen:				Dynamic 17" Brilliant Silver Alloy wheels	٠	-	-
se Control Predictive and speed limiter,	0	0	0	Performance 18" 37/1 Black Machined Alloy wheels ¹¹	0	_	-
igh Beam Control, Side Assist with rear cross re-crash Assist, Rollover Assist and Traffic	Ū.	0	Ũ	Exclusive 19" Nuclear Grey Machined Aero wheels	-	•	-
ion ⁶				Supreme 20" 37/2 Sport Black Matte Machined Alloy wheels ¹¹	-	0	_
g Pack XL in combination				Exclusive 19" Cosmo Grey Machined Alloy wheels	-	_	٠
/stem with 8.25" screen: se Control and speed limiter, Front Assist,		Supreme 20" 37/3 Cosmo Grey Machined Alloy wheels ¹¹ O O All season tyres 17"	-	-	0		
ntrol, Side Assist with rear cross traffic alert,	0		All season tyres 17"	0	-	-	
ist, Rollover Assist, Travel Assist with Hands and leather-wrapped multi-function				All season tyres 18"	0	-	_
l heated with triptonic ⁷				Anti-theft wheel bolts ¹²	0	0	0
g Pack XL in combination				Sliding trunk cover	٠	•	•
tem with 9.2" screen: se Control Predictive and speed limiter,				Double floor	٠	•	٠
gh Beam Control, Side Assist with rear cross	0	0	0	Transport protection film	0	0	0
e-crash Assist, Rollover Assist, Travel Assist f Detection, leather-wrapped multi-function	-	-	•	Electric trailer towing device, foldable ¹³	0	0	0
l heated with triptonic and Traffic Sign				Trailer towing device preinstallation ¹⁴	0	0	0
				 Exterior Chrome Pack: Chromed roof rails and window frames 	-	•	0
				_ Light & Style:			
s and door handles in body colour	•	•	-	Tinted windows, chromed window frames, multicolour ambient lighting in front and rear door panels, LED lights	0	•	-
s painted in Cosmo Grey	-	-	•	_ in interior door handles			
s with Welcome Light	•	•	•	Rear nameplate, trim and engine logos elimination	0	0	0
ustable and heated exterior mirrors ⁸	•	•	•				
er intermittent control with light and rain sensor	•	•	•	_			

• • •

Interior Style Xcellence FR Illuminated door step with Xcellence lettering • --Illuminated door step with FR lettering _ • -Interior LED illumination including LED • reading lights and LED illumination in footwell White ambient light in front and rear door panels¹⁵ 0 Illuminated sun visors with mirror • • • Vegan Leather gearshift knob¹⁶ . • • Interior chromed frames • • • Front armrest (air outlet on back)17 . • • Air conditioning . _ _ 3-zone Climatronic with Climatouch¹⁸ 0 • • Multifunction leather steering wheel¹⁹ • • Heated steering wheel²⁰ 0 0 0 Second row backrest 1/3 2/3 split folding, second row forwards & backwards moveable and second row with • • • flat to floor function (when folded) Foldable passenger seat • • -Mechanical rear seat release for second row 0 0 0 Front seat backrests with luggage pockets • • • Drawer under front left seat • • -Front seats with manual height and lumbar adjustment • • -Power seat adjustment with memory feature for left seat, • right seat manually height-adjustable Front Comfort seats with textile Olot upholstery with black Alcantara® inserts Front Sport/Comfort seats with textile Baza upholstery _ • with Alcantara® inserts Leather upholstery²¹ 0 0 _ Front Sport seats with textile Nilo Embossing • _ upholstery with black Alcantara® Electric driver seat with memory function 0 • -(including memory function for exterior mirrors)²² Black interior roof ٠ • • Storage compartment for sunglasses in roof²³ • • • Divider net and easy seat back release²⁴ 0 0 0

Interior

7 seats version²⁵ 3×12V plug (cente 230V socket in b

Storage Pack²⁶ Big storage box for sunglasses], horizontal net in

Electronics

SEAT Digital Coc

Radio with 8.25" Navi System with

Cartography Eur

SEAT CONNECT and Remote ac Remote Lock &

Parking position Private Emerger

SEAT CONNECT Remote access In addition to M you also gain a Online Navigatin Online Destinati Internet Radio &

DAB (Digital Aud 8 speakers

BeatsAudio™ incl

2 USB ports in cer port at rear of fro

Bluetooth® Full Link for Medi

Full LED headlig

Front LED fog lig

- LED tail lights co
- Automatic Comir Rear View Came

Standard Optional

- Not available
- ¹⁵ Style and Xcellence: Included in Light & Style.
- ¹⁶ Vegan leather only available for manual gearboxes. Automatic gearboxes come complete with genuine leather.
- ¹⁷ Rear armrest is only available with 7 seat version.
- ¹⁸ Standard for e-HYBRID engine.
- Includes Air Quality Sensor (AQS) and AirCare functions.
- $^{\rm 19}\,$ With specific design for FR.
- $^{\rm 20}$ Requires one of the Safe & Driving M or L packages.
- ²¹ Includes Winter Pack.
- ²² Requires Leather upholstery or Winter Pack for Xcellence. Not compatible with the Storage Pack.
- ²³ In combination with panoramic sunroof, no storage compartment available.
- ²⁴ Only available in combination with Storage Pack or panoramic sunroof.
- ²⁵ Not available for e-HYBRID engine.
- ²⁶ Requires divider net and easy seat back release. Not compatible with panoramic sunroof and electric drivers seats with memory function. In the case of FR trim, without drawers under front seats.
- ²⁷ Requires Cartography Europe (with MapCare) and SEAT CONNECT. Standard for e-HYBRID engine in Xcellence and FR. Package not available for e-HYBRID engine in Style. Includes Full Link wireless&wired, with WLAN.
- $^{\rm 28}$ Only available with Navi System with 9.2" screen. Standard for e-HYBRID engine.
- ²⁹ Connected car services for Radio including private Emergency Call, safety services for 10 years and remote access for 1 year.
- ³⁰ Connected car services for Navi including private Emergency Call, safety services for 10 years, remote access for 1 year and online infotainment for 1 year. Requires Navi System with 9.2" screen.
- $^{\rm 31}\,$ Full link wireless &wired not available for e-HYBRID engine.
- ³² Requires electric towing hook. Requires Rear View Camera
- or Top View Camera. Not compatible with Park Assist.
- ³³ Requires alarm.
- ³⁴ Requires Winter Pack or leather upholstery.
- ³⁵ Requires multifunction camera. Not available for e-HYBRID engine.
- ³⁶ Requires Winter Pack or leather upholstery. Not available for e-HYBRID engine.
 ³⁷ Obligatory with 4Drive versions. Offered together with SEAT Drive Profile.
- Obligatory with 4Drive versions. Offered together with ³⁸ Obligatory with 4Drive versions.
- 39 Includes room and front sheart sheart in Sta
- ³⁹ Includes rear and front shock absorption. Standard for e-HYBRID engine in FR.
- $^{\rm 40}$ Only for e-HYBRID engines.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Style	Xcellence	FR
0	0	0
٠	•	•
0	0	0
0	0	0
٠	•	•
٠	٠	•
0	0	0
0	0	0
•	•	•
•	•	•
•	•	٠
•	•	•
0	0	0
•	•	•
•	•	•
0	•	•
•	•	•
•	•	•
•	•	•
٠	•	•
0	•	0

Electronics	Style	Xcellence	FR
Top View Camera	-	0	0
Trailer Assist ³²	0	0	0
Kessy Go - engine start button in center console	•	-	-
Kessy Entry and Go	0	•	۲
Easy Access System: Kessy Entry and Go, Hands-free Electric Tailgate with Virtual Pedal (with Safe function) ³³	0	-	-
Easy Access System: Kessy Entry and Go, Hands-free Electric Tailgate with Virtual Pedal (without Safe function)	0	•	0
Connectivity Box (Wireless Charger and Mobile Signal Amplifier)	0	0	0
Winter Pack: Heated front seats and wash water level indicator	0	-	-
Winter Pack: Heated front and rear seats and wash water level indicator	-	0	0
Wash water level indicator	•	•	٠
Heated washer nozzles in front ³⁴	0	0	0
Climacoat ³⁵	0	0	0
Parking heater ³⁶	0	0	0
Servotronic	•	-	-
Progressive steering ³⁷	0	•	۲
SEAT Drive Profile with Driving Experience Button ³⁸ : Four different modes (Normal/Sport/Eco/Individual) + 4Drive versions include Off-road and Snow modes	0	•	•
Dynamic Chassis Control (DCC) ³⁹	-	0	0
MODE 3 charging cable for e-HYBRID	0	0	0
SEAT Charger ⁴⁰	-	0	0
SEAT Charger Connect ⁴⁰	-	0	0
SEAT Charger Pro ⁴⁰	-	0	0

Accessories.

Silver hatch door moulding	5FJ071360A	
Black hatch door moulding	5FJ071360B	
Silver side door moulding	5FJ071004 - 5FJ071328	
Rear bumper protective moulding	5FJ061155	
Rear bumper protective foil	5FJ061197	
Silver fog lights moulding	5FJ071004	
Transport		
Surf Rack	000071120HA	
Ski Rack for 4 pairs or 2 snowboards	0000711295	
Ski Rack for 6 pairs or 4 snowboards	000071129T	
Ski Rack Xtender	000071129R	
Roof Box - 400l	000071200T	
Roof Box - 420l	000071200AB	
Roof Box - 450l	000071180A	
Roof Box - 460l	000071200AG	
Roof Bars	5FJ071151A	
Tow Bar	5FJ092160	
Electric Kit (w/o prewiring)	5FJ055204	
Bike Rack	5F9071128	
Towing Bike Rack	00071128K	
Towing bracket bicycle carrier	000071128H	
Licence plate with rear lights	000071801AN	
Bag for SEAT Roof Bars	000071156C	
Load-Stop Rack	000071223	
Interior		
MTA base & net	000061162	
MTA handle	000017238C	
MTA elastic band - MTA elastic band 2	000017238B	
Headrest	000019722A	
Chrome-plated hanger	000061127E	
Multi-hanger	000061127D	
Storage pocket	000061680B	

Protection

Textile mats S Textile mats S Textile mats S TPE Tuffting te TPE Tuffting te Rubber mats Rubber mats (Rubber mats (Classic grey fl Classic brown Boot protecto Semirigid boo Foam boot tro Reversible bo High walls boo Foldable trolle Front mudflap Rear mudflap Organisation Protective sec Key cover (Na Key cover (He Key cover (Tar Tyre cover lce scraper

Infotainme

USB to type C SEAT Full Link Charging cab Pack cable 3 in 1

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

n		Security
Serie	5FJ863011 LOE	ISOFIX Duo Plus
Serie (Right hand drive vehicles)	5FK863011 LOE	SEAT PEKE G1 I-Size Trifix
Serie (3 rd row)	5FJ863011A LOE	SEAT PEKE GO I-Size Plus
textile mats	5FJ061675B 041	Base ISOFIX PEKE GO i-Size
textile mats (3 rd row)	5FJ061675E 041	ISOFIX Baby-safe Plus SHR II
S	5FJ061500 041	ISOFIX PEKE base for GO Plus seat
s (Right hand drive vehicles)	5FK061500 041	KIDFIX 2S safety seat
s (3 rd row)	5FJ061500A 041	Safety Dog Harness - Size XL
floor mats	5FJ863011B LOE	Safety Dog Harness - Size L
vn floor mats	5FJ863011D LOE	Safety Dog Harness - Size M
tor for dogs	000061609D	Safety Dog Harness - Size S
oot tray	5FJ0601201C	CB alarm for klaxon
ray	5FJ0601201	Safety pack
oot tray	5FJ0601201B	20.000 mAh battery jump starter + charge
oot tray	5FJ0601201A	Lamp box H1 + H3 + H8
lley for boot	000061109G	H4 lamp box
sad	5FJ075111	H4 Xenon bulb + 90%
ips	5FJ075101	H7 lamp box
nal drawer	000061109F	H7 Xenon bulb + 90%
eat cover for dogs	000061609C	C5W 41 mm LED
atural Wood)	5FJ087013	C5W 36 mm LED
exagons)	5FJ087013A	W5W LED
arraco]	5FJ087013B	Beeper parking sensor
	000071770C	Smart tracker key finder
	000096010D	Warning triangle
		Safety reflective vest
ient		Emergency triangle pack
C adapter	000051444AP	Fluorescent vest
k	5F0054830	
ıble 3 in 1	000051444AM	Travel pack - LongLife III 5W-30 Castrol
3 in 1	000051444AS	EDGE Professional

ISOFIX Duo Plus	000019909G
SEAT PEKE G1 I-Size Trifix	000019909F
SEAT PEKE GO I-Size Plus	000019907A
Base ISOFIX PEKE G0 i-Size	000019230L
ISOFIX Baby-safe Plus SHR II	000019907B
SOFIX PEKE base for G0 Plus seat	000019230C
KIDFIX 2S safety seat	000019906S
Safety Dog Harness - Size XL	000084310B
Safety Dog Harness - Size L	000084310C
Safety Dog Harness - Size M	000084310D
Safety Dog Harness - Size S	000084310E
CB alarm for klaxon	000054600
Safety pack	000093996C
20.000 mAh battery jump starter + charger	000051763H
Lamp box H1 + H3 + H8	000052001B
H4 lamp box	000052004C
H4 Xenon bulb + 90%	000052004M
H7 lamp box	000052007B
H7 Xenon bulb + 90%	000052007M
C5W 41 mm LED	000052010B
C5W 36 mm LED	000052010D
W5W LED	000052010E
Beeper parking sensor	000054752D
Smart tracker key finder	000087013BB
Warning triangle	000093056A - 000093600B
Safety reflective vest	000093056J
Emergency triangle pack	000093600C
Fluorescent vest	000093900ID - 000093900SA - 000093901ID
Travel pack - LongLife III 5W-30 Castrol EDGE Professional	000093990AL

Travel pack - OriLHDnal LongLife III 5W-31	000093990AM
Safety Pack (triangles + vest)	000093990R
Triangle fastening support	6K0860265
Additional interior mirror	000084418A
Help Flash	000052122A
Seat belt pad	000069629B
Automatic puncture kit	000093059AE
Current converter 300W	000063828
Maintenance	
First-aid kit	6L0093000
Insect remover	000096320FRABH
Interior cleaner	000096320FRABK
Dashboard Cleaner	000096320FRABM
300ml concentrated shampoo	000096320GFAAB
300ml windscreen wash	000096320GFAAD
Summer maintenance kit	000096354B
Winter maintenance Kit	000071980BPADA
Maintenance kit	000071980CL
Insilver Passion refill air freshener	000091500E
Mixt fruit refill air freshener	000091500FM
Red fruits refill air freshener	000091500FR
Mild herbs air freshener refill	000091500HS
Alize aroma air freshener	000091500L
Calima aroma air freshener	000091500M
Fresh mint refill air freshener	000091500MC
Mistral aroma air freshener	000091500N
Sirocco aroma air freshener	000091500P
Zephyros aroma air freshener	000091500Q

Child car sea SEAT PEKE GO I-S

SEAT PEKE GO I-S ISOFIX Baby-safe SEAT PEKE G1 I-S ISOFIX Duo Plus KIDFIX 2S safety

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

ats	Age (approximate)
I-Size Plus	Up to 15 months
afe Plus SHR II	Up to 15 months
-Size Trifix	9 months to 4 years
IS	9 months to 4 years
ty seat	3,5 to 12 years

Engine	1.5 EcoTSI EVO 150 HP (110 kW) ACT MQ-6 Start/Stop	1.5 EcoTSI EVO 150 HP (110 kW) DSG-7 Start/Stop	2.0 EcoTSI 190 HP (140 kW) DSG-7 4Drive Start/Stop	2.0 EcoTSI 245 HP (180 kW) DSG-7 4Drive Start/Stop
Cylinder/Valve (total)	4/16	4/16	4/16	4/16
Displacement (cc)	1.498	1.498	1,984	1,984
Cylinder bore and stroke (mm)	74.5/85.9	74.5/85.9	82.5/92.8	82.5/92.8
Compression ratio	10.5	10.5	12.20	9.6
Maximum power (kW (HP)/rpm)	110 (150)/5.000-6.000	110 [150]/5.000-6.000	140 [190]/4.200 - 6.000	180 (245) / 5.000 - 6.500
Maximum torque (Nm/rpm)	250/1,500-3,500	250/1,500-3,500	320/1,500 - 4,100	370/1,600-4,300
Fuel supply system	TSI Direct Injection	TSI Direct Injection	TSI Direct Injection	TSI Direct Injection
Ignition	Electronic map-controlled ignition	Electronic map-controlled ignition	Electronic map-controlled ignition	Electronic map-controlled ignition
Atmospheric/Supercharged	Turbocharged	Turbocharged	Turbocharged	Turbocharged
Fuel type	ROZ 95	ROZ 95	ROZ 95	ROZ 95
Oil capacity in initial fill (I)	4.8	4.8	6.6	6.6
Emission control	EU6	EU6	EU6	EU6
Alternator (A)	110 - 140 - 180	110 - 140 -180	110 - 140 -180	110 - 140 -180
Battery (Ah/A)	59/320 - 69/360 - 68/380 - 70/420	59/320 - 69/360 - 68/380 - 70/420	59/320 - 69/360 - 68/380 - 70/420	59/320 - 69/360 - 68/380 - 70/420
Performance				
Maximum speed (km/h)	199 (5)	199 (6)	210 (5)	228 (5)
Acceleration 0-80 km/h (s)	6.7	6.6	5.2	4.1
Acceleration 0-100 km/h (s)	9.9	9.5	7.8	6.2
Acceleration 80-120 km/h (s)	12.5	12.4	10.1	8.4
Acceleration 1000 m (s)	31.5	31.3	29.3	26.9
Fuel consumption				
Urban (l/100 km)	_	_	_	_
Extra urban (l/100 km)	=	-	_	=
Combined (l/100 km)	-	-	-	-
Combined WLTP Range (l/100km)	_	-	_	_
CO2 mass emission				
CO2 Urban (g/km)	_	_	_	_
CO2 Extra Urban (g/km)	_			_
CO ₂ Combined (g/km)	_	_	_	_

Chassis	1.5 EcoTSI EVO 150 HP (110 kW) ACT MQ-6 Start/Stop	1.5 EcoTSI EVO 150 HP (110 kW) DSG-7 Start/Stop	2.0 EcoTSI 190 HP (140 kW) DSG-7 4Drive Start/Stop	2.0 EcoTSI 245 HP (180kW) DSG-7 4Drive Start/Stop		
Front suspension	Independent McPherson type - coil spring	s hydraulic shock absorber				
Rear suspension	Multilink axle, coil springs and hydraulic sh	Multilink axle, coil springs and hydraulic shock absorber				
Steering System	R-EPS (Rack Electric Power System)					
Turning diameter (m)	11.9					
Brake system	Dual hydraulic circuit and diagonal split br	rake system with brake booster				
Front/Rear brakes type	Front ventilated disc brakes and rear solid	disc brakes				
Front brakes (mm)	314×30	314×30	340×30	340×30		
Rear brakes (mm)	300×12	300×12	300×12	310×22		
Wheels						
Rims	7J×17 ET40 - 7J×18 ET43/7J×19 ET43 8J×20 ET41/8.5J×19 ET38 - 8.5J×20 ET38	7J×17 ET40 - 7J×18 ET43/7J×19 ET43 8J×20 ET41/8.5J×19 ET38 - 8.5J× 20 ET38	7J×17 ET40 - 7J×18 ET43/7J×19 ET43 8J×20 ET41/8.5J×19 ET38 - 8.5J×20 ET38	7J×19 ET43 - 8J×20 ET41 8.5J×19 ET38 - 8.5J×20 ET38		
Tyres	215/65 R17 99V - 235/55 R18 100V 235/50 R19 99V - 235/45 R20 100V 255/45 R19 100V - 255/40 R20 101V	215/65 R17 99V - 235/55 R18 100V 235/50 R19 99V - 235/45 R20 100V 255/45 R19 100V - 255/40 R20 101V	215/65 R17 99V - 235/55 R18 100V 235/50 R19 99V - 235/45 R20 100V 255/45 R19 100V - 255/40 R20 101V	235/50 R19 99V - 235/45 R20 100V 255/45 R19 100V - 255/40 R20 101V		
Dimensions						
Body type	SUV					
Length/width/height (mm)	4,735/1,839/1,658 (roof) - 1,665 (roof rails)				
Wheelbase (mm)	2,790					
Track front/rear (mm)	1,585/1,574					
Boot capacity [l]	5 seats: 760 - 7 seats: 230/700 (with 3 rd rc	ow seats folded)				
Fuel tank capacity (l)	Front: 58/All-wheel: 60					
Weights						
In running order with driver (kg)	(*) 1,576/(**) 1,615	(*) 1,611/(**) 1,656	1,749 (*)/1,794 (**)	[*] 1,769/[**] 1,814		
Maximum weight with driver (kg) Front/Rear	(*) 876/700 - (**) 876/739	(*) 911/700 - (**) 913/743	(*) 990/759 - (**) 992/802	[*] 1,000/769 - [**] 1,002/812		
Maximum weight allowed (kg)	(*) 2,150/(**) 2,320	(*) 2,180/(**) 2,360	2,360 [*]/2,500 [**]	[*] 2,360/[**] 2,500		
Maximum weight without brake (kg)	750	750	750	750		
Maximum weight w/brake 8% [kg]	2,000	2,000	2,250	[*] 2,300/[**] 2,400		
Maximum weight w/brake 12% (kg)	1,800	1,800	2,250	[*] 2,300/[**] 2,400		

Engine	2.0 TDI 150 HP (110 kW) SCR MQ-6 Start/Stop SCR DSG-7 Start/Stop	2.0 TDI 200 HP (147 kW) SCR DSG-7 4Drive Start/Stop	
Cylinder/Valve (total)	4/16	4/16	
Displacement (cc)	1,968	1,968	
Cylinder bore and stroke (mm)	81/95.5	81/95.5	
Compression ratio	16.0	15.5	
Maximum power (kW (HP)/rpm)	110 (150)/3,250 - 4,200 110 (150)/3,000 - 4,200	147 (200)/3,600 - 4,100	
Maximum torque (Nm/rpm)	340/1,600 - 3,000 360/1,600 - 2,750	400/1,750 - 3,500	
Fuel supply system	Direct Injection: Common Rail	Direct Injection: Common Rail	
Ignition	Compressed ignition	Compressed ignition	
Atmospheric/Supercharged	Turbocharged	Turbocharged	
Fuel type	Diesel	Diesel	
Oil capacity in initial fill (I)	5.3	5.3	
Emission control	EU6	EU6	
Alternator (A)	110 - 140 -180	110 - 140 -180	
Battery (Ah/A)	59/320 - 69/360 - 68/380 - 70/420	59/320 - 69/360 - 68/380 - 70/420	
Performance			
Maximum speed (km/h)	199 (6) 196 (6)	210 (6)	
Acceleration 0-80 km/h (s)	7.3 6.8	5.1	
Acceleration 0-100 km/h (s)	10.2 10.1	7.8	
Acceleration 80-120 km/h (s)	14.5 11.5	11.0	
Acceleration 1000 m (s)	32.2 31.8	29.2	
Fuel consumption			
Urban (l/100 km)		-	
Extra urban (l/100 km)	-	-	
Combined (l/100 km)	-	-	
Combined WLTP Range (l/100km)	-	-	
CO2 mass emission			
CO₂ Urban (g/km)	-	=	
CO2 Extra Urban (g/km)	-	-	
CO2 Combined (g/km)	_	_	
Combined WLTP Range (l/100km)		_	

Chassis

Front suspension Rear suspension Steering System Turning diameter (Brake system Front/Rear brakes Front brakes (mm) Rear brakes (mm)

Wheels

Rims

Tyres

Dimensions

Body type Length/width/heig Wheelbase (mm) Track front/rear (m Boot capacity (l) Fuel tank capacity

Weights

In running order wi Maximum weight v Maximum weight c Maximum weight v Maximum weight v Maximum weight v

	2.0 TDI 150 HP (110 kW) SCR MQ-6 Start/Stop SCR DSG-7 Start/Stop	2.0 TDI 200 HP (147 kW) SCR DSG-7 4Drive Start/Stop	
n	Independent McPherson type - coil springs - hydraulic shock absorber		
1	Multilink axle, coil springs and hydraulic shock absorber		
۱	R-EPS (Rack Electric Power System)		
er (m)	11.9		
	Dual hydraulic circuit and diagonal split brake system with brake booster		
es type	Front ventilated disc brakes and rear solid disc brakes		
m)	314×30	340×30	
n]	300×12	300×12	
	7J×17 ET40 - 7J×18 ET43/7J×19 ET43 - 8J×20 ET41 8.5J×19 ET38 - 8.5J×20 ET38	7J×19 ET43 - 8J×20 ET41 8.5J×19 ET38 - 8.5J×20 ET38	
	215/65 R17 99V - 235/55 R18 100V - 235/50 R19 99V 235/45 R20 100V - 255/45 R19 100V - 255/40 R20 101V	235/50 R19 99V - 235/45 R20 100V 255/45 R19 100V - 255/40 R20 101V	
	SUV		
eight (mm)	4,735/1,839/1,658 (roof) - 1,665 (roof rails)		
ı)	2,790		
(mm)	1,585/1,574		
]	5 seats: 760 - 7 seats: 230/700 (with 3 rd row seats folded)		
ity (l)	Front: 58/All-wheel: 60		
with driver (kg)	1,695 (*)/1,740 (**) 1,728 (*)/1,773 (**)	1,780 (*)/1,826 (**)	
nt with driver (kg) Front/Rear	(*) 965/730 - (**) 967/773 (*) 999/729 - (**) 1,001/772	[*] 1,006/774 - [**] 1,008/818	
nt allowed (kg)	2,230 (*)/2,410 (**) 2,270 (*)/2,440 (**)	2,380 [*]/2,520 [**]	
nt without brake (kg)	750 750	750	
nt w/brake 8% (kg)	2,200 2,200	2,300 [*]/2,450 [**]	
nt w/brake 12% (kg)	2,000 2,000	2,300 (*)/2,450 (**)	

Engine	1.4 TSI e-HYBRID 245 HP (180 kW) DSG-6 Start/Stop
Cylinder/Valve (total)	4/16
Displacement (cc)	1,395
Cylinder bore and stroke (mm)	74.5/80
Compression ratio	10
Maximum power (kW (PS))	180 (245)
Maximum torque (Nm)	400
Fuel supply system	TSI Direct Injection
Ignition	Electronic map-controlled ignition
Atmospheric/Supercharged	Turbocharged
Fuel type	ROZ 95
Oil capacity in initial fill (I)	4.5
Emission control	EUG
Alternator (A)	
Battery (Ah/A)	68/340
Electric engine/charging system	
Maximum power (kW (PS))	86 (117)
Maximum torque (Nm)	330
Battery type	Li-ion
Battery capacity (kWh)	13
Charging time AC 2.3 kW 0-100% SoC	5h
Charging time AC 3.6 kW 0-100% SoC	3h 33min
Combustion engine	
Maximum power (kW (HP)/rpm)	110 (150)/5,000 - 6,000
Maximum torque (Nm/rpm)	250/1,550 - 3,500
Performance	
Maximum speed (km/h)	205 [5.G]
Acceleration 0-80 km/h (s)	5.6
Acceleration 0-100 km/h (s)	75
Acceleration 80-120 km/h (s) at V. max. Gear	9.0
Acceleration 1000 m (s)	29.3
Fuel consumption	
Charge sustaining mode NEFZ (l/100 km)	-
Combined NEFZ (l/100 km)	-
Combined WLTP Range (l/100 km) (Global offer)	-

Electric consumption	1.4 TSI e-HYBRID 245 HP (180 kW) DSG-6 Start/Stop
Electric consumption combined NEFZ [kWh/100 km]	-
Electric consumption combined WLTP (kWh/100 km)	-
Electric range NEFZ (km)	-
Electric range WLTP (km)	
Mass emission	
CO2 in charge sustaining mode NEFZ (g/km)	_
CO2 combined NEFZ (g/km)	-
CO2 combined WLTP Range (g/km) (Global offer)	-
Chassis	
Front suspension	Independent McPherson type - coil springs - hydraulic shock absorber
Rear suspension	Multilink axle - coil springs - hydraulic shock absorber
Steering System	R-EPS (Rack Electric Power System)
Turning diameter (m)	11.9
Brake system	Dual hydraulic circuit and diagonal split brake system with electric brake booster
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes
Front brakes (mm)	340×30
Rear brakes (mm)	310×22
Wheels	
Rims	7J×19 ET43 - 8J×20 ET41/8.5J×19 ET38 - 8.5J×20 ET38
Tyres	235/50 R19 99V - 235/45 R20 100V - 255/45 R19 100V - 255/40 R20 101V
Dimensions	
Body type	SUV
Length/width/height (mm)	Xcellence: 4,735/1,839/1,658 (roof) - 1,665 (roof rails) FR: 4,728/1,839/1,658 (roof) - 1,665 (roof rails)
Wheelbase (mm)	2,790
Track front/rear (mm)	1,585/1,574
Boot capacity [l]	610
Fuel tank capacity (l)	47
Weights	
In running order with driver (kg)	1,868
In running order with driver (kg) Front/Rear	985/883
Maximum weight allowed (kg)	2,390
Maximum towing weight without brake (kg)	750
Maximum towing weight w/brake 8% [kg]	2,000
Maximum towing weight w/brake 12% (kg)	1,800

Electric consumption	1.4 TSI e-HYBRID 245 HP (180 kW) DSG-6 Start/Stop
Electric consumption combined NEFZ (kWh/100 km)	
Electric consumption combined WLTP (kWh/100 km)	
Electric range NEFZ (km)	-
Electric range WLTP (km)	
Mass emission	
CO₂ in charge sustaining mode NEFZ (g/km)	
CO2 combined NEFZ (g/km)	-
CO2 combined WLTP Range (g/km) (Global offer)	
Chassis	
Front suspension	Independent McPherson type - coil springs - hydraulic shock absorber
Rear suspension	Multilink axle - coil springs - hydraulic shock absorber
Steering System	R-EPS (Rack Electric Power System)
Turning diameter (m)	11.9
Brake system	Dual hydraulic circuit and diagonal split brake system with electric brake booster
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes
Front brakes (mm)	340×30
Rear brakes (mm)	310×22
Wheels	
Rims	7J×19 ET43 - 8J×20 ET41/8.5J×19 ET38 - 8.5J×20 ET38
Tyres	235/50 R19 99V - 235/45 R20 100V - 255/45 R19 100V - 255/40 R20 101V
Dimensions	
Body type	SUV
Length/width/height (mm)	Xcellence: 4,735/1,839/1,658 (roof) - 1,665 (roof rails) FR: 4,728/1,839/1,658 (roof) - 1,665 (roof rails)
Wheelbase (mm)	2,790
Track front/rear (mm)	1,585/1,574
Boot capacity [l]	610
Fuel tank capacity (l)	47
Weights	
In running order with driver (kg)	1,868
In running order with driver (kg) Front/Rear	985/883
Maximum weight allowed (kg)	2,390
Maximum towing weight without brake (kg)	750
Maximum towing weight w/brake 8% (kg)	2,000
Maximum towing weight w/brake 12% (kg)	1,800




TSI	Style	Xcellence	FR
1.5 EcoTSI EVO 150 HP (110 kW) ACT MQ-6 Start/Stop	0	0	0
1.5 EcoTSI EVO 150 HP (110 kW) DSG-7 Start/Stop	0	0	0
2.0 EcoTSI 190 HP (140 kW) DSG-7 4Drive Start/Stop	0	0	0
2.0 EcoTSI 245 HP (180 kW) DSG-7 4Drive Start/Stop	<u> </u>	0	0
ТОІ			
2.0 TDI 150 HP (110 kW) SCR MQ-6 Start/Stop	0	0	0
2.0 TDI 150 HP (110 kW) SCR DSG-7 Start/Stop	0	0	0
2.0 TDI 200 HP (147 kW) SCR DSG-7 4Drive Start/Stop	-	0	0
e-HYBRID			
1.4 TSI e-HYBRID 245 HP (180 kW) DSG-6 Start/Stop	-	0	0

O Optional - Not available

For more information about official fuel consumption and CO2 emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Dimensions.







SEAT

SEAT is committed to a policy of continuous product development and reserves the right to make changes to specifications, colours and prices without notice. The information in this brochure can therefore be given as guidance only. While SEAT makes every effort to ensure that specifications are accurate at the time of publication, you should always check with your authorised SEAT Partner for the latest information. Due to limitations of the printing process the colours reproduced in this brochure may vary slightly from the actual paint colour and material. This vehicle and all its parts, as well as the original spares, were designed according to the Legal Regulations governing the prevention and minimisation of Environmental lmpact, through the use of recycled/recyclable materials, with measures taken to achieve suitable recycling for the conservation and improvement of environmental quality.



10/2021. Printed in Spain.