










COUNTRY MARKING/LABELING on device, user manual and box (Short Range Device)








Status: 18.10.2019








Countries with legal requirements for labeling






Version:

General rule:  
If there are no further details about font and size of the homologation logo and/or number, the minimum size must be so that the logo/number is readable (at least 1mm high)

	Country	Marking in car manual		
		Obligation	Marking	Comments
	All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64632 Babenhausen Germany	
	All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.
	Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual Replace XX-9999 by a number which will be given by the Argentinian authority. Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm) If the number has only one letter, the blank will be placed at the end of the number Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue
	Armenia	mandatory	 	For dark background use white letters and for light background use black letters
	Belarus	mandatory	 	For dark background use white letters and for light background use black letters
	Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances. "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234
	Brazil	mandatory	Modelo XXXXX  Atendimento à Regulamentação Anatel Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados. Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados. Para maiores informações, consulte o site da ANATEL <a href="http://www.anatel.gov.br">www.anatel.gov.br</a>	Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits) Replace 0HHHH-AA-0FFFF by a number which will be given by the Brazilian authority. Black&white approach is recommend since colour versions needs ANATEL's permission.
	Brunei	mandatory		The Importeur needs to buy this label which has to be implemented in car manual
	Canada	mandatory	IC: 23650-XXXXXXX 	The number "23650-" is the Continental Babenhausen Registration Number for Canada. Replace XXXXXXXX by Continental Radio Homologation Number.
32	Cape Verde			
33	Cayman Islands			
34	Central African Republic			
35	Chad			
36	Chile			
37	China			
38	Colombia			
39	Comoros			
40	Congo D.R			
41	Costa Rica			
42	Croatia			
43	Cuba			
44	Cyprus			
45	Czech Republic			
46	Denmark			
47	Djibouti			
48	Dominica			
49	Dominican Rep.			
51	Ecuador			
52	Egypt			
53	EL Salvador			
54	Equatorial Guinea			
55	Estonia			
56	Ethiopia			

			<div></div> <div>European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 111mA = 3,728 W Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120</div> <div>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</div> <div>Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).</div>
58	Fiji		
59	Finland		
60	France		
61	French Guinea		
62	French Polynesia		
63	Gabon		
64	Gambia		
65	GB & North Ireland		
66	Georgia		
67	Germany		
68	Ghana		
69	Gibraltar		
70	Greece		
71	Guadeloupe		
72	Guatemala		
73	Guyana		
74	Haiti		
75	Honduras		
76	Hong Kong		
77	Hungary		
78	India		
79	Indonesia	<div><div>(Certificate Number) (PLG ID Number) Label format 12345SDPP/2011 1234 Example</div></div>	Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.  The frame is not required.
80	Irac		
81	Iran		
82	Ireland		
83	Iceland		
84	Israel		
85	Italy		
86	Ivory Cost		
87	Jamaica		
88	Japan		
89	Jordan	mandatory if not on device	TRCLPD/YEAR/XXX  Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.
	Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX  XXX-YY-ZZZ-XXX = model-specific homologation-no.
	Indonesia	mandatory (because it is not device)	<div><div>(Certificate Number) (PLG ID Number) Label format 12345SDPP/2011 1234 Example</div><div></div></div> Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.  The frame is not required.  Label and QR Code ( that is on the Certificate ) must be printed on the product.  The product label photo must be uploaded within 30days after the certificate issued
	Kazakhstan	mandatory	<div></div> <div></div> For dark background use white letters and for light background use black letters
91	Kenya		
92	Kuwait		
	Kyrgyz Republic	mandatory	<div></div> <div></div> For dark background use white letters and for light background use black letters
94	Laos		
95	Latvia		
96	Lebanon		
97	Lesotho		
98	Liberia		
99	Liberia		
100	Libya		
101	Lithuania		
102	Luxembourg		
103	Macao		
104	Macedonia		
105	Madagascar		
106	Malawi		
	Malaysia	mandatory	<div></div> The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.  Replace ABCD12345678 with the HDF1500019 (Malaysian Agency no.)
108	Mali		
109	Malta		

110	Martinique			
111	Mauretania			
112	Mauritius			
113	Mayotte			
	Mexico	mandatory	IFT: XXXXXXXX18-XXXX La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.	Replace XXXXXXXX18-XXXX by the number which will be given by the Mexican authority.
	Moldavia	mandatory		Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification May be enlarged & minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm 
116	Mongolia			
117	Montenegro			
118	Morocco	mandatory if not on device	AGREE PAR L'ANRT MAROC Numéro d'agrément: <a href="#">NR XXXXX ANRT YEAR</a> Date d'agrément: <a href="#">DDMMYYYY</a>	Insert the number and date which will be given by the Moroccan authority The frame is not required.
125	New Caledonia			Tbd.: Which marking is required if OEM is not FCAI member?
126	New Zealand			Tbd.: Which marking is required if OEM is not FCAI member?
	Nigeria	mandatory	<div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div>	
	Oman	mandatory	<div>OMAN - TRA <a href="#">X/NNNN/YY</a> <a href="#">Dyynnnn</a></div>	Replace XNNNNYY and Dyynnn by the numbers whcih will be given by the Oman authority. Black&white label in the manual is possible. The frame is not required.
134	Pakistan			
135	Palestine			
136	Panama			
137	Papua New Guinea			
138	Paraguay			
139	Peru			
140	Phillipines			
141	Poland			
142	Portugal			
143	Puerto Rico			
144	Qatar			
145	Reunion			
146	Romania			
	Russia	mandatory	 	For dark background use white letters and for light background use black letters
148	Rwanda			
149	Saint Lucia			
150	Saint-Barthélemy			
151	Saint-Martin (french part)			
152	São Tomé und Príncipe			
153	Saudi Arabia			
154	Senegal			
155	Serbia	mandatory if not on device		European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device. Min size of triangle with authorized body and year is 5mm. Black&white label in the manual is possible. The frame is not required. 
156	Seychelles			
157	Sierra Leone			
158	Singapore	mandatory if not on device	Complies with IMDA Standards <a href="#">[Dealer's Licence No.]</a>	Label Size 17mm by 9mm Black&white is possible. Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).
159	Slovakia			
160	Slovenia			
161	Somalia			
162	South Africa	logo is mandatory if it is not on device		The minimum size of the ICASA logo shall be 3 mm and the font size 1mm high. The height to width ratio of the overall ICASA label must be 1:2. Black&white logo is possible

163	South Korea	mandatory if not on device		R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority. Black&white possible.
164	Spain			
165	Sri Lanka & Maldives			
166	Sudan			
167	Suriname			
168	Swaziland			
169	Sweden			
170	Switzerland			
171	Syria			
172	Tahiti			
	Taiwan	mandatory		Replace XXXXZZXZZZZXZ by the number which will be given by the Taiwanese authority. Z are numbers, X are letters NCC Warning statement needs to be printed in the user manual. Black&white possible.
174	Tajikistan			
175	Tanzania			
176	Thailand			
177	Togo			
178	Trinidad and Tobago			
179	Tunisia			
180	Turkey			
181	Turkmenistan			
182	UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	TRA REGISTERED No: ERZZZZZZZZ DEALER No: DAZZZZZZZZ	Label is optional on device, because it is mounted. Minimum font size of 1mm is possible. The frame is not required. Black&white is possible. Replace nnnnnnnnnn by the registration number allocated by the TRA (=the UAE authrity) for this equipment. Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.
183	Uganda			
184	Ukraine	mandatory if not on device	UA.TR.028	Replace 028 by the Certification Body Number The minimum size is 5mm. The text UA.TR.028 can be positioned below the symbol
185	Uruguay			
	Ukraine	mandatory	FCC ID 2A0UZXXXXXXX	Add (Link to) Ukrainian Declaration of Conformity" -> Certificate No. XXXX
	USA	mandatory	<p>Radiofrequency radiation exposure information</p> <p>The equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20cm between the antenna and your body.</p> <p>The transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</p> <p>Get Equipment not conforme avec les limites d'exposition aux rayonnements IC élabores pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre le corps de l'utilisateur et l'équipement.</p> <p>NOTICE:</p> <p>The device complies with Part 15 of the FCC Rules and with Industry Canada license-exempt RSS (Canada) is subject to the following two conditions:</p> <p>(1) This device may not cause harmful interference, and</p> <p>(2) This device must accept any interference received, including interference that may cause undesired operation.</p> <p>Le présent équipement ne conforme pas aux limites d'exposition Canada applicables aux appareils radio exempts de licence.</p> <p>(1) L'appareil ne doit pas causer d'interférence nuisible.</p> <p>(2) L'appareil doit accepter toute interférence radio qu'il reçoit, y compris celle qui peut causer un fonctionnement indésirable de l'équipement.</p> <p>NOTICE:</p> <p>Changes or modifications made to this equipment not expressly approved by Continental Automotive Group may void the FCC authorization to operate this equipment.</p>	FCC ID 2A0UZ is BU ID BBU Grantee Code and always remain the same. Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.
187	Uzbekistan			
188	Venezuela			
189	Vietnam	mandatory if not on device		Minimum font size: 1mm The frame is mandatory! Replace Name by the local name of the representative company. "SunTech Vietnam" Replace Code by the local representative company's code number . "CD0082015"
190	Western Sahara			
191	Yemen			
192	Zambia	mandatory if not on device		ZICTA minimum font size: 3mm and number:2mm. Replace 201n/xxxxxx by the number which will be given by the Zambian authority. Frame is not required. Black& white is possible.
193	Zimbabwe			
	Zambia	mandatory if not on device		ZICTA minimum font size: 3mm and number:2mm, ZMB/ZICTA/TA/YYYY/MM/XX = model-specific homologation-no. which will be given by the Zambian authority (YYYY=year, M or MM=month, XX=individual) Frame is not required, Black& white is possible.

\* see separate Page "Ukrainian DoC"

**NOTES FOR USER MANUAL / PACKAGING**

Placeholder: "Please add EU declaration text in the native language of the countries where you import the cars- see separate sheet"

The simplified EU declaration of conformity referred to in Article 10(9) shall be provided as follows:

EN	Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address: <a href="http://www.xxxxxxxx.com">http://www.xxxxxxxx.com</a>
BG	С настоящото Continental Automotive GmbH декларира, че този тип радиосъоръжение [designation of type of radio equipment] е в съответствие с Директива 2014/53/ЕС. Цялостният текст на ЕС декларацията за съответствие може да се намери на следния интернет адрес: <a href="http://www.xxxxxxxx.com">http://www.xxxxxxxx.com</a>
CS	Tímto Continental Automotive GmbH prohlašuje, že typ rádiového zařízení [designation of type of radio equipment] je v souladu se směrnicí 2014/53/EU. Úplné znění EU prohlášení o shodě je k dispozici na této internetové adrese: <a href="http://www.xxxxxxxx.com">http://www.xxxxxxxx.com</a>
DA	Hermed erklærer Continental Automotive GmbH, at radioudstyrstypen [designation of type of radio equipment] er i overensstemmelse med direktiv 2014/53/EU. EU-overensstemmelseserklæringens fulde tekst kan findes på følgende internetadresse: <a href="http://www.xxxxxxxx.com">http://www.xxxxxxxx.com</a>
DE	Hiermit erkläre Continental Automotive GmbH, dass der Funkanlagentyp [designation of type of radio equipment] der Richtlinie 2014/53/EU entspricht.
EL	Με την παρούσα ο/η Continental Automotive GmbH, δηλώνει ότι ο ραδιοεξοπλισμός [designation of type of radio equipment] πληροί την οδηγία
ES	Por la presente, Continental Automotive GmbH declara que el tipo de equipo radioeléctrico [designation of type of radio equipment] es conforme con
ET	Käesolevaga deklareerib Continental Automotive GmbH, et käesolev raadioseadme tüüp [designation of type of radio equipment] vastab direktiivi
FI	Continental Automotive GmbH vakuuttaa, että radiolaitetyypin [designation of type of radio equipment] on direktiivin 2014/53/EU mukainen. EU-
FR	Le soussigné, Continental Automotive GmbH, déclare que l'équipement radioélectrique du type [designation of type of radio equipment] est conforme à la directive 2014/53/UE. Le texte complet de la déclaration UE de conformité est disponible à l'adresse internet suivante: <a href="http://www.xxxxxxxx.com">http://www.xxxxxxxx.com</a>
HR	Continental Automotive GmbH ovime izjavljuje da je radijska oprema tipa [designation of type of radio equipment] u skladu s Direktivom 2014/53/EU. Cjeloviti tekst EU izjave o sukladnosti dostupan je na sljedećoj internetskoj adresi: <a href="http://www.xxxxxxxx.com">http://www.xxxxxxxx.com</a>
HU	Continental Automotive GmbH igazolja, hogy a [designation of type of radio equipment] típusú rádióberendezés megfelel a 2014/53/EU irányelvnek.
IT	Il fabbricante, Continental Automotive GmbH, dichiara che il tipo di apparecchiatura radio [designation of type of radio equipment] è conforme alla direttiva 2014/53/UE. Il testo completo della dichiarazione di conformità UE è disponibile al seguente indirizzo Internet: <a href="http://www.xxxxxxxx.com">http://www.xxxxxxxx.com</a>
LT	Aš, Continental Automotive GmbH, patvirtinu, kad radijo įrenginių tipas [designation of type of radio equipment] atitinka Direktyvą 2014/53/ES. Visas ES atitikties deklaracijos tekstas prieinamas šiuo interneto adresu: <a href="http://www.xxxxxxxx.com">http://www.xxxxxxxx.com</a>
LV	Ar šo Continental Automotive GmbH deklarē, ka radioiekārta [designation of type of radio equipment] atbilst Direktīvai 2014/53/ES. Pilns ES atbilstības deklarācijas teksts ir pieejams šādā interneta vietnē: <a href="http://www.xxxxxxxx.com">http://www.xxxxxxxx.com</a>
MT	B'dan, Continental Automotive GmbH, niddikjara li dan it-tip ta' taghmir tar-radju [designation of type of radio equipment] huwa konformi mad-Direttiva 2014/53/UE. It-test kollu tad-dikjarazzjoni ta' konformità tal-UE huwa disponibbli f'dan l-indirizz tal-Internet li ġej: <a href="http://www.xxxxxxxx.com">http://www.xxxxxxxx.com</a>
NL	Hierbij verklaar ik, Continental Automotive GmbH, dat het type radioapparatuur [designation of type of radio equipment] conform is met Richtlijn 2014/53/EU. De volledige tekst van de EU-conformiteitsverklaring kan worden geraadpleegd op het volgende internetadres: <a href="http://www.xxxxxxxx.com">http://www.xxxxxxxx.com</a>
PL	Continental Automotive GmbH niniejszym oświadcza, że typ urządzenia radiowego [designation of type of radio equipment] jest zgodny z dyrektywą 2014/53/UE. Pełny tekst deklaracji zgodności UE jest dostępny pod następującym adresem internetowym: <a href="http://www.xxxxxxxx.com">http://www.xxxxxxxx.com</a>
PT	O(a) abaixo assinado(a) Continental Automotive GmbH declara que o presente tipo de equipamento de rádio [designation of type of radio equipment] está em conformidade com a Diretiva 2014/53/UE. O texto integral da declaração de conformidade está disponível no seguinte endereço de Internet: <a href="http://www.xxxxxxxx.com">http://www.xxxxxxxx.com</a>
RO	Prin prezenta, Continental Automotive GmbH declară că tipul de echipamente radio [designation of type of radio equipment] este în conformitate cu Directiva 2014/53/UE. Textul integral al declarației UE de conformitate este disponibil la următoarea adresă internet: <a href="http://www.xxxxxxxx.com">http://www.xxxxxxxx.com</a>
SK	Continental Automotive GmbH týmto vyhlasuje, že rádiové zariadenie typu [designation of type of radio equipment] je v súlade so smernicou 2014/53/EÚ. Úplné EÚ vyhlásenie o zhode je k dispozícii na tejto internetovej adrese: <a href="http://www.xxxxxxxx.com">http://www.xxxxxxxx.com</a>
SL	Continental Automotive GmbH potrjuje, da je tip radijske opreme [designation of type of radio equipment] skladen z Direktivo 2014/53/EU. Celotno besedilo izjave EU o skladnosti je na voljo na naslednjem spletnem naslovu: <a href="http://www.xxxxxxxx.com">http://www.xxxxxxxx.com</a>
SV	Härmed försäkrar Continental Automotive GmbH att denna typ av radioutrustning [designation of type of radio equipment] överensstämmer med direktiv 2014/53/EU. Den fullständiga texten till EU-försäkran om överensstämmelse finns på följande webbadress: <a href="http://www.xxxxxxxx.com">http://www.xxxxxxxx.com</a>

**Artikel 18 EU-Konformitätserklärung**

(1)Die EU-Konformitätserklärung besagt, dass die Erfüllung der in Artikel 3 aufgeführten grundlegenden Anforderungen nachgewiesen wurde.

(2)Die EU-Konformitätserklärung entspricht in ihrem Aufbau dem Muster in Anhang VI, enthält die in diesem Anhang aufgeführten Elemente und wird stets auf dem aktuellen Stand gehalten. Sie wird in die Amtssprache bzw. Amtssprachen übersetzt, die der Mitgliedstaat vorschreibt, in dem die Funkanlage in Verkehr gebracht wird oder auf dem Markt bereitgestellt wird. Die vereinfachte EU-Konformitätserklärung gemäß Artikel 10 Absatz 9 enthält die in Anhang VII aufgeführten Elemente und wird stets auf dem aktuellen Stand gehalten. Sie wird in die Amtssprache bzw. Amtssprachen übersetzt, die der Mitgliedstaat vorschreibt, in dem die Funkanlage in Verkehr gebracht oder auf dem Markt bereitgestellt wird. Der über eine in der vereinfachten EU-Konformitätserklärung angegebenen Internetadresse erhältliche vollständige Text der EU-Konformitätserklärung steht in der Amtssprache oder den Amtssprachen zur Verfügung, die der Mitgliedstaat vorschreibt, in dem die Funkanlage in Verkehr gebracht oder auf dem Markt bereitgestellt wird.

\*Ukraine      Ukrainian Declation of Conformity is attached in the Ukraine certificate (last page)



The DoC (Ukrainian, in full or short form) or a reference to it, e.g. as weblink, must be part of the user manual.

The user manual must be provided in Ukrainian. Beside common values (manufacturer name, address, model name), operational frequency range and max. power output power must be mentioned in Ukrainian as well as a local contact for the national warranty services.

**Example:**

ОРГАН З ОЦІНКИ ВІДПОВІДНОСТІ «ОМЕГА»  
CONFORMITY ASSESSMENT BODY «OMEGA»  
**СЕРТИФІКАТ ЕКСПЕРТИЗИ ТИПУ**  
TYPE EXAMINATION CERTIFICATE

№ 0992

Серія СТ

**Зареєстровано  
в реєстрі ООВ за №**

UA.TR.109.R.0425-18

*Registered at the Record of CAB under №*

**Термін дії з\***

23 листопада 2018 р.

*Term of validity is from*

**Сертифікат видано**

«Continental Automotive GmbH»

*Certificate is issued on*

(VDO-Strasse 1, 64832 Babenhausen, Germany/Німеччина)

**Продукція**

Панель приладів (Instrument cluster) з функцією іммобілайзера  
125 кГц т.м. «VW AG» моделі 17101054

*Production*

**Відповідає**

- суттєвим вимогам п.п. 6-8 Технічного регламенту радіобладнання,  
затвердженого Постановою КМ України від 24.05.2017 №355;  
- Узагальненим умовам застосування PI 45-1 (схвалені Рішенням  
НКРЗІ від 12.01.2012 №18)

*Comply with the requirements*

**Виробник**

«Continental Automotive GmbH»

*Manufacturer*

(VDO-Strasse 1, 64832 Babenhausen, Germany/Німеччина)

**Місце виробництва**

«Continental Automotive Czech Republic s.r.o» (Prumyslova 1851,  
25001 Brandys nad Labem, Czech Republic/Чеська Республіка)

*Place of production*

**Орган з оцінки  
відповідності**

«ОМЕГА» ТОВ «ВЦ «ОМЕГА», реєстраційний номер №UA.TR.109,  
за наказом Мінекономрозвитку від 16.03.2018 №367  
Рішення НКРЗІ від 03.04.2018 №192 про уповноваження та атестат  
про акредитацію НААУ №10283  
(03186, м. Київ, вул. Антонова, 5, офіс 714, тел.: +38 044 248 0411)

*Conformity assessment body*

**Підстава**

Звіт про оцінювання ООВ «ОМЕГА» від 23.11.2018 р. №0425-18

*The grounds*

**Додаткова інформація /  
обмеження**

Технічні характеристики та умови експлуатації наведені у додатку,  
який є невід'ємною частиною цього сертифікату

*Additional information / limitations*

\* Сертифікат є чинним, якщо його дію не скасовано та зазначені у додатку умови виконуються.


Сертифікат втрачає чинність у разі внесення виробником будь-яких змін до технічної документації або обладнання, про що не було повідомлено та узгоджено з ООВ «ОМЕГА».

The certificate is valid till it's not cancelled and the conditions specified in the annex are fulfilled.

This certificate will not be valid if the manufacturer makes any changes or modifications to the technical documentation or equipment, which have not been notified to, and agreed with CAB «OMEGA».



















example of short version









Manufacturer: Виробник:	""Continental Automotive GmbH" « <b>kyrillisch</b> »	
Address: Адреса	VDO-STR. 1 64832 Babenhausen, Germany <b>kyrillisch</b> »Германия.	
Model: Тип (модель):	17101001 комбі інструмент 125KHz технологія з іммобілайзером	
Operation frequency range/ Maximum output power: смуга радіочастот/ максимальна потужність випромінювання:	125KHz <b>xxxxГГц</b>	
WARRANTY: Гарантійне та післягарантійне обслуговування здійснює:	""Continental Automotive GmbH" , VDO-STR. 1 64832 Babenhausen, Germany  <b>kyrillisch</b> »Германия.	
Цим "" Continental Automotive GmbH "" заявляє, що тип радіообладнання: пристій автомобільний мультимедійний моделі <b>17101001</b> , з обладнанням Bluetooth, відповідає Технічному регламенту радіообладнання; повний текст декларації про відповідність доступний на веб-сайті за такою адресою: <a href="https://continental-automotive.com">https://continental-automotive.com</a>		



**FPK Entry - WFS 5a**  
Affected car partnumber see below marking table.

[illegible]













Europe	mandatory	 <p>European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / <math>\sqrt{2}</math> x I<sub>eff</sub> max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / <math>\sqrt{2}</math> x I<sub>eff</sub> max 111mA = 3,728 W</p> <p>Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120</p> <p>"Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</p>	Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).	RED DoC - available / Test Reports - available	 <p>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</p>	
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	yes	NCA APPROVED: BR3-1M-GE2-0AF	
Indonesia	mandatory		<p>Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.</p> <p>The frame is not required.</p> <p>Label and QR Code ( that is on the Certificate ) must be printed on the product.</p> <p>The product label photo must be uploaded within 30days after the certificate issued</p>	yes	<p>BBU 56625/SDPPI/2018 7708</p> 	<p>BDY 62638/SDPPI/2019 4334</p> 
Jordan	mandatory if not on device	T/4/XX/XX/XXXX	Replace T/4/XX/XX/XXXX by the numbers which will be given by the Jordanian authority.	yes		
Kazakhstan	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues		
Kyrgyz Republic	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues		
Malaysia	mandatory		<p>The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.</p> <p>Replace ABCD12345678 with the HIDF1500019 (Malayian Agency no.)</p>	yes, Approval no. RAAV/85A/0618/S/(18-2242)		
Mexico	mandatory	<p>IFT: XXXXXXX18-XXXX</p> <p>La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.</p>	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	RLVVW1718-1170	
Moldavia	mandatory		<p>Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification</p> <p>May be enlarged &amp; minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm</p> 	yes		
Morocco	mandatory if not on device	<p>AGREE PAR L'ANRT MAROC</p> <p>Numéro d'agrément: MR XXXXX ANRT YEAR Date d'agrément: DD/MM/YYYY</p>	<p>Insert the number and date which will be given by the Moroccan authority</p> <p>The frame is not required.</p>	yes	MR 16657 ANRT 2018 23.05.2018	

Nigeria	mandatory	<div> <div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div> </div>		yes	<div> <div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div> </div>	
Oman	mandatory	<div> <div>OMAN - TRA</div> <div>X/NNNN/YY</div> <div>Dyynnnn</div> </div>	<p>Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.</p> <p>Black&amp;white label in the manual is possible.</p> <p>The frame is not required.</p>	yes	<div> <div>R/6166/18</div> <div>D100428</div> </div>	
Russia	mandatory	<div>   </div>	<p>For dark background use white letters and for light background use black letters</p>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues		
Serbia	mandatory if not on device	<div>  </div>	<p>European CE label + Serbian label required.</p> <p>If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.</p> <p>Min size of triangle with authorized body and year is 5mm.</p> <p>Black&amp;white label in the manual is possible.</p> <p>The frame is not required.</p> 	yes		
Singapore	mandatory if not on device	<div> <div>Complies with</div> <div>IMDA Standards</div> <div>[Dealer's Licence No.]</div> </div>	<p>Label Size 17mm by 9mm</p> <p>Black&amp;white is possible.</p> <p>Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).</p>	yes		
South Korea	mandatory if not on device		<p>R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.</p> <p>Black&amp;white possible.</p>	yes		
Taiwan	mandatory	<div>  <div>XXXXZZXXZZZZXZ</div>  </div>	<p>Replace XXXXZZXXZZZZXZ by the number which will be given by the Taiwan authority.</p> <p>Z are numbers, X are letters</p> <p>NCC Warning statement needs to be printed in the user manual.</p> <p>Black&amp;white possible.</p>	yes	<div> <div>CCAL18LP1020T9</div>  </div>	
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	<div> <div>TRA</div> <div>REGISTERED No:</div> <div>ERZZZZZZ/ZZ</div> <div>DEALER No:</div> <div>DAZZZZZZ/ZZ</div> </div>	<p>Label is optional on device, because it is mounted.</p> <p>Minimum font size of 1mm is possible.</p> <p>The frame is not required.</p> <p>Black&amp;white is possible.</p> <p>Replace nnnnnnnnnn by the registration number allocated by the TRA (=the UAE authority) for this equipment.</p> <p>Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.</p>	yes		
Ukraine	mandatory		<p>Add (Link to) Ukrainian Declaration of Conformity -&gt; Certificate No. 0781</p>	yes		













Status: 31.05.2020

FPK Entry - WFS 5c  
Affected car partnumber see below marking table.

	Marking in car manual			Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Replace Place Holder
Country	Obligation	Marking	Comments		Bundle 17101002
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	17101002
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual Replace XX-9999 by a number which will be given by the Argentinian authority. Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm) If the number has only one letter, the blank will be placed at the end of the number Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	yes	H-21902
Armenia	mandatory		For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Belarus	mandatory		For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Botswana	mandatory		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances. "renew" to be substituted by the Botswana certification number, e.g. BOCRA/TA20171234	yes	BOCRA/TA20203891
Brazil	mandatory	Modelo XXXXX  Abandono à Regulamentação Anatel Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados. Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicáveis. Para maiores informações, consulte o site da ANATEL: www.anatel.gov.br	Replace XXXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits) Replace 0HHHH-AA-OFFFF by a number which will be given by the Brazilian authority. Black&white approach is recommend since colour versions needs ANATEL's permission.	yes	Modelo 17101002 03834-18-06353
Brunei	mandatory		The importer needs to buy this label which has to be implemented in car manual	yes, Certificate No: DTA-051981 Dealer Licence Reference: DRQ-D-MAJU-62-2011-111083	
Canada	mandatory	IC: 23650-XXXXXXX 	The number "23650-" is the Continental Babenhausen Registration Number for Canada. Replace XXXXXXXX by Continental Radio Homologation Number.	yes	IC: 23650-17101002 
Cape Verde					
Cayman Islands					
Central African Republic					
Chad					
Chile					
China					
Colombia					
Comoros					
Costa Rica					
Cote d'Ivoire					
Cuba					
Czechia					
Czech Republic					
Denmark					
Djibouti					
Dominica					
Dominican Rep.					
Ecuador					
Egypt					
El Salvador					
Equatorial Guinea					
Estonia					
Ethiopia					
Europe	mandatory	 European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 127 kHz Output Power: (max. transmission power) Immobilizer type 3: 4, 5u: 95 V peak-to-peak / 2 / 5µm(2) x left max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / 5µm(2) x left max 111mA = 3,728 W Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120  "Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"	Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).	RED DoC	  Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC
Fiji					
Finland					
France					
French Guiana					
French Polynesia					
Gabon					
Gambia					
GB & North Ireland					
Georgia					
Germany					
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation no.	yes	NCA APPROVED: BR3-1M-GE2-080
Gibraltar					
Greece					
Guadeloupe					
Guatemala					



Guyana						
Haiti						
Honduras						
Hong Kong						
Hungary						
India						
Indonesia	mandatory	<div>(Certificate Number) (PLG ID Number) Label format  12345NDFF12011 1234 Example</div>	Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.  The frame is not required.  Label and QR Code ( that is on the Certificate ) must be printed on the product.  The product label photo must be uploaded within 30days after the certificate issued	yes	BBU 57406/SOPPI/2018 7708	<div>BDY 62637/ICPP/2019 4334</div> <div></div>
Iran						
Ireland						
Israel						
Italy						
Ivory Coast						
Jamaica						
Japan						
Jordan	mandatory if not on device	T40XXXXXXXX	Replace T40XXXXXXXX by the numbers which will be given by the Jordanian authority.	yes		
Kazakhstan	mandatory		For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues		
Kenya						
Kuwait						
Kyrgyz Republic	mandatory		For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues		
Laos						
Latvia						
Lebanon						
Lesotho						
Liberia						
Libya						
Lithuania						
Luxembourg						
Madagascar						
Malawi						
Malaysia	mandatory		The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.  Replace ABCD 12345678 with the H0F1500019 (Malaysian Agency no.)	yes. Approval no. RAA/184/0618/18-0241)		
Mali						
Malta						
Martinique						
Mauritania						
Mauritius						
Mayotte						
Mexico	mandatory	IFT: XXXXXXX18-XXXX  La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	RLVW1718-1092	
Moldova	mandatory		Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification  May be enlarged & minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm 	yes		
Mongolia						
Montenegro						
Morocco	mandatory if not on device	AGREE PAR L'ANRT MAROC Numéro d'agrément: MR XXXXX ANRT YEAR Date d'agrément: DDMM/YYYY	Insert the number and date which will be given by the Moroccan authority.  The frame is not required.	yes	MR 16606 ANRT 2018 17.05.2018	
New Caledonia			Tbd.: Which marking is required if OEM is not FCAI member?	no		
New Zealand			Tbd.: Which marking is required if OEM is not FCAI member?	no		
Nigeria	mandatory	<div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div>		yes	<div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div>	
Oman	mandatory	<div>OMAN - TRA X/NNNNYY Dyynnnn</div> <div>OMAN - TRA R/5725/18 D100428</div>	Replace XXXNNNYY and Dyynnn by the numbers which will be given by the Oman authority.  Black&white label in the manual is possible.  The frame is not required.	yes. Approval no: TRA/TA-R/5725/18	R/5725/18 D100428	
Pakistan						
Palau						
Panama						
Papua New Guinea						
Paraguay						
Peru						
Philippines						
Poland						
Portugal						

Puerto Rico Qatar Rouman Romania					
Russia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Rwanda					
Saint Lucia Saint-Barthelemy Saint-Martin (french part) São Tomé und Príncipe Saudi Arabia Senegal					
Serbia	mandatory if not on device		European CE label + Section label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Section logo with the number needs to be printed on the device.  Min size of triangle with authorized body and year is 5mm.  Black/white label in the manual is possible.  The frame is not required.	yes	
Seychelles Sierra Leone					
Singapore	mandatory if not on device	Complies with IMDA Standards <a href="#">[Dealer's Licence No.]</a>	Label Size 17mm by 9mm  Black/white is possible.  Replace [Dealer's Licence No.] by DA1046B2 (which is the current local VW representative).	yes	
Slovakia Slovenia Somalia					
South Africa	logo is mandatory if it is not on device		The minimum size of the ICASA logo shall be 3 mm and the font size 1mm high.  The height to width ratio of the overall ICASA label must be 1:2.  Black/white logo is possible		
South Korea	mandatory if not on device		R CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black/white possible.	yes	
Spain Sri Lanka & Maldives Sudan Suriname Swaziland Sweden Switzerland Syria Tahiti					
Taiwan	mandatory	 	Replace XXXXZZXZZZXZ by the number which will be given by the Taiwanese authority Z are numbers, X are letters  NCC Warning statement needs to be printed in the user manual.  Black/white possible	yes	
Tajikistan Tanzania Thailand Togo Trinidad and Tobago Tunisia Turkey Turkmenistan					
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	TRA REGISTERED No: ERZZZZZZZZ DEALER No: DAAZZZZZZZZ	Label is optional on device, because it is mounted.  Minimum font size of 1mm is possible.  The frame is not required.  Black/white is possible.  Replace nnnnnnnnnnnn by the registration number allocated by the TRA (=the UAE authority) for this equipment.  Replace xxxxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.	yes	
Uganda Uruguay					
Ukraine	mandatory	FCC ID 2AOUZXXXXXXX	Add Link to Ukrainian Declaration of Conformity -> Certificate No. <b>0754</b>	yes	<b>FCC ID 2AOUZ17101002</b>
USA	mandatory	<p><b>Radio Frequency radiation exposure information:</b></p> <p>The equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm. The actual distance may vary depending on frequency or operating conditions with any other antenna or transmitter.</p> <p><b>Use equipment and antennas per limits of installation per appropriate IC labeling given on all equipment and antennas. Not recommended otherwise as it could cause an interference on 30 m or otherwise with a vehicle or equipment at close range.</b></p> <p><b>NOTICE:</b> This device complies with Part 15 of the FCC Rules and with Industry Canada Radiocommunication Act Regulations. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any such interference, including interference that may cause undesired operation.</p> <p><b>A product labeled with this symbol has been found to comply with applicable radio emission requirements on license-free frequencies and does not require a license.</b></p> <p><b>CAUTION:</b> Failure to follow instructions on handling, use, maintenance, and disposal may result in fire, explosion, or hazardous gas release.</p> <p><b>NOTICE:</b> Changes or modifications made to the equipment without approval by Continental Automotive Canada may void the FCC authorization to operate this equipment.</p>	FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.  Replace XXXXXXXX by the Continental radio homologation number, which will be given by the Continental radio homologation team.	yes	
Uzbekistan Venezuela					
Vietnam	mandatory if not on device		Minimum font size: 1mm  The frame is mandatory!  Replace Name by the local name of the representative company. "SunTech Vietnam"  Replace Code by the local representative company's code number . "C00090015"	yes	
Western Sahara Yemen					












Zambia	mandatory if not on device	 <b>ZICTA</b> ZMB/ZICTA/TA/YYYYMMDD	ZICTA minimum font size: 3mm and number 2mm. Replace 2011/n/xxxxxx by the number which will be given by the Zambian authority. Frame is not required. Black& white is possible.	yes	ZMB/ZICTA/TA/2018/8/38
Zimbabwe					
















Affected Part Numbers:

Vehicle (e.g. A1J326)	Customer part no. (e.g. 31A 920 790)
T-Roc, Jetta	17A 920 320
T-Roc	17A 920 320 A
Jetta	17A 920 420
Jetta	17A 920 420 A
T-Roc	17A 920 790 B
Jetta	17A 920 890 B
T_Cross MP21	22D 920 320
T_Cross MP20	22D 920 790 A
Polo, brasil Golf, T_cross	2G0 920 320
Polo, brasil Golf, T_cross	2G0 920 320 A
Polo	2G0 920 790
Polo	2G0 920 790 A
Polo, brasil Golf, T_cross	2G0 920 790 B
T-Roc	2G0 920 320
Tharu	2G0 920 320
Sagitar: T-Roc: A_SUV; Tharu: A_SUV COUPE	2G0 920 320 A
A-SUV PHEV	2G0 920 324
Sagitar	2G0 920 790 B
Passat (Ethernet Ersteinsetzer)	3G0 920 320
Passat PA, Arteon, Tiguan	3G0 920 320 A
T-Roc, Jetta	3G0 920 320 B
Passat (Ethernet Ersteinsetzer)	3G0 920 324
Passat Phew	3G0 920 324 A
Passat Phew	3G0 920 324 B
Jetta	3G0 920 420 A
Passat	3G0 920 420 A
Jetta	3G0 920 420 B
T-Roc, Jetta	3G0 920 790 E
Passat	3G0 920 890 E
Magotan MP20	3G8 920 320
Tiguan Coupe; Tiguan L family; CC; Magotan MP21; NMS NP	3G8 920 320 A
VW48L/D	3G8 920 324
Tiguan PHEV; NMS NP Phew; Magotan Phew MP21	3G8 920 324 A
B-SUV; B-SUV COUPE	3G8 920 790 B
B-SUV Coupe MP20	3G8 920 790A
Tiguan PHEV	3G8 920 794
Tiguan PHEV	3G8 920 794 A
Superb	3V0 920 790 C
Superb	3V0 920 790 D
Superb	3V0 920 790 E
Superb PHEV	3V0 920 794 A
Superb PHEV	3V0 920 794 B
Superb PHEV	3V0 920 794 C
Superb MP21	3V0 920 790 A
A-SUV Phew	3V0 920 794
Kodleng/Karog	365 920 790 B
Kodleng/Karog	365 920 790 C
Kodleng/Karog	365 920 790 D
A+ SUV MP20	365 920 790 A
SEK26-A+ SUV MP21	365 920 790 B
Cupra	375 920 321
LEON / A SUV	5F0 920 310
LEON / A SUV	5F0 920 320
LEON / A SUV	5F0 920 320 A
SEAT Ibiza	6F0 920 790 B
Seat	6F0 920 798 B
Ateca	6F1 920 320
Seat	6F1 920 790 A
Lamando PA	6G0 920 320
Lamando PA MP20	6G0 920 320 A
Rapid	654 920 790
Rapid	654 920 790 A
Rapid	654 920 790 B
Ibiza / SUV	6F0 920 310
Ibiza / SUV	6F0 920 320
Ibiza / SUV	6F0 920 320 A
Ibiza / SUV	6F0 920 790
Seat 270	6F0 920 790 A
Ibiza / SUV	6F0 920 798
Seat	6F0 920 798 A
TE	71A 920 320
TE	71A 920 320 A
A1	82A 920 700
A1	82A 920 700 A
A1	82A 920 700 B
A1	82A 920 710
A1	82A 920 710 A
A1	82A 920 710 B
A1	82A 920 700 D
A1	82A 920 710 D
Superb	3V0 920 790 G
Superb	3V0 920 794 E
Kodleng	365 920 790 F
SEK370/3 Rapid	654 920 790 D
A1	82A 920 700 D
A1	82A 920 710 D
Polo	2G0 920 320 B
T-Roc	17A 920 320 B
T-Roc	17A 920 420 B
TS P.A	71A 920 320 B
Passat	3G0 920 320 C
Passat	3G0 920 324 C
Passat	3G0 920 420 C
Ateca	575 920 321 A
Ateca	5F0 920 320 C
Ateca	5F0 920 310 C
Ibiza	6F0 920 320 B
Ibiza	6F0 920 310 B
Ibiza	6F1 920 320 A
Ibiza	6F1 920 310 A









Status: 31.05.2020



FPK Standard - WFS 5a  
Affected car partnumber see below marking table.

Country	Marking in car manual			Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Replace Place Holder
	Obligation	Marking	Comments		Bundle 17101010  FPK Standard - WFS 5a
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	17101010
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	yes	H-21961
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	yes	BOCRA/TA/2018/4129
Brazil	mandatory	Modelo XXXXXX  Atendimento à Regulação Anatel  Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.  Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados. Para maiores informações, consulte o site da ANATEL www.anatel.gov.br	Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace 0HHHH-AA-0FFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	yes	Modelo 17101010  05292-18-06353
Brunei	mandatory		The importeur needs to buy this label which has to be implemented in car manual	yes, Certificate No: DTA-001793 Dealer Licence Reference:DRQ-D-MAJU-02-2011-111083	
Canada	mandatory	<p>Radiofrequency radiation exposure information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm. between the handset and your body. The transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</p> <p>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</p> <p>NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada's RSS requirements. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.</p> <p>Le présent appareil est conforme aux CNR d'Industrie Canada relatives aux rayonnements radioélectriques. L'utilisation de cet appareil est soumise aux deux conditions suivantes: (1) L'appareil ne doit pas produire d'interférence; (2) L'appareil doit accepter toute interférence radioélectrique qu'il reçoit, même si elle provoque un fonctionnement indésirable de l'appareil.</p> <p>NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</p>	The number "23650-" is the Continental Babenhausen Registration Number for Canada.  Replace XXXXXXXX by Continental Radio Homologation Number.	yes	IC: 23650-17101010  

Europe	mandatory	 <p>European Union: Declaration of Conformity          Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment]          Technical information:          Frequency Band: 125 kHz          Output Power: (max, transmission power)          Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W          Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 111mA = 3,728 W</p> <p>Manufacturer: Continental Automotive GmbH          Address: VDO-Strasse 1, 64832 Babenhausen, Germany          Phone: +49 6073 120</p> <p>"Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</p>	Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).	RED DoC	 <p>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</p>
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	yes	
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	yes	NCA APPROVED: BR3-1M-GE2-0B4
Indonesia	mandatory	<div>(Certificate Number) (PLG ID Number) Label format</div> <div>12345/SDPPI/2011 1234</div> <div>Example</div> 	Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.  The frame is not required.  Label and QR Code ( that is on the Certificate ) must be printed on the product.  The product label photo must be uploaded within 30days after the certificate issued	yes	BDY 57647/SDPPI/2018 7708 
Kazakhstan	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Kyrgyz Republic	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Malaysia	mandatory		The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.  Replace ABCD12345678 with the HIDF1500019 (Malayian Agency no.)	yes, Approval No: RAA/Y/86A/0618/S(18-2378)	
Mexico	mandatory	IFT: XXXXXXX18-XXXX  La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	RLVW1718-1169
Moldavia	mandatory		Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification  May be enlarged & minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm 	yes	
Morocco	mandatory if not on device	AGREE PAR L'ANRT MAROC Numéro d'agrément: MR XXXXX ANRT YEAR Date d'agrément: DD/MM/YYYY	Insert the number and date which will be given by the Moroccan authority  The frame is not required.	yes	MR 16860 ANRT 2018 18.06.2018
Nigeria	mandatory	<div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div>		yes	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission



Oman	mandatory	<div> <div>OMAN - TRA</div> <div>X/NNNN/YY</div> <div>Dyynnnn</div> </div>	<p>Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.</p> <p>Black&amp;white label in the manual is possible.</p> <p>The frame is not required.</p>	yes	R/5772/18 D100428
Russia	mandatory	<div>   </div>	<p>For dark background use white letters and for light background use black letters</p>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Serbia	mandatory if not on device	<div>  </div>	<p>European CE label + Serbian label required.</p> <p>If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.</p> <p>Min size of triangle with authorized body and year is 5mm.</p> <p>Black&amp;white label in the manual is possible.</p> <p>The frame is not required.</p> 	yes	
Singapore	mandatory if not on device	<div> Complies with IMDA Standards [Dealer's Licence No.] </div>	<p>Label Size 17mm by 9mm</p> <p>Black&amp;white is possible.</p> <p>Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).</p>	yes	
South Korea	mandatory if not on device		<p>R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.</p> <p>Black&amp;white possible.</p>	yes	
Taiwan	mandatory	<div>  XXXXZZXXZZZZXZ <div>  </div> </div>	<p>Replace XXXXZZXXZZZXZ by the number which will be given by the Taiwan authority.</p> <p>Z are numbers, X are letters</p> <p>NCC Warning statement needs to be printed in the user manual.</p> <p>Black&amp;white possible.</p>	yes	CCAL18LP1030T2 <div>  </div>
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	<div> TRA REGISTERED No: ERZZZZZ/ZZ DEALER No: DAZZZZZ/ZZ </div>	<p>Label is optional on device, because it is mounted.</p> <p>Minimum font size of 1mm is possible.</p> <p>The frame is not required.</p> <p>Black&amp;white is possible.</p> <p>Replace nnnnnnnnnnn by the registration number allocated by the TRA (=the UAE authrity) for this equipment.</p> <p>Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.</p>	yes	
Ukraine	mandatory		<p>Add (Link to) Ukrainian Declaration of Conformity -&gt; Certificate No. 0816</p>	yes	









USA	mandatory	<p><b>Radiofrequency radiation exposure Information:</b>          This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body.          This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</p> <p><b>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un équipement sans contrôle. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</b></p> <p><b>NOTICE:</b>          This device complies with Part 15 of the FCC Rules and with Industry Canada <del>Radio</del> RSS standards.          Operation is subject to the following two conditions:          (1) this device may not cause harmful interference, and          (2) this device must accept any interference received, including interference that may cause undesired operation.</p> <p><b>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'utilisation est autorisée aux deux conditions suivantes:</b>          (1) l'appareil ne doit pas produire de brouillage, et          (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.</p> <p><b>NOTICE:</b>          Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</p>	<p>FCC ID 2A0UZ is BU ID BBU Grantee Code and always remain the same.</p> <p>Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.</p>	yes	<p>Before use, read the instructions for use and safety information. Do not use the device if you are pregnant or if you are taking medication. Do not use the device if you are under the influence of alcohol or drugs. Do not use the device if you are driving a vehicle.</p> <p>Avant utilisation, lisez les instructions d'utilisation et les informations de sécurité. Ne pas utiliser l'appareil si vous êtes enceinte ou si vous prenez des médicaments. Ne pas utiliser l'appareil si vous êtes sous l'influence d'alcool ou de drogues. Ne pas utiliser l'appareil si vous conduisez un véhicule.</p> <p>USE: The device is for use in the United States only. Do not use the device in any other country. Do not use the device in any other country.</p> <p>UTILISATION: L'appareil est destiné à l'utilisation aux États-Unis uniquement. Ne pas utiliser l'appareil dans n'importe quel autre pays. Ne pas utiliser l'appareil dans n'importe quel autre pays.</p> <p>NOTES: The device is not to be used in any other country. Do not use the device in any other country. Do not use the device in any other country.</p> <p>NOTES: L'appareil ne doit pas être utilisé dans n'importe quel autre pays. Ne pas utiliser l'appareil dans n'importe quel autre pays. Ne pas utiliser l'appareil dans n'importe quel autre pays.</p>
Vietnam	mandatory if not on device		<p>Minimum font size: 1mm</p> <p>The frame is mandatory!</p> <p>Replace Name by the local name of the representative company.          "SunTech Vietnam"</p> <p>Replace Code by the local representative company's code number.          "C00082015"</p>	yes	
Zambia	mandatory if not on device		<p>ZICTA minimum font size: 3mm and number: 2mm,</p> <p>Replace 201/x/xxxxxx by the number which will be given by the Zambian authority.</p> <p>Frame is not required.</p> <p>Black&amp; white is possible.</p>	yes	ZMB/ZICTA/TA/2018/8/39









Affected Part Numbers:	
Vehicle Short Text	Customer part no.
B-SUV	3CG 920 791
B-SUV	3CG 920 791 A
B-Suv	3CG 920 791 B
B-SUV	3CN 920 891 A
B-Suv	3CN 920 891 B
Passat	3G0 920 790 B
Passat	3G0 920 790 C
Passat	3G0 920 790 D
Passat	3G0 920 791 A
Passat	3G0 920 791 B
Passat	3G0 920 791 C
Passat	3G0 920 791 D
Passat	3G0 920 794
Passat	3G0 920 794 A
Passat	3G0 920 794 B
Passat	3G0 920 794 C
Passat	3G0 920 794 D
Passat	3G0 920 795 B
Passat	3G1 920 794 C
Passat	3G1 920 794 D
Passat	3G8 920 891
Passat	3G8 920 891 A
Golf	5G1 920 790
Golf	5G1 920 790 A
Golf	5G1 920 790 B
Golf	5G1 920 791
Golf	5G1 920 791 A
Golf	5G1 920 791 B
Golf	5G1 920 794
Golf	5G1 920 794 A
Golf	5G1 920 794 B
Golf	5G1 920 795
Golf	5G1 920 795 A
Golf	5G1 920 891 A
Golf	5G1 920 891 B
Golf	5G1 920 895 A
Golf	5G1 920 895 B
Golf	5GG 920 795
Tiguan	5NA 920 790
Tiguan	5NA 920 790 A
Tiguan	5NA 920 790 B
Tiguan	5NA 920 790 C
Tiguan	5NA 920 791
Tiguan	5NA 920 791 A
Tiguan	5NA 920 791 B
Tiguan	5NA 920 791 C
Tiguan	5NA 920 891 B
Tiguan	5NA 920 891 C








Status: 31.05.2020

FPK Standard - WFS 5a

Affected car partnumber see below marking table.

Marking in car manual					Replace Place Holder
Country	Obligation	Marking	Comments	Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Bundle <b>18031410</b> FPK Standard - WFS 5a
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	<b>18031410</b>
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	not required for this bundle	
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	not required for this bundle	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	not required for this bundle	
Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	not required for this bundle	
Brazil	mandatory	Atendimento à Regulação Anatel  Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.  Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados. Para maiores informações, consulte o site da ANATEL www.anatel.gov.br   Modelo XXXXXX 0HHHH-AA-0FFFF	Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace 0HHHH-AA-0FFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	not required for this bundle	
Brunei	mandatory		The importeur needs to buy this label which has to be implemented in car manual	not required for this bundle	

Canada	mandatory	<p>Radiofrequency radiation exposure information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</p> <p>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</p> <p>NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada <del>Radio</del>-emission RSS standards. Operator is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p> <p>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'utilisateur est avisé que: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.</p> <p>NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</p>	<p>The number "23650-" is the Continental Babenhausen Registration Number for Canada.</p> <p>Replace XXXXXXXX by Continental Radio Homologation Number.</p>	not required for this bundle	
Europe	mandatory	 <p>European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 111mA = 3,728 W</p> <p>Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120</p> <p>"Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</p>	<p>Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).</p>	RED DoC	 <p>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</p>
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.		
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	not required for this bundle	
Indonesia	mandatory	<p>(Certificate Number) (PLG ID Number) Label format</p> <p>12345/SDPPI/2011 1234 Example</p> 	<p>Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.</p> <p>The frame is not required.</p> <p>Label and QR Code ( that is on the Certificate ) must be printed on the product.</p> <p>The product label photo must be uploaded within 30days after the certificate issued</p>	not required for this bundle	
Kazakhstan	mandatory	 	For dark background use white letters and for light background use black letters	not required for this bundle	
Kyrgyz Republic	mandatory	 	For dark background use white letters and for light background use black letters	not required for this bundle	
Malaysia	mandatory	 <p>8 mm (minimum size)</p> <p>8 mm (minimum size)</p> <p>ABCD12345678</p>	<p>The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.</p> <p>Replace ABCD12345678 with the HIDF1500019 (Malayan Agency no.)</p>	not required for this bundle	











Mexico	mandatory	IFT: XXXXXXX18-XXXX  La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	not required for this bundle	
Moldavia	mandatory		Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification  May be enlarged & minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm 	not required for this bundle	
Morocco	mandatory if not on device	AGREE PAR L'ANRT MAROC Numéro d'agrément: MR XXXXX ANRT YEAR Date d'agrément: DD/MM/YYYY	Insert the number and date which will be given by the Moroccan authority  The frame is not required.	nein	
Nigeria	mandatory	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission		not required for this bundle	
Oman	mandatory	OMAN - TRA X/NNNN/YY Dyynnnn	Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.  Black&white label in the manual is possible.  The frame is not required.	not required for this bundle	
Russia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Serbia	mandatory if not on device		European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.  Min size of triangle with authorized body and year is 5mm.  Black&white label in the manual is possible.  The frame is not required. 		
Singapore	mandatory if not on device	Complies with IMDA Standards [Dealer's Licence No.]	Label Size 17mm by 9mm  Black&white is possible.  Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).		
South Korea	mandatory if not on device		R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&white possible.		























Status: 31.05.2020

Global G - Russia  
Affected car partnumber see below marking table.

	Marking in car manual			Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Replace Place Holder
Country	Obligation	Marking	Comments		Bundle 17101021  Global G - WFS 4c
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	17101021
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	not required for this bundle	
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	not required for this bundle	
Brazil	mandatory	Atendimento à Regulamentação Anatel   OHHHH-AA-0FFFF  Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.  Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados. Para maiores informações, consulte o site da ANATEL www.anatel.gov.br	Modelo XXXXXX  Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace OHHHH-AA-0FFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	not required for this bundle	
Brunei	mandatory		The importeur needs to buy this label which has to be impletented in car manual	not required for this bundle	

Canada	mandatory	<div>IC: 23650-XXXXXXX</div> <div><p>Radiofrequency radiation exposure information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</p><p>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</p></div> <div><p>NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada <del>Radio</del>-emission RSS standards. Operator is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p><p>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'utilisateur est avisé que: (1) l'appareil ne doit pas produire de brouillage, et (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.</p><p>NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</p></div>	<div>The number "23650-" is the Continental Babenhausen Registration Number for Canada.</div> <div>Replace XXXXXXXX by Continental Radio Homologation Number.</div>	not required for this bundle	
Europe	mandatory	<div></div> <div><p>European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 111mA = 3,728 W</p><p>Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120</p></div> <div>"Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</div>	<div>Please reaphance the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).</div>	RED DoC	<div></div> <div><p>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</p></div>
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	not required for this bundle	
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	not required for this bundle	
Indonesia	mandatory	<div><div>(Certificate Number) (PLG ID Number) Label format</div><div>12345/SDPPI/2011 1234 Example</div><div></div></div>	<div>Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.</div> <div>The frame is not required.</div> <div>Label and QR Code ( that is on the Certificate ) must be printed on the product.</div> <div>The product label photo must be uploaded within 30days after the certificate issued</div>	not required for this bundle	
Kazakhstan	mandatory	<div></div>	<div>For dark background use white letters and for light background use black letters</div>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Kyrgyz Republic	mandatory	<div></div>	<div>For dark background use white letters and for light background use black letters</div>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Malaysia	mandatory	<div></div>	<div>The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.</div> <div>Replace ABCD12345678 with the HIDF1500019 (Malayan Agency no.)</div>	not required for this bundle	









Mexico	mandatory	IFT: XXXXXXX18-XXXX  La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	not required for this bundle	
Moldavia	mandatory	 024	Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification  May be enlarged & minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm 	yes	 024
Morocco	mandatory if not on device	AGREE PAR L'ANRT MAROC Numéro d'agrément: MR XXXXX ANRT YEAR Date d'agrément: DD/MM/YYYY	Insert the number and date which will be given by the Moroccan authority  The frame is not required.	nein	
Nigeria	mandatory	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission		not required for this bundle	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission
Oman	mandatory	OMAN - TRA X/NNNN/YY Dyynnnn	Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.  Black&white label in the manual is possible.  The frame is not required.	not required for this bundle	
Russia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Serbia	mandatory if not on device	 H005 YY	European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.  Min size of triangle with authorized body and year is 5mm.  Black&white label in the manual is possible.  The frame is not required. 	not required for this bundle	
Singapore	mandatory if not on device	Complies with IMDA Standards [Dealer's Licence No.]	Label Size 17mm by 9mm  Black&white is possible.  Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).	not required for this bundle	
South Korea	mandatory if not on device		R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&white possible.	not required for this bundle	


























Status: 31.05.2020

Global G  
Affected car partnumber see below marking table.

	Marking in car manual			Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Replace Place Holder
Country	Obligation	Marking	Comments		Bundle <b>17101022</b>  Global G - WFS 4c
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	<b>17101022</b>
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	yes	<b>H-22524</b>
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	not required for this bundle	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	not required for this bundle	
Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	yes	BOCRA/TA/2020/5158
Brazil	mandatory	Modelo XXXXXX  Atendimento à Regulamentação Anatel  Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.  Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados. Para maiores informações, consulte o site da ANATEL www.anatel.gov.br	Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace 0HHHH-AA-0FFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	not required for this bundle	
Brunei	mandatory		The importeur needs to buy this label which has to be impletmed in car manual	not required for this bundle	

Canada	mandatory	<p>IC: 23650-XXXXXXX</p> <p><small>Radiofrequency radiation exposure information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</small></p> <p><small>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</small></p> <p><small>NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada (Bonne-emploi RSS) standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</small></p> <p><small>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'utilisation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.</small></p> <p><small>NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</small></p>	<p>The number "23650-" is the Continental Babenhausen Registration Number for Canada.</p> <p>Replace XXXXXXXX by Continental Radio Homologation Number.</p>	not required for this bundle	
Europe	mandatory	 <p>European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 111mA = 3,728 W</p> <p>Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120</p> <p>"Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</p>	<p>Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).</p>	RED DoC	 <p>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</p>
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	not required for this bundle	
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	yes	NCA APPROVED: BR3-1M-GE2-10A
Indonesia	mandatory	<p>(Certificate Number) (PLG ID Number) Label format</p> <p>12345/SDPPI/2011 1234 Example</p> 	<p>Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.</p> <p>The frame is not required.</p> <p>Label and QR Code ( that is on the Certificate ) must be printed on the product.</p> <p>The product label photo must be uploaded within 30days after the certificate issued</p>	yes	<p>WHU 63162/SDPPI/2019 4334</p> 
Kazakhstan	mandatory	 	For dark background use white letters and for light background use black letters	not required for this bundle	
Kyrgyz Republic	mandatory	 	For dark background use white letters and for light background use black letters	not required for this bundle	
Malaysia	mandatory		<p>The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.</p> <p>Replace ABCD12345678 with the HIDF1500019 (Malayan Agency no.)</p>	<p>yes, Approval no. RFCL/26A/0918/S(18-3810)</p>	








Mexico	mandatory	IFT: XXXXXXX18-XXXX  La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	RLVW1718-1789
Moldavia	mandatory		Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification  May be enlarged & minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm 	not required for this bundle	
Morocco	mandatory if not on device	AGREE PAR L'ANRT MAROC Numéro d'agrément: MR XXXXX ANRT YEAR Date d'agrément: DD/MM/YYYY	Insert the number and date which will be given by the Moroccan authority  The frame is not required.	not required for this bundle	
Nigeria	mandatory	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission		yes	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission
Oman	mandatory	OMAN - TRA X/NNNN/YY Dyynnnn	Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.  Black&white label in the manual is possible.  The frame is not required.	not required for this bundle	
Russia	mandatory	 	For dark background use white letters and for light background use black letters	not required for this bundle	
Serbia	mandatory if not on device		European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.  Min size of triangle with authorized body and year is 5mm.  Black&white label in the manual is possible.  The frame is not required. 	not required for this bundle	
Singapore	mandatory if not on device	Complies with IMDA Standards [Dealer's Licence No.]	Label Size 17mm by 9mm  Black&white is possible.  Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).	yes	
South Korea	mandatory if not on device		R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&white possible.	not required for this bundle	











Taiwan	mandatory		Replace XXXXZZXZZZZXZ by the number which will be given by the Taiwan authority. Z are numbers, X are letters  NCC Warning statement needs to be printed in the user manual.  Black&white possible.	yes	CCAL18LP1730T1 
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	TRA REGISTERED No: ERZZZZZZ DEALER No: DAZZZZZZ	Label is optional on device, because it is mounted.  Minimum font size of 1mm is possible.  The frame is not required.  Black&white is possible.  Replace nnnnnnnnnn by the registration number allocated by the TRA (=the UAE authority) for this equipment.  Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.	not required for this bundle	
Ukraine	mandatory		Add (Link to) Ukrainian Declaration of Conformity -> Certificate No. XXXX	not required for this bundle	
USA	mandatory	FCC ID 2AOUZXXXXXXX  <i>Radiofrequency radiation exposure Information:</i> This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.  <i>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</i>  <b>NOTICE:</b> This device complies with Part 15 of the FCC Rules and with Industry Canada licence-exempt RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  <i>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:</i> (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.  <b>NOTICE:</b> Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.	FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.  Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.	yes	FCC ID 2AOUZ17101022 
Vietnam	mandatory if not on device		Minimum font size: 1mm  The frame is mandatory!  Replace Name by the local name of the representative company. "SunTech Vietnam"  Replace Code by the local representative company's code number "C00082015"	yes	
Zambia	mandatory if not on device		ZICTA minimum font size: 3mm and number:2mm,  Replace 201/x/xxxxxx by the number which will be given by the Zambian authority.  Frame is not required.  Black& white is possible.	yes	ZMB/ZICTA/TA/2018/10/15

<b>Affected Part Numbers:</b>	
<b>Vehicle Short Text</b>	<b>Customer part no.</b>
Santana NF	34D 920 850 D
Lavida GP	18D 920 850 B
Lavida GP	18D 920 860 B
Polo GP	6RD 920 850 K
Polo GP	6RD 920 860 L
Jetta	31G 920 850 D
Jetta_GP	31G 920 850 F
Polo	6RF 920 861 E
Lavida GP	18D 920 870 B
Santana Redesign	34D 920 850 D
Polo GP Redesign	6RD 920 860 K
Jetta GP Redesign	31G 920 850 E
Polo Redesign	6RF 920 861 D
Polo	6RF 920 861 F
Lavida GP	18D 920 850 B
Lavida GP	18D 920 870 B










Status: 31.05.2020



Global G  
Affected car partnumber see below marking table.

	Marking in car manual			Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Replace Place Holder
Country	Obligation	Marking	Comments		Bundle 17101023  Global G - WFS 4c
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	17101023
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	yes	H-22382
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	not required for this bundle	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	not required for this bundle	
Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	yes	BOCRA/TA/2020/5159
Brazil	mandatory	Modelo XXXXXX  OHHHH-AA-0FFFF  Atendimento à Regulamentação Anatel  Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.  Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados. Para maiores informações, consulte o site da ANATEL www.anatel.gov.br	Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace OHHHH-AA-0FFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	not required for this bundle	
Brunei	mandatory		The importeur needs to buy this label which has to be implemented in car manual	not required for this bundle	

Canada	mandatory	<p>IC: 23650-XXXXXXX</p> <p><b>Radiofrequency radiation exposure information:</b> This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 22 cm, between the antenna and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</p> <p><b>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 22 cm de distance entre la source de rayonnement et votre corps.</b></p> <p><b>NOTICE:</b> This device complies with Part 15 of the FCC Rules and with Industry Canada (Industrie) RSS standards. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.</p> <p><b>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:</b> (1) L'appareil ne doit pas occasionner d'interférence; (2) L'appareil ne doit pas accepter toute interférence radioélectrique, y compris celle qui peut causer un fonctionnement indésirable de l'appareil.</p> <p><b>NOTICE:</b> Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</p>	<p>The number "23650-" is the Continental Babenhausen Registration Number for Canada.</p> <p>Replace XXXXXXXX by Continental Radio Homologation Number.</p>	not required for this bundle	
Europe	mandatory	<p></p> <p>European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 11mA = 3,728 W</p> <p>Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120</p> <p>"Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</p>	<p>Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).</p>	RED DoC	<p></p> <p>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</p>
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	not required for this bundle	
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	yes	NCA APPROVED: BR3-1M-GE2-10B
Indonesia	mandatory	<p>(Certificate Number) (PLG ID Number) Label format</p> <p>12345/SDPPI/2011 1234 Example</p> 	<p>Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.</p> <p>The frame is not required.</p> <p>Label and QR Code ( that is on the Certificate ) must be printed on the product.</p> <p>The product label photo must be uploaded within 30days after the certificate issued</p>	yes	<p>WHU 63161/SDPPI/2019 4334</p> 
Kazakhstan	mandatory	 	For dark background use white letters and for light background use black letters	not required for this bundle	
Kyrgyz Republic	mandatory	 	For dark background use white letters and for light background use black letters	not required for this bundle	
Malaysia	mandatory		<p>The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.</p> <p>Replace ABCD12345678 with the HIDF1500019 (Malayian Agency no.)</p>	yes, Approval no. RFCL/27A/0918/S(18-3812)	
Mexico	mandatory	<p>IFT: XXXXXXX18-XXXX</p> <p>La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.</p>	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	RLVWV1718-1790



Moldavia	mandatory		<p>Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification</p> <p>May be enlarged &amp; minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm</p> 	not required for this bundle	
Morocco	mandatory if not on device	<p>AGREE PAR L'ANRT MAROC</p> <p>Numéro d'agrément: <a href="#">MR XXXXX ANRT YEAR</a> Date d'agrément: <a href="#">DD/MM/YYYY</a></p>	<p>Insert the number and date which will be given by the Moroccan authority</p> <p>The frame is not required.</p>	not required for this bundle	
Nigeria	mandatory	<div> <p>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</p> </div>		yes	<p>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</p>
Oman	mandatory	<div> <p>OMAN - TRA</p> <p><a href="#">X/NNNN/YY</a> <a href="#">Dyynnnn</a></p> </div>	<p>Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.</p> <p>Black&amp;white label in the manual is possible.</p> <p>The frame is not required.</p>	not required for this bundle	
Russia	mandatory	 	<p>For dark background use white letters and for light background use black letters</p>	not required for this bundle	
Serbia	mandatory if not on device		<p>European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.</p> <p>Min size of triangle with authorized body and year is 5mm.</p> <p>Black&amp;white label in the manual is possible.</p> <p>The frame is not required.</p> 	not required for this bundle	
Singapore	mandatory if not on device	<p>Complies with IMDA Standards <a href="#">[Dealer's Licence No.]</a></p>	<p>Label Size 17mm by 9mm</p> <p>Black&amp;white is possible.</p> <p>Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).</p>	yes	
South Korea	mandatory if not on device		<p>R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.</p> <p>Black&amp;white possible.</p>	not required for this bundle	
Taiwan	mandatory	 	<p>Replace XXXXZZXXZZZXZ by the number which will be given by the Taiwan authority. Z are numbers, X are letters</p> <p>NCC Warning statement needs to be printed in the user manual.</p> <p>Black&amp;white possible.</p>	yes	<p>CCAL18LP1740T4</p> 











UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	<div>TRA REGISTERED No: ERZZZZ/ZZ DEALER No: DAZZZZ/ZZ</div>	<div>Label is optional on device, because it is mounted.</div> <div>Minimum font size of 1mm is possible.</div> <div>The frame is not required.</div> <div>Black&amp;white is possible.</div> <div>Replace nnnnnnnnnnn by the registration number allocated by the TRA (=the UAE authrity) for this equipment.</div> <div>Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.</div>	not required for this bundle	
Ukraine	mandatory	FCC ID 2AOUZXXXXXXX	Add (Link to) Ukrainian Declaration of Conformity -> Certificate No. <b>XXXX</b>	not required for this bundle	
USA	mandatory	<div>Radiofrequency radiation exposure information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</div> <div>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</div> <div>NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada <del>licence</del> exempt RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</div> <div>Le présent appareil est conforme aux NBR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.</div> <div>NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment</div>	<div>FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.</div> <div>Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.</div>	yes	<div>Autopark est conforme aux limites d'exposition aux rayonnements électromagnétiques établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</div> <div>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</div> <div>NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada <del>licence</del> exempt RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</div> <div>Le présent appareil est conforme aux NBR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.</div> <div>NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment</div>
Vietnam	mandatory if not on device	<div></div> <div>Mark 2 - Mark Name on this side also top and</div> <div>Chữ viết A - 1,2,3 B - 1,2,3,4 C - 1,2,3,4</div>	<div>Minimum font size: 1mm</div> <div>The frame is mandatory!</div> <div>Replace Name by the local name of the representative company. "SunTech Vietnam"</div> <div>Replace Code by the local representative company's code number . "C00082015"</div>	yes	
Zambia	mandatory if not on device	<div></div> <div>ZMB/ZICTA/ TA /YYYY/MM/DD</div>	<div>ZICTA minimum font size: 3mm and number:2mm,</div> <div>Replace 201/x/xxxxxx by the number which will be given by the Zambian authority.</div> <div>Frame is not required.</div> <div>Black&amp; white is possible.</div>	yes	ZMB/ZICTA/TA/2018/10/16














Affected Part Numbers:	
Vehicle Short Text	Customer part no.
A_Entry_CUV	18A 920 870
Lavida	18D 920 850
Lavida GP	18D 920 850 A
Lavida GP	18D 920 860 A
Lavida GP	18D 920 870 A
Jetta	31G 920 850 B
Jetta GP	31G 920 850 C
A-Entry	32D 920 850C
A-Entry	32D 920 860D
Santana NF	34D 920 850 B
Santana NF	34D 920 860 B
Rapid	5J5 920 860 F
Rapid	5J5 920 860 G
Rapid	5J5 920 860 H
Rapid	5J5 920 860 J
Polo GP G	6RD 920 860 H
Polo GP	6RD 920 860 J
Polo	6RF 920 861C
Polo	6RF 920 862 B
Polo	6RF 920 862 C
Fabia NF	6VD 920 700A
Fabia NF	6VD 920 730A
Bora	18G 920 870 A









6RF 920 862 C  
6VD920700A  
6VD920730A







Status: 31.05.2020

MQB MY 18 - WFS 5a  
Affected car partnumber see below marking table.

	Marking in car manual			Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Replace Place Holder
Country	Obligation	Marking	Comments		Bundle <a href="#">17101031</a>  MQB MY 18 - WFS 5a
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	<b>17101031</b>
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	not required for this bundle	
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	not required for this bundle	
Brazil	mandatory	Atendimento à Regulamentação Anatel  Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.  Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados. Para maiores informações, consulte o site da ANATEL <a href="http://www.anatel.gov.br">www.anatel.gov.br</a>   OHHHH-AA-0FFFF	Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace OHHHH-AA-0FFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	yes	<b>07191-18-06353</b>
Brunei	mandatory		The importeur needs to buy this label which has to be implemeted in car manual	no	

Canada	mandatory	<div>IC: 23650-XXXXXXX</div> <div><p>Radiofrequency radiation exposure information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</p><p>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnements et votre corps.</p><p>NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada <i>Règles</i> exempt RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p><p>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.</p><p>NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</p></div>	<div>The number "23650-" is the Continental Babenhausen Registration Number for Canada.</div> <div>Replace XXXXXXXX by Continental Radio Homologation Number.</div>	yes	<div>IC: 23650-17101031</div> <div><p>Radiofrequency radiation exposure information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</p><p>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnements et votre corps.</p><p>NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada <i>Règles</i> exempt RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p><p>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.</p><p>NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</p></div>	
Europe	mandatory	<div></div> <div>European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 111mA = 3,728 W  Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120</div> <div>"Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</div>	<div>Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).</div>	RED DoC	<div></div> <div>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</div>	
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	yes		
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	yes	NCA APPROVED: BR3-1M-GE2-0BB	
Indonesia	mandatory	<div><div>(Certificate Number) (PLG ID Number) Label format</div><div>12345/SDPPI/2011 1234 Example</div><div></div></div>	<div>Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.</div> <div>The frame is not required.</div> <div>Label and QR Code ( that is on the Certificate ) must be printed on the product.</div> <div>The product label photo must be uploaded within 30days after the certificate issued</div>	yes	<div>BBU 63580/SDPPI/2019 4334</div> <div></div>	<div>BBU 63160/SDPPI/2019 4334</div> <div></div>
Kazakhstan	mandatory	<div></div> <div></div>	<div>For dark background use white letters and for light background use black letters</div>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	<div></div>	
Kyrgyz Republic	mandatory	<div></div> <div></div>	<div>For dark background use white letters and for light background use black letters</div>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	<div></div>	
Malaysia	mandatory	<div></div>	<div>The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.</div> <div>Replace ABCD12345678 with the HIDF1500019 (Malayian Agency no.)</div>	yes, Approval No: RAAY/87A/0718/S(18-2596)	<div></div>	

Mexico	mandatory	IFT: XXXXXXX18-XXXX  La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	RLVWV1718-1314
Moldavia	mandatory		Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification  May be enlarged & minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm 	yes	
Morocco	mandatory if not on device	AGREE PAR L'ANRT MAROC Numéro d'agrément: MR XXXXX ANRT YEAR Date d'agrément: DD/MM/YYYY	Insert the number and date which will be given by the Moroccan authority  The frame is not required.	yes	MR 17016 ANRT 2018 03.07.2018
Nigeria	mandatory	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission		yes	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission
Oman	mandatory	OMAN - TRA X/NNNN/YY Dyynnnn	Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.  Black&white label in the manual is possible.  The frame is not required.	yes	R/5884/18 D100428
Russia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Serbia	mandatory if not on device		European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.  Min size of triangle with authorized body and year is 5mm.  Black&white label in the manual is possible.  The frame is not required. 	yes	
Singapore	mandatory if not on device	Complies with IMDA Standards [Dealer's Licence No.]	Label Size 17mm by 9mm  Black&white is possible.  Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).	yes	
South Korea	mandatory if not on device		R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&white possible.	yes	


















Taiwan	mandatory	 	Replace XXXXZZXXZZZZXZ by the number which will be given by the Taiwanes authority. Z are numbers, X are letters  NCC Warning statement needs to be printed in the user manual.  Black&white possible.	yes	CCAL18LP1430T2 
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	TRA REGISTERED No: ERZZZZ/ZZ DEALER No: DAZZZZ/ZZ	Label is optional on device, because it is mounted.  Minimum font size of 1mm is possible.  The frame is not required.  Black&white is possible.  Replace nnnnnnnnnnn by the registration number allocated by the TRA (=the UAE authrity) for this equipment.  Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.	yes	
Ukraine	mandatory		Add (Link to) Ukrainian Declaration of Conformity -> Certificate No. <b>0826</b>	yes	
USA	mandatory	FCC ID 2AOUZXXXXXX  <i>Radiofrequency radiation exposure Information:</i> This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm, between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.  <i>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un équipement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</i>  <b>NOTICE:</b> This device complies with Part 15 of the FCC Rules and with Industry Canada licence-exempt RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  <i>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:</i> (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.  <b>NOTICE:</b> Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.	FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.  Replace XXXXXXXX by the Continental radio homologation number   which will be given by the Continental radio homologation team.	yes	
Vietnam	mandatory if not on device	 <small>Block 1 - Kich thiet bi ho tro cua khu vuc</small> <small>Chú ý: a = 1/4 λ, b = 1/2 λ, c = 1/4 λ</small>	Minimum font size: 1mm  The frame is mandatory!  Replace Name by the local name of the representative company. "SunTech Vietnam"  Replace Code by the local representative company's code number . "C00082015"	yes	
Zambia	mandatory if not on device	 ZMB/ZICTA/ TA /YYYY/MM/DD	ZICTA mimimum font size: 3mm and number:2mm,  Replace 201/x/xxxxxx by the number which will be given by the Zambian authority.  Frame is not required.  Black& white is possible.	yes	ZMB/ZICTA/TA/2018/10/17











Affected Part Numbers:	
Vehicle	Customer part no.
(e.g. AU326)	(e.g. 83A 920 700)
Leon	5F0 920 730 E
Leon	5F0 920 731 E
Leon	5F0 920 930 E
Leon	5F0 920 931 E
Touran	5TA 920 730 B
Touran	5TA 920 731 B
Touran	5TA 920 930 B
Touran	5TA 920 931 B
Crafter	7CD 920 731 A
Crafter	7CD 920 931 A
	56G 920 730A
LamandoCN	5GD 920 630 A
S-vanCN	51G 920 630 C


**MQB MY 18 - WFS 5a**  
Affected car partnumber see below marking table.

### Replace Place Holder


















Europe	mandatory	<div></div> <div>European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 111mA = 3,728 W  Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120</div> <div>"Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</div>	Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).	RED DoC	<div></div> <div>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</div>		
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	yes			
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	yes	NCA APPROVED: BR3-1M-GE2-0BC		
Indonesia	mandatory	<div>(Certificate Number) (PLG ID Number) Label format 12345/SDPPI/2011 1234 Example</div> <div></div>	Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.  The frame is not required.  Label and QR Code ( that is on the Certificate ) must be printed on the product.  The product label photo must be uploaded within 30days after the certificate issued	yes	<div>BBU 63579/SDPPI/2019 4334</div> <div></div>	<div>BDY 63147/SDPPI/2019 4334</div> <div></div>	<div>GDL 63146/SDPPI/2019 4334</div> <div></div>
Kazakhstan	mandatory	<div></div> <div></div>	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	<div></div>		
Kyrgyz Republic	mandatory	<div></div> <div></div>	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	<div></div>		
Malaysia	mandatory	<div></div>	The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.  Replace ABCD12345678 with the HIDF1500019 (Malayian Agency no.)	yes, Approval No: RAAV/87A/0718/S(18-2596)	<div></div>		
Mexico	mandatory	IFT: XXXXXXX18-XXXX  La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	RLVWV1718-1315		
Moldavia	mandatory	<div></div>	Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification  May be enlarged & minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm <div></div>	yes	<div></div>		
Morocco	mandatory if not on device	AGREE PAR L'ANRT MAROC Numéro d'agrément: MR XXXXX ANRT YEAR Date d'agrément: DD/MM/YYYY	Insert the number and date which will be given by the Moroccan authority  The frame is not required.	yes	MR 17015 ANRT 2018 03.07.2018		
Nigeria	mandatory	<div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div>		yes	<div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div>		
Oman	mandatory	<div>OMAN - TRA X/NNNN/YY Dyynnnn</div>	Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.  Black&white label in the manual is possible.  The frame is not required.	yes	R/5885/18 D100428		


















Russia	mandatory		For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Serbia	mandatory if not on device		European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.  Min size of triangle with authorized body and year is 5mm.  Black&white label in the manual is possible.  The frame is not required.  	yes	
Singapore	mandatory if not on device	Complies with IMDA Standards <a href="#">[Dealer's Licence No.]</a>	Label Size 17mm by 9mm  Black&white is possible.  Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).	yes	
South Korea	mandatory if not on device		R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&white possible.	yes	
Taiwan	mandatory	 	Replace XXXXZZXZZZXZ by the number which will be given by the Taiwan's authority. Z are numbers, X are letters  NCC Warning statement needs to be printed in the user manual.  Black&white possible.	yes	CCAL18LP1440T5 
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	TRA REGISTERED No: <a href="#">ERZZZZZZ</a> DEALER No: <a href="#">DAZZZZZZ</a>	Label is optional on device, because it is mounted.  Minimum font size of 1mm is possible.  The frame is not required.  Black&white is possible.  Replace nnnnnnnnnn by the registration number allocated by the TRA (=the UAE authrity) for this equipment.  Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.	yes	
Ukraine	mandatory		Add (Link to) Ukrainian Declaration of Conformity -> Certificate No. <b>0911</b>	yes	
USA	mandatory	FCC ID 2AOUZXXXXXX  <i>Radiofrequency radiation exposure Information:</i> This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm, between the radio and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.  <i>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un équipement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</i>  <b>NOTICE:</b> This device complies with Part 15 of the FCC Rules and with Industry Canada (Canada) RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  <i>Le présent appareil est conforme aux CNR d'Industry Canada applicables aux appareils radio exempts de licence. L'utilisation est autorisée aux deux conditions suivantes:</i> (1) l'appareil ne doit pas produire de brouillage et (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.  <b>NOTICE:</b> Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.	FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.  Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.	yes	
Vietnam	mandatory if not on device	 	Minimum font size: 1mm  The frame is mandatory!  Replace Name by the local name of the representative company. "SunTech Vietnam"  Replace Code by the local representative company's code number. "C00082015"	yes	

Zambia	mandatory if not on device	 <b>ZICTA</b> ZMB/ZICTA/ TA /YYYY/MM/DD	ZICTA minimum font size: 3mm and number:2mm,  Replace 201/x/xxxxxx by the number which will be given by the Zambian authority.  Frame is not required.  Black& white is possible.	yes	ZMB/ZICTA/TA/2018/10/21
--------	----------------------------	---	---	-----	-------------------------

Affected Part Numbers:	
Vehicle	Customer part no.
(e.g. AU326)	(e.g. 83A 920 700)
Q2	81A 920 740 C
Q2	81A 920 940 A
Q2	81A 920 741 B
Q2	81A 920 741 C
Q2	81A 920 941 A
A3	8V0 920 861 J
A3	8V0 920 961 A
A3	8V0 920 861 K
A3	8V0 920 961 B
A3	8V0 920 961 C
A3	8V0 920 861 L
A3	8V0 920 861 M
A3	8V0 920 861 N
A3	8V0 920 861 P
Leon	5F0 920 700 E
Leon	5F0 920 701 E
Leon	5F0 920 748 E
Leon	5F0 920 900 E
Leon	5F0 920 901 E
Leon	5F0 920 740 E
Leon	5F0 920 741 E
Leon	5F0 920 742 E
Leon	5F0 920 940 E
Leon	5F0 920 941 E
Leon X-perience	5F0 920 710 E
Leon X-perience	5F0 920 711 E
Leon X-perience	5F0 920 910 E
Leon X-perience	5F0 920 911 E
Leon Cupra	5F0 920 746 E
Leon Cupra	5F0 920 946 E
A+SUV	565 920 740 A
A+SUV	565 920 741 A
A+SUV	565 920 940 A
A+SUV	565 920 941 A
Octavia	5E0 920 740 E
Octavia	5E0 920 741 E
Octavia	5E0 920 940 E
Octavia	5E0 920 941 E
Octavia	5E0 920 742 E
Octavia	5E0 920 743 E
Octavia RS	5E0 920 746 E
Octavia RS	5E0 920 747 E
Octavia RS	5E0 920 946 E
Octavia RS	5E0 920 947 E
Superb	3V0 920 740 B
Superb	3V0 920 741 B
Superb	3V0 920 940 B
Superb	3V0 920 941 B
A-SUV (T-Roc)	2GA 920 740
A-SUV (T-Roc)	2GA 920 741
A-SUV (T-Roc)	2GA 920 940
A-SUV (T-Roc)	2GA 920 941
Golf	5G1 920 740 C
Golf	5G1 920 741 C
Golf	5G1 920 742 C
Golf	5G1 920 940 C
Golf	5G1 920 941 C
Golf	5G1 920 840 C
Golf	5G1 920 841 C
Jetta	17A 920 740
Jetta	17A 920 741
Jetta	17A 920 840
Tiguan	5NA 920 740 B
Tiguan	5NA 920 741 B
Tiguan	5NA 920 940 B
Tiguan	5NA 920 941 B
Tiguan	5NA 920 840 B
Touran	5NA 920 841 B
Touran	5TA 920 740 B
Touran	5TA 920 741 B
Touran	5TA 920 940 B
Touran	5TA 920 941 B
Golf Plus (Sportsvan)	517 920 740 C
Golf Plus (Sportsvan)	517 920 741 C
Golf Plus (Sportsvan)	517 920 940 C
Golf Plus (Sportsvan)	517 920 941 C
Passat	3G0 920 740 C
Passat	3G0 920 741 C
Passat	3G0 920 940 C
Passat	3G0 920 941 C
Crafter	7C0 920 741 A
Crafter	7C0 920 941 A
A3	8V0 920 840 A
Golf	5G1 920 740 C
Golf	5G1 920 741 C
Golf	5G1 920 840 C
Golf	5G1 920 841 C
Golf	5GB 920 740 C
Tiguan	5NA 920 740 B
Tiguan	5NA 920 741 B
Tiguan	5NA 920 840 B
Tiguan	5NA 920 841 B

**MQB MY 18 - WFS 5a**  
Affected car partnumber see below marking table.

		Marking in car manual		Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Replace Place Holder
Country	Obligation	Marking	Comments		Bundle 17101033  MQB MY 18 - WFS 5a
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	17101033
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	yes	H-22377
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	yes	BOCRA/TA/2018/4195
Brazil	mandatory	Modelo XXXXXX  OHHHH-AA-0FFFF	Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace OHHHH-AA-0FFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	yes	07188-18-06353
Brunei	mandatory		The importeur needs to buy this label which has to be implemented in car manual	yes, Cert.No: DTA-002307	
Canada	mandatory	IC: 23650-XXXXXXX  	The number "23650-" is the Continental Babenhausen Registration Number for Canada.  Replace XXXXXXXX by Continental Radio Homologation Number.	yes	IC: 23650-17101033  
Europe	mandatory	  European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3; 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 111mA = 3,728 W  Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120  "Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"	Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).	RED DoC	  

Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	yes			
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	yes	NCA APPROVED: BR3-1M-GE2-0EC		
Indonesia	mandatory	<div> <div>(Certificate Number) (PLG ID Number) Label format 12345/SDPPI/2011 1234 Example</div>  </div>	Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.  The frame is not required.  Label and QR Code ( that is on the Certificate ) must be printed on the product.  The product label photo must be uploaded within 30days after the certificate issued	yes	BBU 63138/SDPPI/2019 4334 	BDY 63140/SDPPI/2019 4334 	GDL 63138/SDPPI/2019 4334 
Kazakhstan	mandatory		For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues			
Kyrgyz Republic	mandatory		For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues			
Malaysia	mandatory		The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.  Replace ABCD12345678 with the HIDF1500019 (Malayian Agency no.)	yes, Approval No: RFC/23A/0818/S(18-3153)			
Mexico	mandatory	IFT: XXXXXX18-XXXX  La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.	Replace XXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	RLVWW1718-1517		
Moldavia	mandatory		Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification  May be enlarged & minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm  	yes			
Morocco	mandatory if not on device	AGREE PAR L'ANRT MAROC Numero d'agrément: MR XXXXX ANRT YEAR Date d'agrément: DD/MM/YYYY	Insert the number and date which will be given by the Moroccan authority  The frame is not required.	yes	MR 17204 ANRT 2018 06.08.2018		
Nigeria	mandatory	<div>           Connection and use of this communications equipment is permitted by the Nigerian Communications Commission         </div>		yes	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission		
Oman	mandatory	<div>           OMAN - TRA            X/NNNN/YY            Dyynnnn         </div>	Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.  Black&white label in the manual is possible.  The frame is not required.	yes	R/6021/18 D108428		
Russia	mandatory		For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues			
Serbia	mandatory if not on device		European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.  Min size of triangle with authorized body and year is 5mm.  Black&white label in the manual is possible.  The frame is not required.  	yes			
Singapore	mandatory if not on device	Complies with IMDA Standards [Dealer's Licence No.]	Label Size 17mm by 9mm  Black&white is possible.  Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).	yes			

South Korea	mandatory if not on device		R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&white possible.	yes	
Taiwan	mandatory		Replace XXXXZZXXZZZXZ by the number which will be given by the Taiwanese authority. Z are numbers, X are letters  NCC Warning statement needs to be printed in the user manual.  Black&white possible.	yes	CCAL18LP1460T1 
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device		Label is optional on device, because it is mounted.  Minimum font size of 1mm is possible.  The frame is not required.  Black&white is possible.  Replace nnnnnnnnnnn by the registration number allocated by the TRA (=the UAE authority) for this equipment.  Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.	yes	
Ukraine	mandatory		Add (Link to) Ukrainian Declaration of Conformity -> Certificate No. <b>1033</b>	yes	
USA	mandatory	<p>FCC ID 2AOUZXXXXXXXX</p> <p><b>Radiofrequency radiation exposure information:</b> This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</p> <p><b>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre le corps de l'utilisateur et l'appareil.</b></p> <p><b>NOTICE:</b> This device complies with Part 15 of the FCC Rules and with Industry Canada <b>Norme</b> /norme RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p> <p><b>Le présent appareil est conforme aux NBR d'émission Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:</b> (1) l'appareil ne doit pas produire de brouillage, et (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.</p> <p><b>NOTICE:</b> Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</p>	FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.  Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.	yes	
Vietnam	mandatory if not on device		Minimum font size: 1mm  The frame is mandatory!  Replace Name by the local name of the representative company. "SunTech Vietnam"  Replace Code by the local representative company's code number. "C00082015"	yes	
Zambia	mandatory if not on device		ZICTA minimum font size: 3mm and number 2mm,  Replace 201/x/xxxxxx by the number which will be given by the Zambian authority.  Frame is not required.  Black& white is possible.	yes	ZMB/ZICTA/TA/2018/10/20

Affected Part Numbers:











Vehicle	Customer part no.
(e.g. AU326)	(e.g. 83A 920 700)
Q2	81A 920 750 B
Q2	81A 920 750 C
Q2	81A 920 950 A
Q2	81A 920 751 B
Q2	81A 920 751 C
Q2	81A 920 951 A
A3	8V0 920 873 L
A3	8V0 920 973 F
A3	8V0 920 973 G
A3	8V0 920 873 M
A3	8V0 920 973 H
A3	8V0 920 873 N
A3	8V0 920 973 J
A3	8V0 920 973 K
A3	8V0 920 873 P
A3	8V0 920 973 L
A3	8V0 920 873 Q
A3	8V0 920 873 R
A3	8V0 920 873 T
A3	8V0 920 874
A3	8V0 920 874 A
A3	8V0 920 874 B
A3 PHEV	8V0 920 874 C
A3 PHEV	8V0 920 874 D
A3 PHEV	8V0 920 973 R
A3 PHEV	8V0 920 973 S
A3 PHEV	8V0 920 973 T
A3 PHEV	8V0 920 974
A3 S3	8V0 920 973 M
A3 S3	8V0 920 973 N
A3 S3	8V0 920 873 S
A3 RS3	8V0 920 974 C
A3 RS3	8V0 920 974 A
A3 RS3	8V0 920 974 B
Leon	5F0 920 750 E
Leon	5F0 920 751 E
Leon	5F0 920 752 E













Leon	5F0 920 950 E
Leon	5F0 920 951 E
Leon X-perience	5F0 920 708 E
Leon X-perience	5F0 920 709 E
Leon X-perience	5F0 920 908 E
Leon X-perience	5F0 920 909 E
Leon Cupra	5F0 920 756 E
Leon Cupra	5F0 920 956 E
A+SUV	565 920 750 A
A+SUV	565 920 751 A
A+SUV	565 920 950 A
A+SUV	565 920 951 A
Octavia	5E0 920 750 E
Octavia	5E0 920 751 E
Octavia	5E0 920 950 F
Octavia	5E0 920 951 F
Octavia	5E0 920 752 E
Octavia RS	5E0 920 756 E
Octavia RS	5E0 920 757 E
Octavia RS	5E0 920 956 E
Octavia RS	5E0 920 957 E
Octavia RS	5E0 920 657 A
Octavia L&K	5E0 920 671 A
Superb	3V0 920 750 B
Superb	3V0 920 751 B
Superb	3V0 920 950 B
Superb	3V0 920 951 B
Superb L&K	3V0 920 710 B
Superb L&K	3V0 920 711 B
Superb L&K	3V0 920 910 B
Superb L&K	3V0 920 911 B
Superb L&K	3V0 920 671 B
Golf	5G1 920 750 C
Golf	5G1 920 751 C
Golf	5G1 920 752 C
Golf	5G1 920 950 C
Golf	5G1 920 951 C
Golf	5G1 920 850 C
Golf	5G1 920 851 C
Golf BEV	5GE 920 755 C
Golf BEV	5GE 920 955 C
Golf BEV	5GE 920 855 C
Golf BEV	5GE 920 655 C
Golf PHEV	5G1 920 754 C
Golf PHEV	5G1 920 954 C
Golf PHEV	5G1 920 654 C
Golf GTI	5G1 920 756 C
Golf GTI	5G1 920 757 C
Golf GTI	5G1 920 956 C
Golf GTI	5G1 920 957 C
Golf GTI	5G1 920 856 C
Golf GTI	5G1 920 656 C
Golf GTI	5G1 920 657 C
Golf R	5G1 920 758 C
Golf R	5G1 920 958 C
Golf R	5G1 920 858 C
Golf R	5G1 920 658 C
Tiguan	5NA 920 750 B
Tiguan	5NA 920 751 B
Tiguan	5NA 920 950 B
Tiguan	5NA 920 951 B
Tiguan	5NA 920 650 B
Tiguan	5NA 920 651 B
Tiguan	5NA 920 850 B
Tiguan	5NA 920 851 B
Touran	5TA 920 750 B
Touran	5TA 920 751 B
Touran	5TA 920 950 B
Touran	5TA 920 951 B
Golf Plus (Sportswan)	517 920 750 C
Golf Plus (Sportswan)	517 920 751 C
Golf Plus (Sportswan)	517 920 950 C
Golf Plus (Sportswan)	517 920 951 C
Golf Plus (Sportswan)	517 920 650 C
Golf Plus (Sportswan)	517 920 651 C
B-SUV	3CN 920 750 A
B-SUV	3CN 920 751 A
B-SUV	3CN 920 850 A
B-SUV	3CN 920 851 A
Passat	3G0 920 750 C
Passat	3G0 920 751 C
Passat	3G0 920 950 C
Passat	3G0 920 951 C
Passat PHEV	3G0 920 754 C
Passat PHEV	3G0 920 954 C
Passat PHEV	3G0 920 654 C
Passat Elegance	3G5 920 750
Passat Elegance	3G5 920 751
Passat Elegance	3G5 920 950
Passat Elegance	3G5 920 951
Passat Elegance	3G5 920 850
A3	8V0 920 850 A
A3	8V0 920 861 R
A3 PHEV	8V0 920 854 A
A3 PHEV	8V0 920 864 A
A3 S3	8V0 920 856 B
A3 RS3	8V0 920 856 C
Golf	5GB 920 750 C
	56G 920 750 A
Tiguan	5NA 920 751 B
Superb	3VD 920 750 A
TouranCN	5TD 920 650 B
TiguanCN	5NG 920 650 B
LamandoCN	5GD 920 650 A
S-vanCN	51G 920 650 C
Cupra Track	5F0 920 755 E
Cupra Track	5F0 920 959 E


















Status: 31.05.2020

MQB MY 18 - WFS 5a  
Affected car partnumber see below marking table.

Marking in car manual					Replace Place Holder
Country	Obligation	Marking	Comments	Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Bundle 17101034 MQB MY 18 - WFS 5a
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	17101034
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	not required for this bundle	
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	not required for this bundle	
Brazil	mandatory	Modelo XXXXXX  Atendimento à Regulação Anatel  Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.  Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados. Para maiores informações, consulte o site da ANATEL www.anatel.gov.br	Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace 0HHHH-AA-0FFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	yes	07186-18-06353
Brunei	mandatory		The importeur needs to buy this label which has to be implemented in car manual	yes, Cert.No: DTA:002307	

Canada	mandatory	<p>IC: 23650-XXXXXXX</p> <p>Radiofrequency radiation exposure information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20cm between the radiator and your body. The transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</p> <p>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</p> <p>NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada (Spectrum) RSS standards. Operator is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p> <p>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'utilisateur est avisé que: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.</p> <p>NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</p>	<p>The number "23650-" is the Continental Babenhausen Registration Number for Canada.</p> <p>Replace XXXXXXXX by Continental Radio Homologation Number.</p>	yes	<p>IC: 23650-17101034</p> <p>Radiofrequency radiation exposure information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20cm between the radiator and your body. The transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</p> <p>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</p> <p>NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada (Spectrum) RSS standards. Operator is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p> <p>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'utilisateur est avisé que: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.</p> <p>NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</p>
Europe	mandatory	<p></p> <p>European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 111mA = 3,728 W</p> <p>Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120</p> <p>"Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</p>	<p>Please reape the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).</p>	RED DoC	<p></p> <p>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</p>
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	RED DoC	
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	not required for this bundle	
Indonesia	mandatory	<p>(Certificate Number) (PLG ID Number) Label format</p> <p>12345/SDPPI/2011 1234 Example</p> 	<p>Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.</p> <p>The frame is not required.</p> <p>Label and QR Code ( that is on the Certificate ) must be printed on the product.</p> <p>The product label photo must be uploaded within 30days after the certificate issued</p>	yes	<p>BBU 63581/SDPPI/2019 4334</p> 
Kazakhstan	mandatory	 	<p>For dark background use white letters and for light background use black letters</p>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Kyrgyz Republic	mandatory	 	<p>For dark background use white letters and for light background use black letters</p>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Malaysia	mandatory		<p>The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.</p> <p>Replace ABCD12345678 with the HIDF1500019 (Malayian Agency no.)</p>	yes, Approval No: RFC/21A/0718/S(18-2717)	











Mexico	mandatory	IFT: XXXXXXX18-XXXX  La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	RLVWW1718-1317
Moldavia	mandatory		Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification  May be enlarged & minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm 	yes	
Morocco	mandatory if not on device	AGREE PAR L'ANRT MAROC Numéro d'agrément: MR XXXXX ANRT YEAR Date d'agrément: DD/MM/YYYY	Insert the number and date which will be given by the Moroccan authority  The frame is not required.	yes	MR 17079 ANRT 2018 11.07.2018
Nigeria	mandatory	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission		not required for this bundle	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission
Oman	mandatory	OMAN - TRA X/NNNN/YY Dyynnnn	Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.  Black&white label in the manual is possible.  The frame is not required.	yes	R/5886/18 D100428
Russia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Serbia	mandatory if not on device		European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.  Min size of triangle with authorized body and year is 5mm.  Black&white label in the manual is possible.  The frame is not required. 	yes	
Singapore	mandatory if not on device	Complies with IMDA Standards [Dealer's Licence No.]	Label Size 17mm by 9mm  Black&white is possible.  Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).	yes	
South Korea	mandatory if not on device		R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&white possible.	yes	














Taiwan	mandatory	<div> </div>	<div>Replace XXXXZZXXZZZZXZ by the number which will be given by the Taiwanes authority. Z are numbers, X are letters</div> <div>NCC Warning statement needs to be printed in the user manual.</div> <div>Black&amp;white possible.</div>	yes	<div>CCAL18LP1590T1</div> <div></div>
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	<div>TRA REGISTERED No: ERZZZZZZZZ DEALER No: DAZZZZZZZZ</div>	<div>Label is optional on device, because it is mounted.</div> <div>Minimum font size of 1mm is possible.</div> <div>The frame is not required.</div> <div>Black&amp;white is possible.</div> <div>Replace nnnnnnnnnnn by the registration number allocated by the TRA (=the UAE authrity) for this equipment.</div> <div>Replace xxxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.</div>	yes	
Ukraine	mandatory		Add (Link to) Ukrainian Declaration of Conformity -> Certificate No. 0912	yes	
USA	mandatory	<div>FCC ID 2AOUZXXXXXXX</div> <div><p>Radiofrequency radiation exposure Information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</p><p>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</p><p>NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada licence-exempt RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p><p>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.</p><p>NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</p></div>	<div>FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.</div> <div>Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.</div>	yes	<div>FCC ID 2AOUZ17101034</div> <div></div>
Vietnam	mandatory if not on device	<div> </div>	<div>Minimum font size: 1mm</div> <div>The frame is mandatory!</div> <div>Replace Name by the local name of the representative company. "SunTech Vietnam"</div> <div>Replace Code by the local representative company's code number . "C00082015"</div>	not required for this bundle	
Zambia	mandatory if not on device	<div></div>	<div>ZICTA minimum font size: 3mm and number:2mm,</div> <div>Replace 201/x/xxxxxxx by the number which will be given by the Zambian authority.</div> <div>Frame is not required.</div> <div>Black&amp; white is possible.</div>	not required for this bundle	












Affected Part Numbers:	
Vehicle	Customer part no.
(e.g. AU326)	(e.g. 83A 920 700)
Golf Plus (Sportsvan)	517 920 640 C
Golf Plus (Sportsvan)	517 920 641 C
VW MQB	56G920740A
Superb	3VD 920 740 A
TouranCN	5TD 920 640 B
TiguanCN	5NG 920 640 B
S-vanCN	51G 920 640 C
LamandoCN	5GD 920 640 A

Status: 31.05.2020

MQB A0 MY 18 - WFS 5c  
Affected car partnumber see below marking table.

	Marking in car manual			Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Replace Place Holder
Country	Obligation	Marking	Comments		Bundle 17101041  MQB A0 MY 18 - WFS 5c
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	17101041
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	yes	H-21962
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	yes	BOCRA/TA/2018/4130
Brazil	mandatory	Modelo XXXXX  OHHHH-AA-0FFFF  Atendimento à Regulamentação Anatel  Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.  Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados. Para maiores informações, consulte o site da ANATEL www.anatel.gov.br	Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace OHHHH-AA-0FFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	yes	Modelo: 17101041  06763-18-06353
Brunei	mandatory		The importeur needs to buy this label which has to be implemeted in car manual	Yes, Certificate Number: DTA-001794	

Canada	mandatory	<div>IC: 23650-XXXXXXX</div> <div><p>Radiofrequency radiation exposure information:</p><p>This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm, between the antenna and your body.</p><p>This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</p><p>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</p></div> <div><p>NOTICE:</p><p>This device complies with Part 15 of the FCC Rules and with Industry Canada (Radio) RSS standards. Operation is subject to the following two conditions:</p><p>(1) This device may not cause harmful interference, and</p><p>(2) This device must accept any interference received, including interference that may cause undesired operation.</p><p>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:</p><p>(1) L'appareil ne doit pas occasionner d'interférence nuisible, et</p><p>(2) L'appareil doit accepter toute interférence radioélectrique qu'il reçoit, sans qu'elle compromette le fonctionnement.</p><p>NOTICE:</p><p>Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</p></div>	<div>The number "23650-" is the Continental Babenhausen Registration Number for Canada.</div> <div>Replace XXXXXXXX by Continental Radio Homologation Number.</div>	not required for this bundle		
Europe	mandatory	<div></div> <div>European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 111mA = 3,728 W  Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120  "Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</div>	<div>Please repace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).</div>	RED DoC	<div></div> <div>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</div>	
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	yes		
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	yes	NCA APPROVED: BR3-1M-GE2-0B3	
Indonesia	mandatory	<div><div>(Certificate Number) (PLG ID Number) Label format 12345/SDPPI/2011 Example 1234</div></div>	<div>Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.</div> <div>The frame is not required.</div> <div>Label and QR Code ( that is on the Certificate ) must be printed on the product.</div> <div>The product label photo must be uploaded within 30days after the certificate issued</div>	yes	<div>RUB 63577/SDPPI/2019 4334</div> 	<div>GRU 63137/SDPPI/2019 4334</div> 
Kazakhstan	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues		
Kyrgyz Republic	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues		
Malaysia	mandatory		<div>The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.</div> <div>Replace ABCD12345678 with the HIDF1500019 (Malayan Agency no.)</div>	yes, Approval No: RFCL/19A/0718/S/(18-2545)		
Mexico	mandatory	<div>IFT: XXXXXXX18-XXXX</div> <div>La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.</div>	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	RLVVW1718-1171	











Moldavia	mandatory		<p>Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification</p> <p>May be enlarged &amp; minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm</p> 	yes	
Morocco	mandatory if not on device	<p>AGREE PAR L'ANRT MAROC Numéro d'agrément: <b>MR XXXXX ANRT YEAR</b> Date d'agrément: <b>DD/MM/YYYY</b></p>	<p>Insert the number and date which will be given by the Moroccan authority</p> <p>The frame is not required.</p>	yes	<p><b>MR 16861 ANRT 2018</b> <b>18.06.2018</b></p>
Nigeria	mandatory	<p>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</p>		not required for this bundle	
Oman	mandatory	<p><b>OMAN - TRA</b> <b>X/NNNN/YY</b> <b>Dynnnnn</b></p>	<p>Replace X/NNNN/YY and Dynnnn by the numbers which will be given by the Oman authority.</p> <p>Black&amp;white label in the manual is possible.</p> <p>The frame is not required.</p>	yes	<p><b>R/5774/18</b> <b>D100428</b></p>
Russia	mandatory	 	<p>For dark background use white letters and for light background use black letters</p>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Serbia	mandatory if not on device		<p>European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.</p> <p>Min size of triangle with authorized body and year is 5mm.</p> <p>Black&amp;white label in the manual is possible.</p> <p>The frame is not required.</p> 	yes	
Singapore	mandatory if not on device	<p>Complies with IMDA Standards <b>[Dealer's Licence No.]</b></p>	<p>Label Size 17mm by 9mm</p> <p>Black&amp;white is possible.</p> <p>Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).</p>	yes	
South Korea	mandatory if not on device		<p>R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.</p> <p>Black&amp;white possible.</p>	yes	
Taiwan	mandatory	 	<p>Replace XXXXZZXXZZZZXZ by the number which will be given by the Taiwan authority. Z are numbers, X are letters</p> <p>NCC Warning statement needs to be printed in the user manual.</p> <p>Black&amp;white possible.</p>	yes	<p><b>CCAL18LP240T0</b></p> 
















Status: 31.05.2020









MQB A0 MY 18+19 - WFS 5c  
Affected car partnumber see below marking table.






	Marking in car manual			Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Replace Place Holder
Country	Obligation	Marking	Comments		Bundle 17101042  MQB A0 MY 18+19 - WFS 5c
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	17101042
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	yes	H-22378
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	not required for this bundle	
Brazil	mandatory	Modelo XXXXXX  Atendimento à Regulamentação Anatel  Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.  Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados. Para maiores informações, consulte o site da ANATEL www.anatel.gov.br	Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace 0HHHH-AA-0FFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	yes	06962-18-06353
Brunei	mandatory		The importeur needs to buy this label which has to be impleteted in car manual	not required for this bundle	

VW part certificate

OEM: No. 6EA 920 720A  
02452-17-02010

Canada	mandatory	<div>IC: 23650-XXXXXXX</div> <div><p><i>Radiofrequency radiation exposure information:</i></p><p><i>This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body.</i></p><p><i>This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</i></p><p><i>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé à un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</i></p><p><b>NOTICE:</b></p><p>This device complies with Part 15 of the FCC Rules and with Industry Canada (Industrie) RSS standards. Operation is subject to the following two conditions:</p><p>(1) This device may not cause harmful interference, and</p><p>(2) This device must accept any interference received, including interference that may cause undesired operation.</p><p><i>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'utilisation de l'appareil est autorisée aux deux conditions suivantes:</i></p><p>(1) L'appareil ne doit pas produire de brouillage, et</p><p>(2) L'appareil de l'utilisateur doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.</p><p><b>NOTICE:</b></p><p>Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</p></div>	<div>The number "23650-" is the Continental Babenhausen Registration Number for Canada.</div> <div>Replace XXXXXXXX by Continental Radio Homologation Number.</div>	not required for this bundle	
Europe	mandatory	<div></div> <div><p>European Union: Declaration of Conformity</p><p>Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment]</p><p>Technical information:</p><p>Frequency Band: 125 kHz</p><p>Output Power: (max. transmission power)</p><p>Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / <math>\sqrt{2}</math> x Ieff max 33mA = 1,108 W</p><p>Immobilizer type 5c: 95 V peak-to-peak / 2 / <math>\sqrt{2}</math> x Ieff max 111mA = 3,728 W</p><p>Manufacturer: Continental Automotive GmbH</p><p>Address: VDO-Strasse 1, 64832 Babenhausen, Germany</p><p>Phone: +49 6073 120</p></div> <div>"Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</div>	<div>Please reapeace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).</div>	RED DoC	<div></div> <div>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</div>
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	not required for this bundle	
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	not required for this bundle	
Indonesia	mandatory	<div><div>(Certificate Number) (PLG ID Number) Label format</div><div></div><div>12345/SDPPI/2011 1234 Example</div></div>	<div>Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.</div> <div>The frame is not required.</div> <div>Label and QR Code ( that is on the Certificate ) must be printed on the product.</div> <div>The product label photo must be uploaded within 30days after the certificate issued</div>	not required for this bundle	
Kazakhstan	mandatory	<div></div>	<div>For dark background use white letters and for light background use black letters</div>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	<div></div>
Kyrgyz Republic	mandatory	<div></div>	<div>For dark background use white letters and for light background use black letters</div>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	<div></div>
Malaysia	mandatory	<div></div>	<div>The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.</div> <div>Replace ABCD12345678 with the HIDF1500019 (Malayian Agency no.)</div>	yes, Approval No: RFCL/13A/0618/S(18-2379)	<div></div>
Mexico	mandatory	<div>IFT: XXXXXXX18-XXXX</div> <div><p>La operación de este equipo está sujeta a las siguientes dos condiciones:</p><p>(1) es posible que este equipo o dispositivo no cause interferencia perjudicial y</p><p>(2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.</p></div>	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	RLVW1718-1509











Moldavia	mandatory		Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification  May be enlarged & minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm 	yes	
Morocco	mandatory if not on device	AGREE PAR L'ANRT MAROC Numéro d'agrément: <a href="#">MR XXXXX ANRT YEAR</a> Date d'agrément: <a href="#">DD/MM/YYYY</a>	Insert the number and date which will be given by the Moroccan authority  The frame is not required.	not required for this bundle	
Nigeria	mandatory	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission		not required for this bundle	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission
Oman	mandatory	OMAN - TRA <a href="#">X/NNNN/YY</a> <a href="#">Dyynnnn</a>	Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.  Black&white label in the manual is possible.  The frame is not required.	not required for this bundle	
Russia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Serbia	mandatory if not on device		European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.  Min size of triangle with authorized body and year is 5mm.  Black&white label in the manual is possible.  The frame is not required. 	yes	
Singapore	mandatory if not on device	Complies with IMDA Standards <a href="#">[Dealer's Licence No.]</a>	Label Size 17mm by 9mm  Black&white is possible.  Replace <a href="#">[Dealer's Licence No.]</a> by DA104682 (which is the current local VW representative).	not required for this bundle	
South Korea	mandatory if not on device		R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&white possible.	not required for this bundle	

Taiwan	mandatory		Replace XXXXZZXZZZZXZ by the number which will be given by the Taiwan authority. Z are numbers, X are letters  NCC Warning statement needs to be printed in the user manual.  Black&white possible.	not required for this bundle	
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device		Label is optional on device, because it is mounted.  Minimum font size of 1mm is possible.  The frame is not required.  Black&white is possible.  Replace nnnnnnnnnnn by the registration number allocated by the TRA (=the UAE authrity) for this equipment.  Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.	not required for this bundle	
Ukraine	mandatory		Add (Link to) Ukrainian Declaration of Conformity -> Certificate No. 0874	yes	
USA	mandatory	<p>FCC ID 2AOUZXXXXXX</p> <p><i>Radiofrequency radiation exposure Information:</i> This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</p> <p><i>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</i></p> <p><b>NOTICE:</b> This device complies with Part 15 of the FCC Rules and with Industry Canada license-exempt RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p> <p><i>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:</i> (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.</p> <p><b>NOTICE:</b> Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</p>	FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.  Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.	yes	
Vietnam	mandatory if not on device		Minimum font size: 1mm  The frame is mandatory!  Replace Name by the local name of the representative company. "SunTech Vietnam"  Replace Code by the local representative company's code number . "C00082015"	not required for this bundle	
Zambia	mandatory if not on device		ZICTA minimum font size: 3mm and number:2mm,  Replace 201/x/xxxxxx by the number which will be given by the Zambian authority.  Frame is not required.  Black& white is possible.	not required for this bundle	

Affected Part Numbers:	
Vehicle	Customer part no.
(e.g. AU326)	(e.g. 83A 920 700)
Polo	6EA 920 720
Polo	6EA 920 720 A
Polo	6EA 920 720 B

















Status: 31.05.2020

MQB A0 MY 19+20 - WFS 5c  
Affected car partnumber see below marking table.









	Marking in car manual			Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Replace Place Holder
Country	Obligation	Marking	Comments		Bundle 17101043  MQB A0 MY 19 - WFS 5c
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	17101043
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	yes	H-22192
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	yes	BOCRA/TA/2018/4136
Brazil	mandatory	Modelo XXXXXX  OHHHH-AA-0FFFF  Atendimento à Regulamentação Anatel  Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.  Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados. Para maiores informações, consulte o site da ANATEL www.anatel.gov.br	Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace OHHHH-AA-0FFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	yes	Modelo 17101043  05293-18-06353
Brunei	mandatory		The importeur needs to buy this label which has to be implemeted in car manual	Yes, Certificate Number: DTA-001977	
Canada	mandatory	IC: 23650-XXXXXXX  <small>Radiofrequency radiation exposure information This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm. The transmitter must not be co-located  Cet équipement est conforme aux limites d'exposition aux rayonnements RF établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre le source de rayonnement et l'utilisateur.  NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada's radio-interference standards. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.  Le présent appareil est conforme aux CNR d'Industrie Canada relatives aux rayonnements électromagnétiques. (1) L'appareil ne doit pas causer d'interférence (2) L'appareil doit accepter toute interférence radioélectrique qu'il reçoit, sans nécessité de compensation.  NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</small>	The number "23650-" is the Continental Babenhausen Registration Number for Canada.  Replace XXXXXXXX by Continental Radio Homologation Number.	not required for this bundle	



VW part certificate

OEM: No. 6EA 920 740B + 6EA 920 740C  
Anatel: 02450-17-02010

Europe	mandatory	<div></div> <div>European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 111mA = 3,728 W  Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120</div> <div>"Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</div>	Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).	RED DoC	<div></div> <div>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</div>	
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	yes		
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	yes	NCA APPROVED: BR3-1M-GE2-0D2	
Indonesia	mandatory	<div>(Certificate Number) (PLG ID Number) Label format 12345/SDPPI/2011 1234 Example</div> <div></div>	Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.  The frame is not required.  Label and QR Code ( that is on the Certificate ) must be printed on the product.  The product label photo must be uploaded within 30days after the certificate issued	yes	<div>RUB 63583/SDPPI/2019 4334</div> <div></div>	<div>GRU 63578/SDPPI/2019 4334</div> <div></div>
Kazakhstan	mandatory	<div></div> <div></div>	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues		
Kyrgyz Republic	mandatory	<div></div> <div></div>	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues		
Malaysia	mandatory	<div></div>	The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.  Replace ABCD12345678 with the HIDF1500019 (Malayian Agency no.)	yes, Approval No: RFCL/20A/0718/S(18-2718)		
Mexico	mandatory	IFT: XXXXXXX18-XXXX  La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	RLVWV-1718-1316	
Moldavia	mandatory		Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification  May be enlarged & minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm 	yes		
Morocco	mandatory if not on device	AGREE PAR L'ANRT MAROC Numéro d'agrément: MR XXXXX ANRT YEAR Date d'agrément: DD/MM/YYYY	Insert the number and date which will be given by the Moroccan authority  The frame is not required.	yes	MR 17080 ANRT 2018 11.07.2018	
Nigeria	mandatory	<div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div>		yes	<div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div>	



















Oman	mandatory	<div>OMAN - TRA X/NNNN/YY Dyynnnn</div>	<p>Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.</p> <p>Black&amp;white label in the manual is possible.</p> <p>The frame is not required.</p>	yes	R/5887/18 D100428
Russia	mandatory	<div></div>	<p>For dark background use white letters and for light background use black letters</p>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Serbia	mandatory if not on device	<div> M005 YY</div>	<p>European CE label + Serbian label required.</p> <p>If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.</p> <p>Min size of triangle with authorized body and year is 5mm.</p> <p>Black&amp;white label in the manual is possible.</p> <p>The frame is not required.</p> 	yes	
Singapore	mandatory if not on device	<div>Complies with IMDA Standards [Dealer's Licence No.]</div>	<p>Label Size 17mm by 9mm</p> <p>Black&amp;white is possible.</p> <p>Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).</p>	yes	
South Korea	mandatory if not on device		<p>R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.</p> <p>Black&amp;white possible.</p>	yes	
Taiwan	mandatory	<div> XXXXZZXXZZZZXZ</div> 	<p>Replace XXXXZZXXZZZXZ by the number which will be given by the Taiwan authority.</p> <p>Z are numbers, X are letters</p> <p>NCC Warning statement needs to be printed in the user manual.</p> <p>Black&amp;white possible.</p>	yes	CCAL18LP1410T9 
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	<div>TRA REGISTERED No: ERZZZZIIZZ DEALER No: DAZZZZIIZZ</div>	<p>Label is optional on device, because it is mounted.</p> <p>Minimum font size of 1mm is possible.</p> <p>The frame is not required.</p> <p>Black&amp;white is possible.</p> <p>Replace nnnnnnnnnnn by the registration number allocated by the TRA (=the UAE authority) for this equipment.</p> <p>Replace xxxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.</p>	yes	
Ukraine	mandatory	FCC ID 2AOUZXXXXXXX	Add (Link to) Ukrainian Declaration of Conformity -> Certificate No. <b>0880</b>	yes	FCC ID 2AOUZ17101043
USA	mandatory	<p>Radiofrequency radiation exposure Information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm, between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</p> <p>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</p> <p>NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada <del>radio</del>exempt RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p> <p>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.</p> <p>NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</p>	<p>FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.</p> <p>Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.</p>	yes	<p>Notice to operators: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm, between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</p> <p>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</p> <p>NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada <del>radio</del>exempt RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p> <p>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.</p> <p>NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</p>









Vietnam	mandatory if not on device		Minimum font size: 1mm The frame is mandatory!  Replace Name by the local name of the representative company. "SunTech Vietnam"  Replace Code by the local representative company's code number . "C00082015"	not required for this bundle	
Zambia	mandatory if not on device		ZICTA minimum font size: 3mm and number:2mm,  Replace 201x/xxxxxxx by the number which will be given by the Zambian authority.  Frame is not required.  Black& white is possible.	yes	ZMB/ZICTA/TA/2018/8/41



Affected Part Numbers:	
Vehicle	Customer part no.
(e.g. AU326)	(e.g. 83A 920 700)
Polo	2G0 920 730 B
Polo	2G0 920 730 C
Polo	2G0 920 730 D
Polo	2G0 920 731 B
Polo	2G0 920 731 C
Polo	2G0 920 731 D
Polo	2G0 920 740 C
Polo	2G0 920 740 D
Polo	2G0 920 740 E
Polo	2G0 920 740 F
Polo	2G0 920 740 G
Polo	2G0 920 740 H
Polo	2G0 920 740 J
Polo	2G0 920 740 K
Polo	2G0 920 740 L
Polo	2G0 920 741 B
Polo	2G0 920 741 C
Polo	2G0 920 741 D
Polo	2G0 920 742 A
Polo	2G0 920 742 C
Polo	2G0 920 742 D
Polo	2G0 920 930 B
Polo	2G0 920 930 C
Polo	2G0 920 930 D
Polo	2G0 920 931 B
Polo	2G0 920 931 C
Polo	2G0 920 931 D
Polo	2G0 920 940 B
Polo	2G0 920 940 C
Polo	2G0 920 940 D
Polo	2G0 920 941 B
Polo	2G0 920 941 C
Polo	2G0 920 941 D
Polo	6EA 920 740 B
Polo	6EA 920 740 C
Polo	6EA 920 740 D
Polo	6EA 920 740 E
Polo	6EA 920 740 H
Ibiza	6F0 920 730 A
Ibiza	6F0 920 730 B
Ibiza	6F0 920 730 C
Ibiza	6F0 920 731 A
Ibiza	6F0 920 731 B
Ibiza	6F0 920 731 C
Ibiza	6F0 920 738 A
Ibiza	6F0 920 738 B
Ibiza	6F0 920 740 A
Ibiza	6F0 920 740 B
Ibiza	6F0 920 740 C
Ibiza	6F0 920 741 A
Ibiza	6F0 920 741 B
Ibiza	6F0 920 741 C
Ibiza	6F0 920 742 A
Ibiza	6F0 920 742 B
Ibiza	6F0 920 742 C
Ibiza	6F0 920 748 A
Ibiza	6F0 920 748 B
Ibiza	6F0 920 749 A
Ibiza	6F0 920 749 B
Ibiza	6F0 920 749 C
Ibiza	6F0 920 930 A
Ibiza	6F0 920 930 B
Ibiza	6F0 920 930 C
Ibiza	6F0 920 931 A
Ibiza	6F0 920 931 B
Ibiza	6F0 920 931 C
Ibiza	6F0 920 940 A
Ibiza	6F0 920 940 B
Ibiza	6F0 920 940 C
Ibiza	6F0 920 941 A
Ibiza	6F0 920 941 B
Ibiza	6F0 920 941 C
Ibiza	6F0 920 949 A
Ibiza	6F0 920 949 B
Ibiza	6F0 920 949 C

**Roadmap**  
Affected car partnumber see below marking table.

### Replace Place Holder

Europe	mandatory	<div></div> <div>European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 111mA = 3,728 W  Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120</div> <div>"Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</div>	Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).	RED DoC	<div></div> <div>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</div>	
Jordan	mandatory if not on device	T/4/XX/XX/XXXX	Replace T/4/XX/XX/XXXX by the numbers which will be given by the Jordanian authority.	yes	T/4/11/11/3681	
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	not required for this bundle		
Indonesia	mandatory	<div><div>(Certificate Number) (PLG ID Number) Label format 12345/SDPPI/2011 1234 Example</div><div></div></div>	Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.  The frame is not required.  Label and QR Code ( that is on the Certificate ) must be printed on the product.  The product label photo must be uploaded within 30days after the certificate issued	yes	<div>BDY 63136/SDPPI/2019 4334</div> <div></div>	<div>GDL 63132/SDPPI/2019 4334</div> <div></div>
Kazakhstan	mandatory	<div></div>	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues		
Kyrgyz Republic	mandatory	<div></div>	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues		
Malaysia	mandatory	<div></div>	The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.  Replace ABCD12345678 with the HIDF1500019 (Malayian Agency no.)	yes, Approval No. RFCL/33A/0619/S(19-2422)		
Mexico	mandatory	IFT: XXXXXXXX18-XXXX  La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.	Replace XXXXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	IFT: RLVVW1718-1518	
Moldavia	mandatory	<div> 024</div>	Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification  May be enlarged & minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm 	yes	<div> 024</div>	
Morocco	mandatory if not on device	AGREE PAR L'ANRT MAROC Numéro d'agrément: MR XXXXX ANRT YEAR Date d'agrément: DD/MM/YYYY	Insert the number and date which will be given by the Moroccan authority  The frame is not required.	yes	MR 19338 ANRT 2019 09.04.2019	












Nigeria	mandatory	<div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div>		not required for this bundle	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission
Oman	mandatory	<div>OMAN - TRA X/NNNN/YY Dyynnnn</div>	<div>Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.  Black&amp;white label in the manual is possible.  The frame is not required.</div>	yes	R/7384/19 D100428
Russia	mandatory	<div></div>	<div>For dark background use white letters and for light background use black letters</div>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Serbia	mandatory if not on device	<div> H005 YY</div>	<div>European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.  Min size of triangle with authorized body and year is 5mm.  Black&amp;white label in the manual is possible.  The frame is not required.  </div>	not required for this bundle	
Singapore	mandatory if not on device	<div>Complies with IMDA Standards [Dealer's Licence No.]</div>	<div>Label Size 17mm by 9mm  Black&amp;white is possible.  Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).</div>	yes	
South Korea	mandatory if not on device		<div>R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&amp;white possible.</div>	yes	
Taiwan	mandatory	<div> XXXXZZXXZZZZXZ</div> <div></div>	<div>Replace XXXXZZXXZZZZXZ by the number which will be given by the Taiwan authority. Z are numbers, X are letters  NCC Warning statement needs to be printed in the user manual.  Black&amp;white possible.</div>	yes	CCAL18LP1580T8 <div></div>
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	<div>TRA REGISTERED No: ERZZZZZZZZ DEALER No: DAZZZZZZZZ</div>	<div>Label is optional on device, because it is mounted.  Minimum font size of 1mm is possible.  The frame is not required.  Black&amp;white is possible.  Replace nnnnnnnnnnn by the registration number allocated by the TRA (=the UAE authority) for this equipment.  Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.</div>	yes	
Ukraine	mandatory		<div>Add (Link to) Ukrainian Declaration of Conformity -&gt; Certificate No. 921</div>	yes	

















USA	mandatory	FCC ID 2AOUZXXXXXXX  <i>Radiofrequency radiation exposure Information:</i> This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm, between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.  <i>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</i>  <b>NOTICE:</b> This device complies with Part 15 of the FCC Rules and with Industry Canada <i>Norme</i> exempt RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  <i>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:</i> (1) l'appareil ne doit pas produire de brouillage, et (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.  <b>NOTICE:</b> Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.	FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.  Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.	yes	FCC ID 2AOUZ17101051  <i>More information</i> European CE mark This mark is a compulsory mark for the products under the CE mark system. It indicates that the product complies with the requirements of the CE mark.  <i>Plus d'informations</i> Le présent appareil est conforme aux normes CE. Ce marquage est obligatoire pour les produits sous le système de marquage CE. Il indique que le produit est conforme aux exigences du marquage CE.  CE mark This mark is a compulsory mark for the products under the CE mark system. It indicates that the product complies with the requirements of the CE mark.  CE mark This mark is a compulsory mark for the products under the CE mark system. It indicates that the product complies with the requirements of the CE mark.
Vietnam	mandatory if not on device	 Mark 1 - Mark must be on the top left	Minimum font size: 1mm  The frame is mandatory!  Replace Name by the local name of the representative company. "SunTech Vietnam"  Replace Code by the local representative company's code number . "C00082015"	yes	
Zambia	mandatory if not on device	 ZMB/ZICTA/TA/YYYY/MM/DD	ZICTA minimum font size: 3mm and number:2mm,  Replace 201x/xxxxxx by the number which will be given by the Zambian authority.  Frame is not required.  Black& white is possible.	not required for this bundle	

Affected Part Numbers:	
Vehicle Short Text	Customer part no.
A1	8XA 920 900 B
A1	8XA 920 950 B
A1	8XA 920 900 C
A1	8XA 920 950 C
A1	8XA 920 900 B
A1	8XA 920 950 B
A1	8XA 920 900 C
A1	8XA 920 950 C
New Compact Sedan	5C6 920 856 X
New Compact Sedan	5C6 920 856 AX
New Compact Sedan	5C6 920 856
New Compact Sedan	5C6 920 856 A
New Compact Sedan	5C6 920 956 X
New Compact Sedan	5C6 920 956 AX
New Compact Sedan	5C6 920 956
New Compact Sedan	5C6 920 956 A
New Compact Sedan	5C6 920 866 X
New Compact Sedan	5C6 920 866 AX
New Compact Sedan	5C6 920 966 X
New Compact Sedan	5C6 920 966 AX
New Compact Sedan	5C6 920 866
New Compact Sedan	5C6 920 866 A
New Compact Sedan	5C6 920 966
New Compact Sedan	5C6 920 966 A
New Compact Sedan China	16D 920 856 X
New Compact Sedan China	16D 920 856
New Compact Sedan China	16D 920 866 X
New Compact Sedan China	16D 920 866
New Midsize Sedan	561 920 861 AX
New Midsize Sedan	561 920 961 AX
New Midsize Sedan	561 920 861 A
New Midsize Sedan	561 920 961 A
Scirocco	1K8 920 865 FX
Scirocco	1K8 920 865 GX
Scirocco	1K8 920 965 FX
Scirocco	1K8 920 965 GX
Scirocco	1K8 920 865 F
Scirocco	1K8 920 865 G
Scirocco	1K8 920 965 F
Scirocco	1K8 920 965 G
New Midsize Sedan	561 920 861 B
New Midsize Sedan	561 920 961 B
New Midsize Sedan	561 920 861 BX
New Midsize Sedan	561 920 961 BX












Status: 31.05.2020

Roadmap  
Affected car partnumber see below marking table.

	Marking in car manual			Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Replace Place Holder
Country	Obligation	Marking	Comments		Bundle 17101052  Roadmap - WFS 4c
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	17101052
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	yes	H-22380
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	not required for this bundle	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	not required for this bundle	
Brazil	mandatory	Atendimento à Regulação Anatel  Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.  Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados. Para maiores informações, consulte o site da ANATEL www.anatel.gov.br  	Modelo XXXXXX    Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace 0HHHH-AA-0FFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	yes	05506-18-06353
Brunei	mandatory		The importer needs to buy this label which has to be impletemted in car manual	not required for this bundle	
Canada	mandatory	IC: 23650-XXXXXXX  <small>Radiofrequency radiation exposure information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. The equipment should be installed and operated with minimum distance of 20 cm between the antenna and your body. No hand-held or body-worn operation. The transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. Get equipment and conforms with limits of exposure with appropriate IC labeling prior to an uncontrolled environment. Get equipment and label tested or label prior to installation in 20 cm de distance entre le source de rayonnement et votre corps. NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada Classé enregistre RSS Canada. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Le présent appareil est conforme aux CNR d'Industrie Canada relatives aux appareils radio sans fil. L'utilisation de cet appareil doit être faite en respectant les conditions suivantes: (1) l'appareil ne doit pas produire d'interférence nuisible et (2) l'appareil doit accepter toute l'interférence radioélectrique qu'il reçoit, y compris celle qui pourrait causer un fonctionnement indésirable de l'appareil. NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive could void the FCC authorization to operate this equipment.</small>	The number "23650-" is the Continental Babenhausen Registration Number for Canada.  Replace XXXXXXXX by Continental Radio Homologation Number.	yes	IC: 23650-17101052 

Europe	mandatory	 <p>European Union: Declaration of Conformity          Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment]          Technical information:          Frequency Band: 125 kHz          Output Power: (max. transmission power)          Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / <math>\sqrt{2}</math> x Ieff max 33mA = 1,108 W          Immobilizer type 5c: 95 V peak-to-peak / 2 / <math>\sqrt{2}</math> x Ieff max 111mA = 3,728 W          Manufacturer: Continental Automotive GmbH          Address: VDO-Strasse 1, 64832 Babenhausen, Germany          Phone: +49 6073 120</p> <p>"Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</p>	Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).	RED DoC	 <p>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</p>	
Jordan	mandatory if not on device	T/4/XX/XX/XXXX	Replace T/4/XX/XX/XXXX by the numbers which will be given by the Jordanian authority.	yes	T/4/11/11/3680	
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	not required for this bundle		
Indonesia	mandatory	<div> <div>(Certificate Number) (PLG ID Number)</div> <div>Label format</div> <div>12345/SDPPI/2011</div> <div>1234</div> <div>Example</div> </div> 	Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.  The frame is not required.  Label and QR Code ( that is on the Certificate ) must be printed on the product.  The product label photo must be uploaded within 30days after the certificate issued	yes	BDY 63135/SDPPI/2019 4334 	GDL 63134/SDPPI/2019 4334 
Kazakhstan	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues		
Kyrgyz Republic	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues		
Malaysia	mandatory		The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.  Replace ABCD12345678 with the HIDF1500019 (Malayan Agency no.)	yes, Approval No. RFCL/34A/0619/S(19-2421)		
Mexico	mandatory	IFT: XXXXXX18-XXXX	Replace XXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	IFT: RLWW1718-1519	
Moldavia	mandatory		Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification  May be enlarged & minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm 	yes		
Morocco	mandatory if not on device	AGREE PAR L'ANRT MAROC Numéro d'agrément: MR XXXXX ANRT YEAR Date d'agrément: DD/MM/YYYY	Insert the number and date which will be given by the Moroccan authority  The frame is not required.	yes	MR 19339 ANRT 2019 09.04.2019	
Nigeria	mandatory	<div>           Connection and use of this communications equipment is permitted by the Nigerian Communications Commission         </div>		not required for this bundle	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission	
Oman	mandatory	<div>           OMAN - TRA            X/NNNN/YY            Dyynnnn         </div>	Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.  Black&white label in the manual is possible.  The frame is not required.	yes	R/7383/19 D100428	













Russia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Serbia	mandatory if not on device		European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.  Min size of triangle with authorized body and year is 5mm.  Black&white label in the manual is possible.  The frame is not required.  	not required for this bundle	
Singapore	mandatory if not on device	Complies with IMDA Standards [Dealer's Licence No.]	Label Size 17mm by 9mm  Black&white is possible.  Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).	yes	
South Korea	mandatory if not on device		R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&white possible.	yes	
Taiwan	mandatory	  	Replace XXXXXZZZZXZ by the number which will be given by the Taiwanese authority. Z are numbers, X are letters  NCC Warning statement needs to be printed in the user manual.  Black&white possible.	yes	 CCAL18LP1570T5
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	TRA REGISTERED No: ERZZZZZZ DEALER No: DAZZZZZZ	Label is optional on device, because it is mounted.  Minimum font size of 1mm is possible.  The frame is not required.  Black&white is possible.  Replace nnnnnnnnnn by the registration number allocated by the TRA (=the UAE authority) for this equipment.  Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.	yes	
Ukraine	mandatory		Add (Link to) Ukrainian Declaration of Conformity -> Certificate No. 941	yes	
USA	mandatory	FCC ID 2AOUZXXXXXXX  Radiofrequency radiation exposure information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm, between the antenna and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.  Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.  NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada (Industrie Canada) RSS (radio) requirements. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'installation et l'utilisation de cet appareil sont assujetties aux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.  NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.	FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.  Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.	yes	
Vietnam	mandatory if not on device	 Hàng 1: Kiosk Bán và các địa chỉ bán lẻ  Quản lý Mã hàng Mã sản phẩm	Minimum font size: 1mm  The frame is mandatory!  Replace Name by the local name of the representative company. "SunTech Vietnam"  Replace Code by the local representative company's code number . "C00082015"	yes	

















Zambia	mandatory if not on device	 <b>ZICTA</b> ZMB/ZICTA/ TA /YYYY/MM/DD	ZICTA minimum font size: 3mm and number:2mm,  Replace 201/x/xxxxxx by the number which will be given by the Zambian authority.  Frame is not required.  Black& white is possible.	not required for this bundle	
--------	----------------------------	---	---	------------------------------	--

Affected Part Numbers:	
Vehicle Short Text	Customer part no.
A1 N-Design	8XA 920 930 D
A1 N-Design	8XA 920 980 D
A1 N-Design	8XA 920 930 F
A1 N-Design	8XA 920 980 F
A1 N-Design	8XA 920 930 E
A1 N-Design	8XA 920 980 E
A1 N-Design	8XA 920 980 E
A1 N-Design	8XA 920 930 D
A1 N-Design	8XA 920 980 D
A1 N-Design	8XA 920 930 F
A1 N-Design	8XA 920 980 F
A1 N-Design	8XA 920 930 E
S1 S-Design	8XA 920 930 G
S1 S-Design	8XA 920 980 G
S1 S-Design	8XA 920 930 G
S1 S-Design	8XA 920 980 G
Q3 N-Design	8U0 920 930 H
Q3 N-Design	8U0 920 980 H
Q3 N-Design	8U0 920 930 J
Q3 N-Design	8U0 920 980 J
Q3 N-Design	8U0 920 960 C
Q3 N-Design	8U0 920 930 H
Q3 N-Design	8U0 920 980 H
Q3 N-Design	8U0 920 930 J
Q3 N-Design	8U0 920 980 J
Q3 N-Design	8U0 920 960 C
New Compact Sedan	5C6 920 876 CX
New Compact Sedan	5C6 920 876 DX
New Compact Sedan	5C6 920 976 DX
New Compact Sedan	5C6 920 976 EX
New Compact Sedan	5C6 920 876 C
New Compact Sedan	5C6 920 876 D
New Compact Sedan	5C6 920 976 D
New Compact Sedan	5C6 920 976 E
New Compact Sedan	5C6 920 876 X
New Compact Sedan	5C6 920 876 AX
New Compact Sedan	5C6 920 976 X
New Compact Sedan	5C6 920 976 AX
New Compact Sedan	5C6 920 976 BX
New Compact Sedan	5C6 920 876
New Compact Sedan	5C6 920 876 A
New Compact Sedan	5C6 920 976
New Compact Sedan	5C6 920 976 A
New Compact Sedan	5C6 920 976 B
New Compact Sedan	5C6 920 876 BX
New Compact Sedan	5C6 920 976 CX
New Compact Sedan	5C6 920 876 B
New Compact Sedan	5C6 920 976 C
New Compact Sedan China	16D 920 876 X
New Compact Sedan China	16D 920 876
New Midsize Sedan	561 920 871 BX
New Midsize Sedan	561 920 871 CX
New Midsize Sedan	561 920 971 BX
New Midsize Sedan	561 920 971 CX
New Midsize Sedan	561 920 871 B
New Midsize Sedan	561 920 871 C
New Midsize Sedan	561 920 971 B
New Midsize Sedan	561 920 971 C
New Midsize Sedan China	56D 920 861 AX
New Midsize Sedan China	56D 920 861 A
New Midsize Sedan China	56D 920 871 AX
New Midsize Sedan China	56D 920 871 A
Scirocco	1K8 920 875 JX
Scirocco	1K8 920 875 KX
Scirocco	1K8 920 975 JX
Scirocco	1K8 920 975 KX
Scirocco	1K8 920 875 J
Scirocco	1K8 920 875 K
Scirocco	1K8 920 975 J
Scirocco	1K8 920 975 K
Scirocco	1K8 920 875 LX
Scirocco	1K8 920 975 LX
Scirocco	1K8 920 875 L
Scirocco	1K8 920 975 L
Tiguan	5N0 920 873 HX
Tiguan	5N0 920 873 JX
Tiguan	5N0 920 973 MX
Tiguan	5N0 920 873 H
Tiguan	5N0 920 873 J
Tiguan	5N0 920 973 M
Tiguan	5N0 920 973 N
Tiguan	5N0 920 973 NX
New Midsize Sedan	561 920 871 D
New Midsize Sedan	561 920 971 D
New Midsize Sedan	561 920 871 DX
New Midsize Sedan	561 920 971 DX



Status: 31.05.2020

Roadmap  
Affected car partnumber see below marking table.

	Marking in car manual			Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Replace Place Holder
Country	Obligation	Marking	Comments		Bundle 17101053  Roadmap - WFS 4c
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	17101053
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	yes	H-22383
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	not required for this bundle	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	not required for this bundle	
Brazil	mandatory	Modelo XXXXXX  OHHHH-AA-OFFFF	Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace OHHHH-AA-OFFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	yes	05507-18-06353
Brunei	mandatory		The importeur needs to buy this label which has to be implemeted in car manual	not required for this bundle	
Canada	mandatory	IC: 23650-XXXXXXX  <small>Radiofrequency radiation exposure information This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm. The transmitter must not be co-located.  Cet équipement est conforme aux limites d'exposition aux rayonnements RF établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre le source de rayonnement et votre corps.  NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada (Interception RES) standards. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.  Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exposés en environnement non contrôlé. Ce dispositif doit être installé et utilisé avec un minimum de 20 cm de distance entre le dispositif et votre corps. (1) L'appareil ne doit pas causer d'interférence. (2) L'appareil doit accepter toute interférence radioélectrique qu'il reçoit, même si le fonctionnement de l'appareil est perturbé.  NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</small>	The number "23650-" is the Continental Babenhausen Registration Number for Canada.  Replace XXXXXXXX by Continental Radio Homologation Number.	yes	IC: 23650-17101053  

Europe	mandatory	<div></div> <div>European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 111mA = 3,728 W  Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120</div> <div>"Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</div>	Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).	RED DoC	<div></div> <div>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</div>	
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	yes		
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	not required for this bundle		
Indonesia	mandatory	<div><div>(Certificate Number) (PLG ID Number) Label format 12345/SDPPI/2011 1234 Example</div><div></div></div>	<div>Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.</div> <div>The frame is not required.</div> <div>Label and QR Code ( that is on the Certificate ) must be printed on the product.</div> <div>The product label photo must be uploaded within 30days after the certificate issued</div>	yes	<div>BDY 63133/SDPPI/2019 4334</div> <div></div>	<div>GDL 63131/SDPPI/2019 4334</div> <div></div>
Kazakhstan	mandatory	<div></div>	<div>For dark background use white letters and for light background use black letters</div>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues		
Kyrgyz Republic	mandatory	<div></div>	<div>For dark background use white letters and for light background use black letters</div>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues		
Malaysia	mandatory	<div><div>8 mm (minimum size)</div><div></div><div>8 mm (minimum size)</div><div>ABCD12345678</div></div>	<div>The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.</div> <div>Replace ABCD12345678 with the HIDF1500019 (Malayian Agency no.)</div>	yes, Approval No: RCFL/24A/0818/S(18-3152)		
Mexico	mandatory	IFT: XXXXXXX18-XXXX  La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	RLVWV1718-1568	
Moldavia	mandatory	<div></div> <div>024</div>	<div>Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification</div> <div>May be enlarged &amp; minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm</div> <div></div>	yes	<div></div> <div>024</div>	
Morocco	mandatory if not on device	AGREE PAR L'ANRT MAROC Numéro d'agrément: MR XXXXX ANRT YEAR Date d'agrément: DD/MM/YYYY	<div>Insert the number and date which will be given by the Moroccan authority</div> <div>The frame is not required.</div>	yes	MR 17203 ANRT 2018 06.08.2018	
Nigeria	mandatory	<div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div>		not required for this bundle	<div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div>	







Oman	mandatory	<div>OMAN - TRA X/NNNN/YY Dyynnnn</div>	<div>Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.</div> <div>Black&amp;white label in the manual is possible.</div> <div>The frame is not required.</div>	yes	R/6022/18 D100428
Russia	mandatory	<div><div><div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div><div>8</div><div>9</div><div>10</div><div>11</div><div>12</div><div>13</div><div>14</div><div>15</div><div>16</div><div>17</div><div>18</div><div>19</div><div>20</div><div>21</div><div>22</div><div>23</div><div>24</div><div>25</div><div>26</div><div>27</div><div>28</div><div>29</div><div>30</div><div>31</div><div>32</div></div><div>EAC</div><div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div><div>8</div><div>9</div><div>10</div><div>11</div><div>12</div><div>13</div><div>14</div><div>15</div><div>16</div><div>17</div><div>18</div><div>19</div><div>20</div><div>21</div><div>22</div><div>23</div><div>24</div><div>25</div><div>26</div><div>27</div><div>28</div><div>29</div><div>30</div><div>31</div><div>32</div></div></div><div>EAC</div></div>	<div>For dark background use white letters and for light background use black letters</div>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	<div><div><div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div><div>8</div><div>9</div><div>10</div><div>11</div><div>12</div><div>13</div><div>14</div><div>15</div><div>16</div><div>17</div><div>18</div><div>19</div><div>20</div><div>21</div><div>22</div><div>23</div><div>24</div><div>25</div><div>26</div><div>27</div><div>28</div><div>29</div><div>30</div><div>31</div><div>32</div></div><div>EAC</div><div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div><div>8</div><div>9</div><div>10</div><div>11</div><div>12</div><div>13</div><div>14</div><div>15</div><div>16</div><div>17</div><div>18</div><div>19</div><div>20</div><div>21</div><div>22</div><div>23</div><div>24</div><div>25</div><div>26</div><div>27</div><div>28</div><div>29</div><div>30</div><div>31</div><div>32</div></div></div><div>EAC</div></div>
Serbia	mandatory if not on device	<div><div><div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div><div>8</div><div>9</div><div>10</div><div>11</div><div>12</div><div>13</div><div>14</div><div>15</div><div>16</div><div>17</div><div>18</div><div>19</div><div>20</div><div>21</div><div>22</div><div>23</div><div>24</div><div>25</div><div>26</div><div>27</div><div>28</div><div>29</div><div>30</div><div>31</div><div>32</div></div><div>EAC</div><div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div><div>8</div><div>9</div><div>10</div><div>11</div><div>12</div><div>13</div><div>14</div><div>15</div><div>16</div><div>17</div><div>18</div><div>19</div><div>20</div><div>21</div><div>22</div><div>23</div><div>24</div><div>25</div><div>26</div><div>27</div><div>28</div><div>29</div><div>30</div><div>31</div><div>32</div></div></div><div>EAC</div></div>	<div>European CE label + Serbian label required.</div> <div>If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.</div> <div>Min size of triangle with authorized body and year is 5mm.</div> <div>Black&amp;white label in the manual is possible.</div> <div>The frame is not required.</div> <div><div><div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div><div>8</div><div>9</div><div>10</div><div>11</div><div>12</div><div>13</div><div>14</div><div>15</div><div>16</div><div>17</div><div>18</div><div>19</div><div>20</div><div>21</div><div>22</div><div>23</div><div>24</div><div>25</div><div>26</div><div>27</div><div>28</div><div>29</div><div>30</div><div>31</div><div>32</div></div><div>EAC</div><div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div><div>8</div><div>9</div><div>10</div><div>11</div><div>12</div><div>13</div><div>14</div><div>15</div><div>16</div><div>17</div><div>18</div><div>19</div><div>20</div><div>21</div><div>22</div><div>23</div><div>24</div><div>25</div><div>26</div><div>27</div><div>28</div><div>29</div><div>30</div><div>31</div><div>32</div></div></div><div>EAC</div></div>		
Singapore	mandatory if not on device	<div>Complies with IMDA Standards [Dealer's Licence No.]</div>	<div>Label Size 17mm by 9mm</div> <div>Black&amp;white is possible.</div> <div>Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).</div>	yes	
South Korea	mandatory if not on device		<div>R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.</div> <div>Black&amp;white possible.</div>	yes	
Taiwan	mandatory	<div><div><div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div><div>8</div><div>9</div><div>10</div><div>11</div><div>12</div><div>13</div><div>14</div><div>15</div><div>16</div><div>17</div><div>18</div><div>19</div><div>20</div><div>21</div><div>22</div><div>23</div><div>24</div><div>25</div><div>26</div><div>27</div><div>28</div><div>29</div><div>30</div><div>31</div><div>32</div></div><div>EAC</div><div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div><div>8</div><div>9</div><div>10</div><div>11</div><div>12</div><div>13</div><div>14</div><div>15</div><div>16</div><div>17</div><div>18</div><div>19</div><div>20</div><div>21</div><div>22</div><div>23</div><div>24</div><div>25</div><div>26</div><div>27</div><div>28</div><div>29</div><div>30</div><div>31</div><div>32</div></div></div><div>EAC</div></div>	<div>Replace XXXXZZXZZZZXZ by the number which will be given by the Taiwanes authority.</div> <div>Z are numbers, X are letters</div> <div>NCC Warning statement needs to be printed in the user manual.</div> <div>Black&amp;white possible.</div>	yes	<div>CCAL18LP1560T2</div> <div><div><div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div><div>8</div><div>9</div><div>10</div><div>11</div><div>12</div><div>13</div><div>14</div><div>15</div><div>16</div><div>17</div><div>18</div><div>19</div><div>20</div><div>21</div><div>22</div><div>23</div><div>24</div><div>25</div><div>26</div><div>27</div><div>28</div><div>29</div><div>30</div><div>31</div><div>32</div></div><div>EAC</div><div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div><div>8</div><div>9</div><div>10</div><div>11</div><div>12</div><div>13</div><div>14</div><div>15</div><div>16</div><div>17</div><div>18</div><div>19</div><div>20</div><div>21</div><div>22</div><div>23</div><div>24</div><div>25</div><div>26</div><div>27</div><div>28</div><div>29</div><div>30</div><div>31</div><div>32</div></div></div><div>EAC</div></div>
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	<div>TRA REGISTERED No: ERZZZZZZ DEALER No: DAZZZZZZ</div>	<div>Label is optional on device, because it is mounted.</div> <div>Minimum font size of 1mm is possible.</div> <div>The frame is not required.</div> <div>Black&amp;white is possible.</div> <div>Replace nnnnnnnnnnn by the registration number allocated by the TRA (=the UAE athrity) for this equipment.</div> <div>Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.</div>	yes	
Ukraine	mandatory		<div>Add (Link to) Ukrainian Declaration of Conformity -&gt; Certificate No. <b>0942</b></div>	yes	
USA	mandatory	<div>FCC ID 2AOUZXXXXXX</div> <div><div><div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div><div>8</div><div>9</div><div>10</div><div>11</div><div>12</div><div>13</div><div>14</div><div>15</div><div>16</div><div>17</div><div>18</div><div>19</div><div>20</div><div>21</div><div>22</div><div>23</div><div>24</div><div>25</div><div>26</div><div>27</div><div>28</div><div>29</div><div>30</div><div>31</div><div>32</div></div><div>EAC</div><div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div><div>8</div><div>9</div><div>10</div><div>11</div><div>12</div><div>13</div><div>14</div><div>15</div><div>16</div><div>17</div><div>18</div><div>19</div><div>20</div><div>21</div><div>22</div><div>23</div><div>24</div><div>25</div><div>26</div><div>27</div><div>28</div><div>29</div><div>30</div><div>31</div><div>32</div></div></div><div>EAC</div></div>	<div>FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.</div> <div>Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.</div>	yes	<div>FCC ID 2AOUZ17101053</div> <div><div><div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div><div>8</div><div>9</div><div>10</div><div>11</div><div>12</div><div>13</div><div>14</div><div>15</div><div>16</div><div>17</div><div>18</div><div>19</div><div>20</div><div>21</div><div>22</div><div>23</div><div>24</div><div>25</div><div>26</div><div>27</div><div>28</div><div>29</div><div>30</div><div>31</div><div>32</div></div><div>EAC</div><div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div><div>8</div><div>9</div><div>10</div><div>11</div><div>12</div><div>13</div><div>14</div><div>15</div><div>16</div><div>17</div><div>18</div><div>19</div><div>20</div><div>21</div><div>22</div><div>23</div><div>24</div><div>25</div><div>26</div><div>27</div><div>28</div><div>29</div><div>30</div><div>31</div><div>32</div></div></div><div>EAC</div></div>













Vietnam	mandatory if not on device		Minimum font size: 1mm  The frame is mandatory!  Replace Name by the local name of the representative company. "SunTech Vietnam"  Replace Code by the local representative company's code number . "C00082015"	yes	
Zambia	mandatory if not on device		ZICTA minimum font size: 3mm and number:2mm,  Replace 201x/xxxxxx by the number which will be given by the Zambian authority.  Frame is not required.  Black& white is possible.	not required for this bundle	

Affected Part Numbers:	
Vehicle Short Text	Customer part no.
New Compact Sedan	5C6 920 886 AX
New Compact Sedan	5C6 920 886 BX
New Compact Sedan	5C6 920 986 AX
New Compact Sedan	5C6 920 986 BX
New Compact Sedan	5C6 920 986 CX
New Compact Sedan	5C6 920 886 A
New Compact Sedan	5C6 920 886 B
New Compact Sedan	5C6 920 986 A
New Compact Sedan	5C6 920 986 B
New Compact Sedan	5C6 920 986 C
New Compact Sedan	5C6 920 886 X
New Compact Sedan	5C6 920 986 X
New Compact Sedan	5C6 920 886
New Compact Sedan	5C6 920 986
New Compact Sedan China	16D 920 886 X
New Compact Sedan China	16D 920 886
New Midsize Sedan	561 920 881 BX
New Midsize Sedan	561 920 881 CX
New Midsize Sedan	561 920 981 BX
New Midsize Sedan	561 920 981 CX
New Midsize Sedan	561 920 881 B
New Midsize Sedan	561 920 881 C
New Midsize Sedan	561 920 981 B
New Midsize Sedan	561 920 981 C
New Midsize Sedan China	56D 920 881 AX
New Midsize Sedan China	56D 920 881 A
Scirocco	1K8 920 885 JX
Scirocco	1K8 920 885 KX
Scirocco	1K8 920 985 JX
Scirocco	1K8 920 985 KX
Scirocco	1K8 920 885 J
Scirocco	1K8 920 885 K
Scirocco	1K8 920 985 J
Scirocco	1K8 920 985 K
Scirocco	1K8 920 885 LX
Scirocco	1K8 920 985 LX
Scirocco	1K8 920 885 L
Scirocco	1K8 920 985 L
Tiguan	5N0 920 883 HX
Tiguan	5N0 920 883 JX
Tiguan	5N0 920 983 MX
Tiguan	5N0 920 883 H
Tiguan	5N0 920 883 J
Tiguan	5N0 920 983 M
New Midsize Sedan	561 920 881 D
New Midsize Sedan	561 920 981 D
New Midsize Sedan	561 920 881 DX
New Midsize Sedan	561 920 981 DX
New Midsize Sedan	561 920 881 F
New Midsize Sedan	561 920 981 F
New Midsize Sedan	561 920 881 FX
New Midsize Sedan	561 920 981 FX
New Midsize Sedan	561 920 881 G
New Midsize Sedan	561 920 981 G
New Midsize Sedan	561 920 881 GX
New Midsize Sedan	561 920 981 GX









Status: 31.05.2020






Roadmap  
Affected car partnumber see below marking table.

	Marking in car manual			Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Replace Place Holder
Country	Obligation	Marking	Comments		Bundle <b>17101054</b>  Roadmap - WFS 4c
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	<b>17101054</b>
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	yes	<b>H-22793</b>
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	not required for this bundle	
Brazil	mandatory	Modelo XXXXXX  OHHHH-AA-0FFFF	Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace OHHHH-AA-0FFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	yes	<b>05508-18-06353</b>
Brunei	mandatory		The importeur needs to buy this label which has to be implemeted in car manual	not required for this bundle	

Canada	mandatory	<p>IC: 23650-XXXXXXX</p> <p><i>Radiofrequency radiation exposure information:</i> This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</p> <p><i>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnements et votre corps.</i></p> <p><b>NOTICE:</b> This device complies with Part 15 of the FCC Rules and with Industry Canada <i>Basée</i> exempt RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p> <p><i>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.</i></p> <p><b>NOTICE:</b> Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</p>	<p>The number "23650-" is the Continental Babenhausen Registration Number for Canada.</p> <p>Replace XXXXXXXX by Continental Radio Homologation Number.</p>	yes	<p>IC: 23650-17101054</p> <p><i>Radiofrequency radiation exposure information:</i> This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</p> <p><i>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnements et votre corps.</i></p> <p><b>NOTICE:</b> This device complies with Part 15 of the FCC Rules and with Industry Canada <i>Basée</i> exempt RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p> <p><i>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.</i></p> <p><b>NOTICE:</b> Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</p>
Europe	mandatory	<p></p> <p>European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 11mA = 3,728 W</p> <p>Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120</p> <p>"Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</p>	<p>Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).</p>	RED DoC	<p></p> <p>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</p>
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	not required for this bundle	
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	not required for this bundle	
Indonesia	mandatory	<p>(Certificate Number) (PLG ID Number) Label format</p> <p>12345/SDPPI/2011 1234 Example</p> 	<p>Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.</p> <p>The frame is not required.</p> <p>Label and QR Code ( that is on the Certificate ) must be printed on the product.</p> <p>The product label photo must be uploaded within 30days after the certificate issued</p>	yes	<p>BDY 63130/SDPPI/2019 4334</p> 
Kazakhstan	mandatory	 	<p>For dark background use white letters and for light background use black letters</p>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Kyrgyz Republic	mandatory	 	<p>For dark background use white letters and for light background use black letters</p>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Malaysia	mandatory		<p>The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.</p> <p>Replace ABCD12345678 with the HIDF1500019 (Malayan Agency no.)</p>	<p>yes, Approval no. RFCL/30A/1018/S(18-4129)</p>	













Mexico	mandatory	IFT: XXXXXXX18-XXXX  La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	RLVWV1718-1928
Moldavia	mandatory		Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification  May be enlarged & minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm 	yes	
Morocco	mandatory if not on device	AGREE PAR L'ANRT MAROC Numéro d'agrément: MR XXXXX ANRT YEAR Date d'agrément: DD/MM/YYYY	Insert the number and date which will be given by the Moroccan authority  The frame is not required.	yes	MR 17678 ANRT 2018 11.10.2018
Nigeria	mandatory	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission		not required for this bundle	
Oman	mandatory	OMAN - TRA X/NNNN/YY Dyynnnn	Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.  Black&white label in the manual is possible.  The frame is not required.	yes	R/6372/18 D100428
Russia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Serbia	mandatory if not on device		European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.  Min size of triangle with authorized body and year is 5mm.  Black&white label in the manual is possible.  The frame is not required. 	not required for this bundle	
Singapore	mandatory if not on device	Complies with IMDA Standards [Dealer's Licence No.]	Label Size 17mm by 9mm  Black&white is possible.  Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).	yes	
South Korea	mandatory if not on device		R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&white possible.	yes	
















Taiwan	mandatory		Replace XXXXZZXXZZZZXZ by the number which will be given by the Taiwan authority. Z are numbers, X are letters  NCC Warning statement needs to be printed in the user manual.  Black&white possible.	yes	
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	TRA REGISTERED No: ERZZZZ/ZZ DEALER No: DAZZZZ/ZZ	Label is optional on device, because it is mounted.  Minimum font size of 1mm is possible.  The frame is not required.  Black&white is possible.  Replace nnnnnnnnnn by the registration number allocated by the TRA (=the UAE authrity) for this equipment.  Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.	not required for this bundle	
Ukraine	mandatory		Add (Link to) Ukrainian Declaration of Conformity -> Certificate No. 0992	yes	
USA	mandatory	FCC ID 2AOUZXXXXXX  <i>Radiofrequency radiation exposure Information:</i> This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm, between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.  <i>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</i>  <i>NOTICE:</i> This device complies with Part 15 of the FCC Rules and with Industry Canada licence-exempt RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  <i>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:</i> (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.  <i>NOTICE:</i> Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.	FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.  Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.	yes	
Vietnam	mandatory if not on device		Minimum font size: 1mm  The frame is mandatory!  Replace Name by the local name of the representative company. "SunTech Vietnam"  Replace Code by the local representative company's code number . "C0082015"	yes	
Zambia	mandatory if not on device		ZICTA minimum font size: 3mm and number:2mm,  Replace 201/x/xxxxxx by the number which will be given by the Zambian authority.  Frame is not required.  Black& white is possible.	not required for this bundle	











Affected Part Numbers:	
Vehicle Short Text	Customer part no.
Q3	8U0 920 940 L
Q3	8U0 920 990 L
Q3	8U0 920 940 M
Q3	8U0 920 990 M
Q3	8U0 920 970 E
Q3	8U0 920 940 L
Q3	8U0 920 990 L
Q3	8U0 920 940 M
Q3	8U0 920 990 M
Q3	8U0 920 970 E
Q3 RS	8U0 920 940 N
Q3 RS	8U0 920 990 N
Q3 RS	8U0 920 940 N
Q3 RS	8U0 920 990 N

Status: 31.05.2020

Roadmap  
Affected car partnumber see below marking table.

	Marking in car manual			Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Replace Place Holder
Country	Obligation	Marking	Comments		Bundle 17101055  Roadmap - WFS 4c Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	17101055
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	yes	H-22381
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	yes	BOCRA/TA/2019/4311
Brazil	mandatory	Modelo XXXXXX  Atendimento à Regulação Anatel  Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.  Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados. Para maiores informações, consulte o site da ANATEL www.anatel.gov.br	Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace 0HHHH-AA-0FFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	yes	05509-18-06353
Brunei	mandatory		The importeur needs to buy this label which has to be impletemted in car manual	yes, Certificate No: DTA-003220 Dealer Licence Reference: DRQ-D-MAJU-02-2011-111083	
Canada	mandatory	IC: 23650-XXXXXXX  <small>Radiofrequency radiation exposure information This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. The equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. This equipment must not be co-located or operating in conjunction with any other antenna or transmitter. Can Equipment and continue use (Radio Frequency) use requirements? It should meet an equivalent or better standard. See equipment and use manual for details. Even so, minimum de 20 cm or distance must be maintained at all times. NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada (Industry Canada) RSS requirements. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation. Le présent appareil est conforme aux CNR d'Industry Canada relatives aux appareils radio sans fil de classe B. L'utilisation et l'entretien de cet appareil doivent respecter les conditions suivantes: (1) L'appareil ne doit pas causer de interférences radio. (2) L'appareil doit accepter toute interférence radio qu'il pourrait subir, y compris les interférences qui pourraient nuire à son fonctionnement. NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</small>	The number "23650-" is the Continental Babenhausen Registration Number for Canada.  Replace XXXXXXXX by Continental Radio Homologation Number.	not required for this bundle	

Europe	mandatory	 <p>European Union: Declaration of Conformity          Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment]          Technical information:          Frequency Band: 125 kHz          Output Power: (max. transmission power)          Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / <math>\sqrt{2}</math> x Ieff max 33mA = 1,108 W          Immobilizer type 5c: 95 V peak-to-peak / 2 / <math>\sqrt{2}</math> x Ieff max 111mA = 3,728 W</p> <p>Manufacturer: Continental Automotive GmbH          Address: VDO-Strasse 1, 64832 Babenhausen, Germany          Phone: +49 6073 120</p> <p>*Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC*</p>	Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).	RED DoC	 <p>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</p>
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	yes	
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	yes	NCA APPROVED: EX6-6M-GE2-17B
Indonesia	mandatory	<div> <div>(Certificate Number) (PLG ID Number) Label format</div> <div>12345/SDPPI/2011 1234</div> <div>Example</div> </div> 	Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.  The frame is not required.  Label and QR Code ( that is on the Certificate ) must be printed on the product.  The product label photo must be uploaded within 30days after the certificate issued	yes	BBU 63129/SDPPI/2019 4334 
Kazakhstan	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Kyrgyz Republic	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Malaysia	mandatory		The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.  Replace ABCD12345678 with the HIDEF1500019 (Malayan Agency no.)	yes, Approval no. RAA1/92A/1218/S(18-4731)	
Mexico	mandatory	IFT: XXXXXXX18-XXXX  La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	IFT: RLWVW1718-1567
Moldavia	mandatory		Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification  May be enlarged & minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm 	yes	
Morocco	mandatory if not on device	AGREE PAR L'ANRT MAROC Numéro d'agrément: MR XXXXX ANRT YEAR Date d'agrément: DD/MM/YYYY	Insert the number and date which will be given by the Moroccan authority  The frame is not required.	yes	MR 18103 ANRT 2018 30.11.2018
Nigeria	mandatory	<div>           Connection and use of this communications equipment is permitted by the Nigerian Communications Commission         </div>		yes	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission
Oman	mandatory	<div>           OMAN - TRA            X/NNNN/YY            Dyynnnn         </div>	Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.  Black&white label in the manual is possible.  The frame is not required.	yes	R/6535/18 D100428



















Russia	mandatory		For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Serbia	mandatory if not on device		European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.  Min size of triangle with authorized body and year is 5mm.  Black&white label in the manual is possible.  The frame is not required.  	yes	
Singapore	mandatory if not on device	Complies with IMDA Standards <a href="#">[Dealer's Licence No.]</a>	Label Size 17mm by 9mm  Black&white is possible.  Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).	yes	
South Korea	mandatory if not on device		R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&white possible.	not required for this bundle	
Taiwan	mandatory	 	Replace XXXXZZXXZZZZXZ by the number which will be given by the Taiwan's authority. Z are numbers, X are letters  NCC Warning statement needs to be printed in the user manual.  Black&white possible.	yes	 <b>CCAL18LP1600T1</b>
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	TRA REGISTERED No: <a href="#">ERZZZZZZZZ</a> DEALER No: <a href="#">DAZZZZZZZZ</a>	Label is optional on device, because it is mounted.  Minimum font size of 1mm is possible.  The frame is not required.  Black&white is possible.  Replace nnnnnnnnnn by the registration number allocated by the TRA (=the UAE authrity) for this equipment.  Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.	yes	
Ukraine	mandatory		Add (Link to) Ukrainian Declaration of Conformity -> Certificate No. <b>0943</b>	yes	
USA	mandatory	FCC ID 2AOUZXXXXXXX  <i>Radiofrequency radiation exposure Information:</i> This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm, between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.  <i>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un équipement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</i>  <b>NOTICE:</b> This device complies with Part 15 of the FCC Rules and with Industry Canada (Canada) RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  <i>Le présent appareil est conforme aux CNR d'Industry Canada applicables aux appareils radio exempts de licence. L'utilisation est autorisée aux deux conditions suivantes:</i> (1) l'appareil ne doit pas produire de brouillage, et (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.  <b>NOTICE:</b> Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.	FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.  Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.	yes	
Vietnam	mandatory if not on device	 	Minimum font size: 1mm  The frame is mandatory!  Replace Name by the local name of the representative company. "SunTech Vietnam"  Replace Code by the local representative company's code number. "C00082015"	yes	

Zambia	mandatory if not on device	 <b>ZICTA</b> ZMB/ZICTA/ TA /YYYY/MM/DD	ZICTA minimum font size: 3mm and number:2mm, Replace 201/x/xxxxxxx by the number which will be given by the Zambian authority. Frame is not required. Black& white is possible.	yes	ZMB/ZICTA/TA/2018/12/16
--------	----------------------------	---	--	-----	-------------------------

Affected Part Numbers:	
Vehicle Short Text	Customer part no.
Amarok RPU	2H6 920 860
Amarok RPU	2H6 920 860 X
Amarok RPU	2H6 920 861
Amarok RPU	2H6 920 861 A
Amarok RPU	2H6 920 861 AX
Amarok RPU	2H6 920 861 X
Amarok RPU	2H6 920 863
Amarok RPU	2H6 920 863 A
Amarok RPU	2H6 920 863 AX
Amarok RPU	2H6 920 863 X
Amarok RPU	2H6 920 963
Amarok RPU	2H6 920 963 A
Amarok RPU	2H6 920 963 AX
Amarok RPU	2H6 920 963 X
Caddy	2K5 920 866 B
Caddy	2K5 920 866 BX
Caddy	2K5 920 866 C
Caddy	2K5 920 866 CX
Caddy	2K5 920 866 D
Caddy	2K5 920 866 DX
Caddy	2K5 920 866 E
Caddy	2K5 920 866 EX
Caddy	2K5 920 966 B
Caddy	2K5 920 966 BX
Caddy	2K5 920 966 C
Caddy	2K5 920 966 CX
Caddy	2K5 920 966 D
Caddy	2K5 920 966 DX
Caddy	2K5 920 966 E
Caddy	2K5 920 966 EX
Golf Cabrio	5K7 920 862 C
Golf Cabrio	5K7 920 862 CX
Golf Cabrio	5K7 920 862 D
Golf Cabrio	5K7 920 862 DX
Golf Cabrio	5K7 920 862 E
Golf Cabrio	5K7 920 862 EX
Golf Cabrio	5K7 920 962 C
Golf Cabrio	5K7 920 962 CX
Golf Cabrio	5K7 920 962 D
Golf Cabrio	5K7 920 962 DX
Golf Cabrio	5K7 920 962 E
Golf Cabrio	5K7 920 962 EX
T6	7E0 920 860 R
T6	7E0 920 860 RX
T6	7E0 920 860 S
T6	7E0 920 860 SX
T6	7E0 920 861
T6	7E0 920 861 A
T6	7E0 920 861 AX
T6	7E0 920 861 X
T6	7E0 920 960 R
T6	7E0 920 960 RX
T6	7E0 920 960 S
T6	7E0 920 960 SX
T6	7E0 920 961
T6	7E0 920 961 A
T6	7E0 920 961 AX
T6	7E0 920 961 X
Sharan	7N0 920 860 R
Sharan	7N0 920 860 S
Sharan	7N0 920 960 P
Sharan	7N0 920 960 Q
Alhambra	7N5 920 860 M
Alhambra	7N5 920 860 MX
Alhambra	7N5 920 860 N
Alhambra	7N5 920 860 NX
Alhambra	7N5 920 860 P
Alhambra	7N5 920 860 PX
Alhambra	7N5 920 860 Q
Alhambra	7N5 920 860 QX
Alhambra	7N5 920 960 M
Alhambra	7N5 920 960 MX
Alhambra	7N5 920 960 N
Alhambra	7N5 920 960 NX
Alhambra	7N5 920 960 P
Alhambra	7N5 920 960 PX
Alhambra	7N5 920 960 Q
Alhambra	7N5 920 960 QX

**Roadmap**  
Affected car partnumber see below marking table.

Replace Placeholder	
Bundle	17101056
Roadmap - WFS 4c	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
	17101056
	H-22363
	
	
	BOCRA/TA/2018/4193
	05511-18-06353
	  <small>EUROPEAN CONFORMITY The CE mark is a certification mark that indicates that a product conforms to the requirements of the European Union (EU) for safety, health, and environmental protection. It is a mandatory requirement for products that are placed on the market in the EU. The CE mark is a certification mark that indicates that a product conforms to the requirements of the European Union (EU) for safety, health, and environmental protection. It is a mandatory requirement for products that are placed on the market in the EU.</small>
Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC	
NCA APPROVED: BR3-1M-GE2-0ED	

Indonesia	mandatory	<div> <div> (Certificate Number) (PLG ID Number) Label format 123456/SDPPI/2014 1234 Example </div>  </div>	<p>Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.</p> <p>The frame is not required.</p> <p>Label and QR Code ( that is on the Certificate ) must be printed on the product.</p> <p>The product label photo must be uploaded within 30days after the certificate issued</p>	yes	<div> BBU 63582/SDPPI/2019 4334  </div>
Kazakhstan	mandatory	 	<p>For dark background use white letters and for light background use black letters</p>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Kyrgyz Republic	mandatory	 	<p>For dark background use white letters and for light background use black letters</p>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Malaysia	mandatory		<p>The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.</p> <p>Replace ABCD12345678 with the HIDF1500019 (Malaysian Agency no.)</p>	yes, Approval.no: RCFL/22A/0818/S(18-3109)	
Mexico	mandatory	<p>IFT: XXXXXXX18-XXXX</p> <p>La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.</p>	<p>Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.</p>	yes	RLVWV1718-1507
Moldavia	mandatory		<p>Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification</p> <p>May be enlarged &amp; minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm</p> 	yes	
Morocco	mandatory if not on device	<p>AGREE PAR L'ANRT MAROC</p> <p>Numéro d'agrément: MR XXXXX ANRT YEAR</p> <p>Date d'agrément: DD/MM/YYYY</p>	<p>Insert the number and date which will be given by the Moroccan authority</p> <p>The frame is not required.</p>	yes	MR 17261 ANRT 2018 06.08.2018
Nigeria	mandatory	<div> Connection and use of this communications equipment is permitted by the Nigerian Communications Commission </div>		yes	<div> Connection and use of this communications equipment is permitted by the Nigerian Communications Commission </div>
Oman	mandatory	<div> OMAN - TRA X/NNNN/YY Dyynnnn </div>	<p>Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.</p> <p>Black&amp;white label in the manual is possible.</p> <p>The frame is not required.</p>	yes	R/6024/18 D100428
Russia	mandatory	 	<p>For dark background use white letters and for light background use black letters</p>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Serbia	mandatory if not on device		<p>European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.</p> <p>Min size of triangle with authorized body and year is 5mm.</p> <p>Black&amp;white label in the manual is possible.</p> <p>The frame is not required.</p> 	yes	
Singapore	mandatory if not on device	<p>Complies with IMDA Standards [Dealer's Licence No.]</p>	<p>Label Size 17mm by 9mm</p> <p>Black&amp;white is possible.</p> <p>Replace [Dealer's Licence No.] by DA104692 (which is the current local VW representative).</p>	yes	















South Korea	mandatory if not on device		R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&white possible.	not required for this bundle	
Taiwan	mandatory		Replace XXXXZXZZZZZXZ by the number which will be given by the Taiwanese authority. Z are numbers, X are letters  NCC Warning statement needs to be printed in the user manual.  Black&white possible.	yes	CCAL18LP1610T4  
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	TRA REGISTERED No: ERZZZZZZZZ DEALER No: DAZZZZZZZZ	Label is optional on device, because it is mounted.  Minimum font size of 1mm is possible.  The frame is not required.  Black&white is possible.  Replace nnnnnnnnnm by the registration number allocated by the TRA (=the UAE authority) for this equipment.  Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.	yes	
Ukraine	mandatory	FCC ID 2AOUZXXXXXXX	Add (Link to) Ukrainian Declaration of Conformity -> Certificate No. <b>0978</b>	yes	FCC ID 2AOUZ17101056
USA	mandatory	Radiofrequency radiation exposure information. This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. The equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. The transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.  Cet équipement est conforme aux limites d'exposition aux rayonnements C établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.  NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada Radiofrequency RSS (standards). Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.  NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.	FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.  Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.	yes	
Vietnam	mandatory if not on device		Minimum font size: 1mm  The frame is mandatory!  Replace Name by the local name of the representative company. "SunTech Vietnam"  Replace Code by the local representative company's code number. "C00082015"	yes	
Zambia	mandatory if not on device		ZICTA minimum font size: 3mm and number 2mm,  Replace 201n/xxxxxx by the number which will be given by the Zambian authority.  Frame is not required.  Black& white is possible.	yes	ZMB/ZICTA/TA/2018/10/19



















Affected Part Numbers:	
Vehicle Short Text	Customer part no.
Caddy	2K5 920 876 EX
Caddy	2K5 920 876 FX
Caddy	2K5 920 976 DX
Caddy	2K5 920 976 EX
Caddy	2K5 920 876 E
Caddy	2K5 920 876 F
Caddy	2K5 920 976 D
Caddy	2K5 920 976 E
Caddy	2K5 920 876 GX
Caddy	2K5 920 876 HX
Caddy	2K5 920 876 G
Caddy	2K5 920 876 H
Golf Cabrio	5K7 920 872 CX
Golf Cabrio	5K7 920 872 DX
Golf Cabrio	5K7 920 872 EX
Golf Cabrio	5K7 920 972 CX
Golf Cabrio	5K7 920 972 DX
Golf Cabrio	5K7 920 972 EX
Golf Cabrio	5K6 920 874 BX
Golf Cabrio	5K6 920 974 BX
Golf Cabrio	5K7 920 872 C
Golf Cabrio	5K7 920 872 D
Golf Cabrio	5K7 920 872 E
Golf Cabrio	5K7 920 972 C
Golf Cabrio	5K7 920 972 D
Golf Cabrio	5K7 920 972 E
Golf Cabrio	5K6 920 874 B
Golf Cabrio	5K6 920 974 B
Amarok RPU	2H6 920 870 X
Amarok RPU	2H6 920 871 X
Amarok RPU	2H6 920 870
Amarok RPU	2H6 920 871
Amarok RPU	2H6 920 873 X
Amarok RPU	2H6 920 973 X
Amarok RPU	2H6 920 873
Amarok RPU	2H6 920 973




Alhambra	7N5 920 870 PX
Alhambra	7N5 920 870 QX
Alhambra	7N5 920 970 PX
Alhambra	7N5 920 970 QX
Alhambra	7N5 920 870 P
Alhambra	7N5 920 870 Q
Alhambra	7N5 920 970 P
Alhambra	7N5 920 970 Q
Sharan	7N0 920 870 PX
Sharan	7N0 920 870 QX
Sharan	7N0 920 970 PX
Sharan	7N0 920 970 QX
Sharan	7N0 920 870 P
Sharan	7N0 920 870 Q
Sharan	7N0 920 970 P
Sharan	7N0 920 970 Q
T6	7E0 920 870 RX
T6	7E0 920 970 RX
T6	7E0 920 870 SX
T6	7E0 920 970 SX
T6	7E0 920 870 R
T6	7E0 920 970 R
T6	7E0 920 870 S
T6	7E0 920 970 S
T6	7E0 920 871
T6	7E0 920 871 A
T6	7E0 920 971
T6	7E0 920 971 A
T6	7E0 920 871 X
T6	7E0 920 871 AX
T6	7E0 920 971 X
T6	7E0 920 971 AX
Amarok RPU	2H6 920 871 A
Amarok RPU	2H6 920 873 A
Amarok RPU	2H6 920 973 A
Amarok RPU	2H6 920 871 AX
Amarok RPU	2H6 920 873 AX
Amarok RPU	2H6 920 973 AX
Caddy	2K5 920 876 J
Caddy	2K5 920 876 K
Caddy	2K5 920 876 L
Caddy	2K5 920 876 M
Caddy	2K5 920 976 H
Caddy	2K5 920 976 J
Caddy	2K5 920 876 JX
Caddy	2K5 920 876 KX
Caddy	2K5 920 876 LX
Caddy	2K5 920 876 MX
Caddy	2K5 920 976 HX
Caddy	2K5 920 976 JX
Sharan	7N0 920 870 R
Sharan	7N0 920 870 S
Sharan	7N0 920 970 R
Sharan	7N0 920 970 S
Alhambra	7N5 920 870 R
Alhambra	7N5 920 870 S
Alhambra	7N5 920 970 R
Alhambra	7N5 920 970 S
Sharan	7N0 920 870 RX
Sharan	7N0 920 870 SX
Sharan	7N0 920 970 RX
Sharan	7N0 920 970 SX
Alhambra	7N5 920 870 RX
Alhambra	7N5 920 870 SX
Alhambra	7N5 920 970 RX
Alhambra	7N5 920 970 SX
Sharan	7N0 920 870 T
Sharan	7N0 920 871
Sharan	7N0 920 970 T
Sharan	7N0 920 971
Alhambra	7N5 920 870 T
Alhambra	7N5 920 871
Alhambra	7N5 920 970 T
Alhambra	7N5 920 971
Sharan	7N0 920 870 TX
Sharan	7N0 920 871 X
Sharan	7N0 920 970 TX
Sharan	7N0 920 971 X
Alhambra	7N5 920 870 TX
Alhambra	7N5 920 871 X
Alhambra	7N5 920 970 TX
Alhambra	7N5 920 971 X
Sharan	7N0 920 870 TX
Sharan	7N0 920 871 X
Sharan	7N0 920 970 TX
Sharan	7N0 920 971 X
Alhambra	7N5 920 870 TX
Alhambra	7N5 920 871 X
Alhambra	7N5 920 970 TX
Alhambra	7N5 920 971 X
Sharan	7N0 920 871 B
Sharan	7N0 920 871 A
Sharan	7N0 920 971 B
Sharan	7N0 920 971 A
Sharan	7N0 920 871 BX
Sharan	7N0 920 871 AX
Sharan	7N0 920 971 BX
Sharan	7N0 920 971 AX
Alhambra	7N5 920 871 B
Alhambra	7N5 920 871 A
Alhambra	7N5 920 971 B
Alhambra	7N5 920 971 A
Alhambra	7N5 920 871 BX
Alhambra	7N5 920 871 AX
Alhambra	7N5 920 971 BX
Alhambra	7N5 920 971 AX

Status: 31.05.2020

Roadmap  
Affected car partnumber see below marking table.

	Marking in car manual			Comments / Certificate already available ("Yes") or certificate not yet available ("No")	Replace Place Holder
Country	Obligation	Marking	Comments		Bundle <a href="#">17101057</a> Roadmap - WFS 4c
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	17101057
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	yes	H-22364
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	yes	BOCRA/TA/2018/4194
Brazil	mandatory	Modelo XXXXXX  OHHHH-AA-0FFFF	Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace OHHHH-AA-0FFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	yes	05512-18-06353
Brunei	mandatory		<a href="#">The importer needs to buy this label which has to be implemeted in car manual</a>	yes, Cert.no: DTA 002306	
Canada	mandatory	IC: 23650-XXXXXXX  <small>Radiofrequency radiation exposure information This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. To reduce the risk of interference to other electronic devices, this equipment must not be used in conjunction with any other electronic devices.  Notwithstanding all conditions, use of this equipment may require specific IC labeling prior to an importation into Canada. Use of this equipment in Canada is subject to the conditions of the IC label and may be subject to change without notice.  NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada Radio Regulations RSS requirements. Operation is subject to the following two conditions: 1) This device may not cause harmful interference, and 2) This device must accept any interference received, including interference that may cause undesired operation.  An approved technical report containing test results (including test results applicable to the device) must accompany the device, its operation and service for the entire life of the device. 1) This device must not be used in conjunction with any other electronic devices. 2) This device must not be used in conjunction with any other electronic devices. 3) This device must not be used in conjunction with any other electronic devices. 4) This device must not be used in conjunction with any other electronic devices.  NOTES: Changes or modifications made to this equipment not expressly approved by Continental Automotive Germany and the FCC authorities to operate this equipment.</small>	The number "23650-" is the Continental Babenhausen Registration Number for Canada.  Replace XXXXXXXX by Continental Radio Homologation Number.	not required for this bundle	
Europe	mandatory	  European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 3c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 11mA = 3,728 W  Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120  "Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"	Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).	RED DoC	  Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	yes	
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	yes	NCA APPROVED: BR3-1M-GE2-0EE

Indonesia	mandatory	<div> <div>(Certificate Number) (PLG ID Number)</div> <div>Label format</div> <div>12345/SDPPI/2011 1234</div> <div>Example</div>  </div>	<p>Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.</p> <p>The frame is not required.</p> <p>Label and QR Code ( that is on the Certificate ) must be printed on the product.</p> <p>The product label photo must be uploaded within 30days after the certificate issued</p>	yes	<div> <div>BBU 63128/SDPPI/2019 4334</div>  </div>
Kazakhstan	mandatory	 	<p>For dark background use white letters and for light background use black letters</p>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Kyrgyz Republic	mandatory	 	<p>For dark background use white letters and for light background use black letters</p>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Malaysia	mandatory		<p>The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.</p> <p>Replace ABCD12345678 with the H1DF1500019 (Malaysian Agency no.)</p>	yes, Approval.no: RAA/89A/0718/S(18-3107)	
Mexico	mandatory	<p>IFT: XXXXXX18-XXXX</p> <p>La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.</p>	<p>Replace XXXXXX18-XXXX by the number which will be given by the Mexican authority.</p>	yes	RLVWV1718-1316
Moldavia	mandatory		<p>Label in Black and white is allowed</p> <p>"024" is the number of the Notified Body involved in the certification</p> <p>May be enlarged &amp; minimized according to the proportions of the product.</p> <p>Recommended height of the triangle= 1,25mm</p> 	yes	
Morocco	mandatory if not on device	<p>AGREE PAR L'ANRT MAROC</p> <p>Numéro d'agrément: MR XXXXX ANRT YEAR</p> <p>Date d'agrément: DD/MM/YYYY</p>	<p>Insert the number and date which will be given by the Moroccan authority</p> <p>The frame is not required.</p>	yes	<p>MR 17202 ANRT 2018 06.08.2018</p>
Nigeria	mandatory	<p>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</p>		yes	<p>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</p>
Oman	mandatory	<p>OMAN - TRA</p> <p>X/NNNN/YY</p> <p>Dyynnnn</p>	<p>Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.</p> <p>Black&amp;white label in the manual is possible.</p> <p>The frame is not required.</p>	yes	<p>R/6023/18 D100428</p>
Russia	mandatory	 	<p>For dark background use white letters and for light background use black letters</p>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Serbia	mandatory if not on device		<p>European CE label + Serbian label required.</p> <p>If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.</p> <p>Min size of triangle with authorized body and year is 5mm.</p> <p>Black&amp;white label in the manual is possible.</p> <p>The frame is not required.</p> 	yes	
Singapore	mandatory if not on device	<p>Complies with IMDA Standards</p> <p>[Dealer's Licence No.]</p>	<p>Label Size 17mm by 9mm</p> <p>Black&amp;white is possible.</p> <p>Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).</p>	yes	

South Korea	mandatory if not on device		R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&white possible.	not required for this bundle	
Taiwan	mandatory		Replace XXXXZZXZZZZX by the number which will be given by the Taiwanese authority. Z are numbers, X are letters.  NCC Warning statement needs to be printed in the user manual.  Black&white possible.	yes	  CCAL18LP1620T7
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device		Label is optional on device, because it is mounted.  Minimum font size of 1mm is possible.  The frame is not required.  Black&white is possible.  Replace nnnnnnnnnnn by the registration number allocated by the TRA (=the UAE authority) for this equipment.  Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.	not required for this bundle	
Ukraine	mandatory		Add (Link to) Ukrainian Declaration of Conformity -> Certificate No. 0993	yes	
USA	mandatory		FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.  Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.	yes	  FCC ID 2AOUZ17101057
Vietnam	mandatory if not on device		Minimum font size: 1mm  The frame is mandatory!  Replace Name by the local name of the representative company. "SunTech Vietnam"  Replace Code by the local representative company's code number . "C00082015"	yes	
Zambia	mandatory if not on device		ZICTA minimum font size: 3mm and number 2mm.  Replace 201x/xxxxxx by the number which will be given by the Zambian authority.  Frame is not required.  Black& white is possible.	yes	ZMB/ZICTA/TA/2018/10/18

Affected Part Numbers:	
Vehicle Short Text	Customer part no.
Golf Cabrio	5K7 920 882 CX
Golf Cabrio	5K7 920 882 DX
Golf Cabrio	5K7 920 882 EX
Golf Cabrio	5K7 920 982 CX
Golf Cabrio	5K7 920 982 DX
Golf Cabrio	5K7 920 982 EX
Golf Cabrio	5K6 920 884 BX
Golf Cabrio	5K6 920 984 BX
Golf Cabrio	5K7 920 882 C
Golf Cabrio	5K7 920 882 D
Golf Cabrio	5K7 920 882 E
Golf Cabrio	5K7 920 982 C
Golf Cabrio	5K7 920 982 D
Golf Cabrio	5K7 920 982 E
Golf Cabrio	5K6 920 884 B
Golf Cabrio	5K6 920 984 B
Amarok RPU	2H6 920 883 X
Amarok RPU	2H6 920 983 X
Amarok RPU	2H6 920 883
Amarok RPU	2H6 920 983
Alhambra	7N5 920 880 CX
Alhambra	7N5 920 880 DX
Alhambra	7N5 920 980 BX
Alhambra	7N5 920 980 CX
Alhambra	7N5 920 880 C
Alhambra	7N5 920 880 D
Alhambra	7N5 920 980 B
Alhambra	7N5 920 980 C
Sharan	7N0 920 880 KX
Sharan	7N0 920 880 LX
Sharan	7N0 920 980 KX
Sharan	7N0 920 980 LX
Sharan	7N0 920 880 K
Sharan	7N0 920 880 L











2H6 920 883 X  
2H6 920 983 X  
2H6 920 883  
2H6 920 983  
7N5 920 880 CX  
7N5 920 880 DX  
7N5 920 880 C  
7N5 920 880 D  
7N5 920 980 B  
7N5 920 980 C  
7N0 920 880 KX  
7N0 920 880 LX  
7N0 920 980 KX  
7N0 920 980 LX  
7N0 920 880 K  
7N0 920 880 L  
7E0 920 880 RX  
7E0 920 980 RX  
7E0 920 880 SX  
7E0 920 980 SX  
7E0 920 880 R  
7E0 920 980 R  
7E0 920 880 S  
7E0 920 980 S  
2K5 920 886  
2K5 920 886 A  
2K5 920 886 B  
2K5 920 886 C  
2K5 920 986 A  
2K5 920 886 X















Sharan	7N0 920 980 K
Sharan	7N0 920 980 L
T6	7E0 920 880 RX
T6	7E0 920 980 RX
T6	7E0 920 880 SX
T6	7E0 920 980 SX
T6	7E0 920 880 R
T6	7E0 920 980 R
T6	7E0 920 880 S
T6	7E0 920 980 S
Caddy	2K5 920 886
Caddy	2K5 920 886 A
Caddy	2K5 920 886 B
Caddy	2K5 920 886 C
Caddy	2K5 920 986 A
Caddy	2K5 920 886 X
Caddy	2K5 920 886 AX
Caddy	2K5 920 886 BX
Caddy	2K5 920 886 CX
Caddy	2K5 920 986 AX
T6	7E0 920 882
T6	7E0 920 882 A
T6	7E0 920 981
T6	7E0 920 981 A
T6	7E0 920 882 X
T6	7E0 920 882 AX
T6	7E0 920 981 X
T6	7E0 920 981 AX
Amarok RPU	2H6 920 983 A
Amarok RPU	2H6 920 983 A
Amarok RPU	2H6 920 883 AX
Amarok RPU	2H6 920 983 AX
Caddy	2K5 920 886 D
Caddy	2K5 920 886 E
Caddy	2K5 920 886 F
Caddy	2K5 920 886 G
Caddy	2K5 920 986 B
Caddy	2K5 920 886 DX
Caddy	2K5 920 886 EX
Caddy	2K5 920 886 FX
Caddy	2K5 920 886 GX
Caddy	2K5 920 986 BX
Sharan	7N0 920 880 M
Sharan	7N0 920 880 N
Sharan	7N0 920 980 M
Sharan	7N0 920 980 N
Alhambra	7N5 920 880 E
Alhambra	7N5 920 880 F
Alhambra	7N5 920 980 D
Alhambra	7N5 920 980 E
Sharan	7N0 920 880 MX
Sharan	7N0 920 880 NX
Sharan	7N0 920 980 MX
Sharan	7N0 920 980 NX
Alhambra	7N5 920 880 EX
Alhambra	7N5 920 880 FX
Alhambra	7N5 920 980 DX
Alhambra	7N5 920 980 EX
Sharan	7N0 920 880 P
Sharan	7N0 920 880 Q
Sharan	7N0 920 980 P
Sharan	7N0 920 980 Q
Alhambra	7N5 920 880 G
Alhambra	7N5 920 880 H
Alhambra	7N5 920 980 F
Alhambra	7N5 920 980 G
Sharan	7N0 920 880 PX
Sharan	7N0 920 880 QX
Sharan	7N0 920 980 PX
Sharan	7N0 920 980 QX
Alhambra	7N5 920 880 GX
Alhambra	7N5 920 880 HX
Alhambra	7N5 920 980 FX
Alhambra	7N5 920 980 GX
Sharan	7N0 920 880 PX
Sharan	7N0 920 880 QX
Sharan	7N0 920 980 PX
Sharan	7N0 920 980 QX
Alhambra	7N5 920 880 GX
Alhambra	7N5 920 880 HX
Alhambra	7N5 920 980 FX
Alhambra	7N5 920 980 GX
Sharan	7N0 920 880 S
Sharan	7N0 920 880 R
Sharan	7N0 920 980 S
Sharan	7N0 920 980 R
Sharan	7N0 920 880 SX
Sharan	7N0 920 880 RX
Sharan	7N0 920 980 SX
Sharan	7N0 920 980 RX
Alhambra	7N5 920 880 K
Alhambra	7N5 920 880 J
Alhambra	7N5 920 980 J
Alhambra	7N5 920 980 H
Alhambra	7N5 920 880 KK
Alhambra	7N5 920 880 JX
Alhambra	7N5 920 980 JX
Alhambra	7N5 920 980 HX

2K5 920 886 AX  
2K5 920 886 BX  
2K5 920 886 CX  
2K5 920 986 AX  
7E0 920 882  
7E0 920 882 A  
7E0 920 981  
7E0 920 981 A  
7E0 920 882 X  
7E0 920 882 AX  
7E0 920 981 X  
7E0 920 981 AX  
2H6 920 883 A  
2H6 920 983 A  
2H6 920 883 AX  
2H6 920 983 AX  
2K5 920 886 D  
2K5 920 886 E  
2K5 920 886 F  
2K5 920 886 G  
2K5 920 986 B  
2K5 920 886 DX  
2K5 920 886 EX  
2K5 920 886 FX  
2K5 920 886 GX  
2K5 920 986 BX  
7N0 920 880 MX  
7N0 920 880 NX  
7N0 920 980 MX  
7N0 920 980 NX  
7N5 920 880 EX  
7N5 920 880 FX  
7N5 920 980 DX  
7N5 920 980 EX  
7N0 920 880 P  
7N0 920 880 Q  
7N0 920 980 P  
7N0 920 980 Q  
7N0 920 880 S  
7N0 920 880 R  
7N0 920 980 S  
7N5 920 880 J  
7N5 920 980 J  
7N5 920 880 H









Status: 31.05.2020




PQ26 MY 18+19  
Affected car partnumber see below marking table.

	Marking in car manual			Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Replace Place Holder
Country	Obligation	Marking	Comments		Bundle <b>17101071</b>  Roadmap - WFS 4c
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	17101071
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	yes	H-24559
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	yes	BOCRA/TA/2019/4998
Brazil	mandatory	Modelo XXXXXX  0HHHH-AA-0FFFF  Atendimento à Regulação Anatel  Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.  Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados. Para maiores informações, consulte o site da ANATEL <a href="http://www.anatel.gov.br">www.anatel.gov.br</a>	Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace 0HHHH-AA-0FFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	yes	07185-18-06353
Brunei	mandatory		The importeur needs to buy this label which has to be implemeted in car manual	not required for this bundle	
Canada	mandatory	IC: 23650-XXXXXXX  <small>Radiofrequency radiation exposure information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm. between the radiator and your body. The transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. Car équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé à un minimum de 20 cm de distance entre le source de rayonnement et votre corps.  NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada's RSS requirements. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation. Le présent appareil est conforme aux CNR d'Industry Canada applicables aux appareils radio fonctionnant en mode non contrôlé. Cet équipement doit être installé et utilisé à un minimum de 20 cm de distance de la source de rayonnement.  NOTICE: Changés or modifications made to this equipment not expressly approved by Continental Automotive direct may void the FCC authorization to operate this equipment.</small>	The number "23650-" is the Continental Babenhausen Registration Number for Canada.  Replace XXXXXXXX by Continental Radio Homologation Number.	not required for this bundle	

Europe	mandatory	 <p>European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 111mA = 3,728 W</p> <p>Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120</p> <p>"Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</p>	Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).	RED DoC	 <p>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</p>
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	yes	
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	yes	NCA APPROVED: BR3-1M-GE2-130
Indonesia	mandatory	<p>(Certificate Number) (PLG ID Number) Label format</p> <p>12345/S/DPPI/2011 1234</p> <p>Example</p> 	<p>Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.</p> <p>The frame is not required.</p> <p>Label and QR Code ( that is on the Certificate ) must be printed on the product.</p> <p>The product label photo must be uploaded within 30days after the certificate issued</p>	not required for this bundle	
Kazakhstan	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Kyrgyz Republic	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Malaysia	mandatory		<p>The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.</p> <p>Replace ABCD12345678 with the H1DF1500019 (Malayian Agency no.)</p>	yes, Approval no. RFCL/41A/0220/S(20-0390)	
Mexico	mandatory	IFT: XXXXXXX18-XXXX	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	RLVWV1718-1929
Moldavia	mandatory		<p>Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification</p> <p>May be enlarged &amp; minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm</p> 	yes	
Morocco	mandatory if not on device	<p>AGREE PAR L'ANRT MAROC</p> <p>Numéro d'agrément: MR XXXXX ANRT YEAR</p> <p>Date d'agrément: DD/MM/YYYY</p>	<p>Insert the number and date which will be given by the Moroccan authority</p> <p>The frame is not required.</p>	yes	MR 17679 ANRT 2018 11.10.2018













Nigeria	mandatory	<div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div>		yes	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission
Oman	mandatory	<div>OMAN - TRA X/NNNN/YY Dyynnnn</div>	<div>Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.  Black&amp;white label in the manual is possible.  The frame is not required.</div>	yes	R/6366/18 D100428
Russia	mandatory	<div></div>	<div>For dark background use white letters and for light background use black letters</div>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Serbia	mandatory if not on device	<div> H005 YY</div>	<div>European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.  Min size of triangle with authorized body and year is 5mm.  Black&amp;white label in the manual is possible.  The frame is not required.  </div>	yes	
Singapore	mandatory if not on device	<div>Complies with IMDA Standards [Dealer's Licence No.]</div>	<div>Label Size 17mm by 9mm  Black&amp;white is possible.  Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).</div>	yes	
South Korea	mandatory if not on device		<div>R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&amp;white possible.</div>	not required for this bundle	
Taiwan	mandatory	<div> XXXXZZXXZZZZXZ </div>	<div>Replace XXXXZZXXZZZZXZ by the number which will be given by the Taiwan's authority. Z are numbers, X are letters  NCC Warning statement needs to be printed in the user manual.  Black&amp;white possible.</div>	yes	<div>CCAL19LP2450T8 </div>
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	<div>TRA REGISTERED No: ERZZZZZZZZ DEALER No: DAZZZZZZZZ</div>	<div>Label is optional on device, because it is mounted.  Minimum font size of 1mm is possible.  The frame is not required.  Black&amp;white is possible.  Replace nnnnnnnnnnn by the registration number allocated by the TRA (=the UAE authority) for this equipment.  Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.</div>	yes	
Ukraine	mandatory		<div>Add (Link to) Ukrainian Declaration of Conformity -&gt; Certificate No. 2579.1-CET</div>	yes	















USA	mandatory	<p>FCC ID 2AOUZXXXXXX</p> <p><b>Radiofrequency radiation exposure information:</b> This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm, between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.</p> <p><i>Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un équipement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.</i></p> <p><b>NOTICE:</b> This device complies with Part 15 of the FCC Rules and with Industry Canada <del>licence</del>exempt RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p> <p><i>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'utilisation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.</i></p> <p><b>NOTICE:</b> Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</p>	<p>FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.</p> <p>Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.</p>	yes	
Vietnam	mandatory if not on device		<p>Minimum font size: 1mm</p> <p>The frame is mandatory!</p> <p>Replace Name by the local name of the representative company. "SunTech Vietnam"</p> <p>Replace Code by the local representative company's code number . "C00082015"</p>	not required for this bundle	
Zambia	mandatory if not on device		<p>ZICTA minimum font size: 3mm and number: 2mm,</p> <p>Replace 201/x/xxxxxx by the number which will be given by the Zambian authority.</p> <p>Frame is not required.</p> <p>Black&amp; white is possible.</p>	yes	<p>ZMB/ZICTA/TA/2019/11/147</p>





Affected Part Numbers:	
Vehicle Short Text	Customer part no.
Fabia	6V0 920 700 B
Fabia	6V0 920 730 B
Fabia	6V0 920 701 B
Fabia	6V0 920 731 B
Fabia	6V0 920 900 B
Fabia	6V0 920 930 B
Fabia	6V0 920 901 B
Fabia	6V0 920 931 B
Fabia	6V0 920 708 B
Fabia	6V0 920 738 B
Fabia Monte Carlo	6V0 920 736 B
Fabia Monte Carlo	6V0 920 936 B
Fabia Monte Carlo	6V0 920 737 B
Fabia Monte Carlo	6V0 920 937 B
Rapid	5JA 920 700 B
Rapid	5JA 920 730 B
Rapid	5JA 920 701 B
Rapid	5JA 920 731 B
Rapid	5JA 920 903 B
Rapid	5JA 920 930 B
Rapid	5JA 920 901 B
Rapid	5JA 920 931 B
Rapid Monte Carlo	5JA 920 736 A
Rapid Monte Carlo	5JA 920 936 A
Rapid Monte Carlo	5JA 920 737 A
Rapid Monte Carlo	5JA 920 937 A
Toledo	6JA 920 730 H
Toledo	6JA 920 930 H
Toledo	6JA 920 731 H
Toledo	6JA 920 931 H
Toledo	6JA 920 730 J
Toledo	6JA 920 930 J
Toledo	6JA 920 731 J
Toledo	6JA 920 931 J
Fabia PA	6V0 920 700 D
Fabia PA	6V0 920 730 D
Fabia PA	6V0 920 900 D
Fabia PA	6V0 920 708 D
Fabia PA	6V0 920 738 D
Fabia Monte Carlo PA	6V0 920 736 D
Fabia PA	5JA 920 700 C
Fabia PA	5JA 920 730 C
Fabia PA	5JA 920 903 C
Fabia PA	5JA 920 930 C
Rapid Monte Carlo	5JA 920 736 C
Rapid Monte Carlo	5JA 920 936 C



Status: 31.05.2020

PQ26 MY 18+19  
Affected car partnumber see below marking table.

	Marking in car manual			Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Replace Place Holder
Country	Obligation	Marking	Comments		Bundle 17101072  Roadmap - WFS 4c
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	17101072
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	yes	H-24598
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	yes	BOCRA/TA/2019/4997
Brazil	mandatory	Modelo XXXXXX  Atendimento à Regulamentação Anatel  Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.  Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados. Para maiores informações, consulte o site da ANATEL www.anatel.gov.br	Replace XXXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace 0HHHH-AA-0FFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	no	
Brunei	mandatory		The importeur needs to buy this label which has to be implemented in car manual	not required for this bundle	
Canada	mandatory	IC: 23650-XXXXXXX  <small>Radiofrequency radiation exposure information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the antenna and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.  Ce équipement est conforme aux limites d'exposition aux rayonnements RF établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.  NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada's (BASIC) exempt RSS requirements. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause unwanted operation.  Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'utilisation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.  NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</small>	The number "23650-" is the Continental Babenhausen Registration Number for Canada.  Replace XXXXXXXX by Continental Radio Homologation Number.	n/a	

Europe	mandatory	 <p>European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 111mA = 3,728 W</p> <p>Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120</p> <p>"Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</p>	Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).	RED DoC	 <p>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</p>
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	yes	
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	yes	NCA APPROVED: ZR0-M8-7E3-20B
Indonesia	mandatory	<p>(Certificate Number) (PLG ID Number) Label format</p> <p>12345/S/DPPI/2011 1234 Example</p> 	<p>Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.</p> <p>The frame is not required.</p> <p>Label and QR Code ( that is on the Certificate ) must be printed on the product.</p> <p>The product label photo must be uploaded within 30days after the certificate issued</p>	not required for this bundle	
Kazakhstan	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Kyrgyz Republic	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Malaysia	mandatory		<p>The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.</p> <p>Replace ABCD12345678 with the H1DF1500019 (Malayian Agency no.)</p>	yes, Approval no. RFCL/42A/0220/S(20-0391)	
Mexico	mandatory	IFT: XXXXXXX18-XXXX	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	RLVWV1719-1795
Moldavia	mandatory		<p>Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification</p> <p>May be enlarged &amp; minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm</p> 	yes	
Morocco	mandatory if not on device	<p>AGREE PAR L'ANRT MAROC</p> <p>Numéro d'agrément: MR XXXXX ANRT YEAR</p> <p>Date d'agrément: DD/MM/YYYY</p>	<p>Insert the number and date which will be given by the Moroccan authority</p> <p>The frame is not required.</p>	yes	MR 20859 ANRT 2019 11.09.2019



















Nigeria	mandatory	<div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div>		yes	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission
Oman	mandatory	<div>OMAN - TRA X/NNNN/YY Dyynnnn</div>	Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.  Black&white label in the manual is possible.  The frame is not required.	yes	R/8171/19 D100428
Russia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Serbia	mandatory if not on device		European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.  Min size of triangle with authorized body and year is 5mm.  Black&white label in the manual is possible.  The frame is not required.  	yes	
Singapore	mandatory if not on device	<div>Complies with IMDA Standards [Dealer's Licence No.]</div>	Label Size 17mm by 9mm  Black&white is possible.  Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).	yes	
South Africa	logo is mandatory if it is not on device		The minimum size of the ICASA logo shall be 3 mm and the font size 1mm high.  The height to width ratio of the overall ICASA label must be 1:2.  Black&white logo is possible	yes	
South Korea	mandatory if not on device		R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&white possible.	not required for this bundle	
Taiwan	mandatory	 	Replace XXXXZZXZZZXZ by the number which will be given by the Taiwan authority. Z are numbers, X are letters  NCC Warning statement needs to be printed in the user manual.  Black&white possible.	yes	CCAL19LP2460T1 

UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	<div>TRA REGISTERED No: ERZZZZZZZZ DEALER No: DAZZZZZZZZ</div>	Label is optional on device, because it is mounted.  Minimum font size of 1mm is possible.  The frame is not required.  Black&white is possible.  Replace nnnnnnnnnn by the registration number allocated by the TRA (=the UAE authority) for this equipment.  Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.	yes	
Ukraine	mandatory		Add (Link to) Ukrainian Declaration of Conformity -> Certificate No. <b>2579.2-CET</b>	yes	
USA	mandatory	<div>FCC ID 2AOUZXXXXXXX</div> <div>Radiofrequency radiation exposure information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed, and operated, with minimum distance of 20 cm, between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.  Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.  NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada licence-exempt RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'utilisation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.  NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</div>	FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.  Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.	yes	<div>FCC ID 2AOUZ17101072</div> <div>Before this equipment is used, the user must read the entire manual and the instructions for use. The user must also read the instructions for use of the equipment.  Avant d'utiliser cet équipement, l'utilisateur doit lire le manuel d'instructions et les instructions d'utilisation de l'équipement.  NOTICE: This equipment is not to be used in the vicinity of aircraft. NOTICE: This equipment is not to be used in the vicinity of aircraft.  NOTICE: This equipment is not to be used in the vicinity of aircraft. NOTICE: This equipment is not to be used in the vicinity of aircraft.  NOTICE: This equipment is not to be used in the vicinity of aircraft. NOTICE: This equipment is not to be used in the vicinity of aircraft.</div>
Vietnam	mandatory if not on device	<div> Mark 1 - Mark them on box with this logo on</div>	Minimum font size: 1mm  The frame is mandatory!  Replace Name by the local name of the representative company. "SunTech Vietnam"  Replace Code by the local representative company's code number . "C00082015"	not required for this bundle	
Zambia	mandatory if not on device	<div> ZMB/ZICTA/ TA /YYYY/MM/DD</div>	ZICTA minimum font size: 3mm and number:2mm,  Replace 201/x/xxxxxx by the number which will be given by the Zambian authority.  Frame is not required.  Black& white is possible.	yes	ZMB/ZICTA/TA/2019/11/48

Affected Part Numbers:	
Vehicle Short Text	Customer part no.
Fabia	6V0 920 740 C
Fabia	6V0 920 940 C
Fabia	6V0 920 741 C
Fabia	6V0 920 941 C
Fabia Monte Carlo	6V0 920 746 C
Fabia Monte Carlo	6V0 920 946 C
Fabia Monte Carlo	6V0 920 747 C
Fabia Monte Carlo	6V0 920 947 C
Rapid	5JA 920 740 B
Rapid	5JA 920 943 B
Rapid	5JA 920 741 B
Rapid	5JA 920 941 B
Rapid Monte Carlo	5JA 920 746 B
Rapid Monte Carlo	5JA 920 946 B
Rapid Monte Carlo	5JA 920 747 B
Rapid Monte Carlo	5JA 920 947 B
Toledo	6JA 920 740 H
Toledo	6JA 920 940 H
Toledo	6JA 920 741 H
Toledo	6JA 920 941 H
Toledo	6JA 920 740 J
Toledo	6JA 920 940 J
Toledo	6JA 920 741 J
Toledo	6JA 920 941 J
Fabia PA	6V0 920 740 D
Fabia PA	6V0 920 940 D
Fabia Monte Carlo PA	6V0 920 746 D
Fabia Monte Carlo PA	6V0 920 946 D
Fabia PA	5JA 920 740 C
Fabia PA	5JA 920 943 C
Rapid Monte Carlo	5JA 920 746 C
Rapid Monte Carlo	5JA 920 946 C
Rapid Hockey Edition RU	5JA 920 749 C

MQB MY 19 - WFS 5a  
Affected car partnumber see below marking table.

Canada	<p>mandatory</p> <p><b>SOURCE:</b> This source complies with Part 15 of the FCC Rules and with Industry Canada <a href="#">RSS-320</a> standards. It is also subject to the following test conditions: (1) The device may not cause harmful interference, and (2) The device must accept any interference received, including interference that may cause operational degradation.</p> <p><b>Le présent appareil est conforme aux CNR d'Industry Canada applicables aux appareils radio.</b></p>	<p>The number "23650" is the Continental Baebenausen Registration Number for Canada.</p> <p>Replace XXXXXXXX by Continental Radio Homologation Number.</p> <p><b>yes</b></p>
--------	--	--

Europe	mandatory	 <p>European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 1.1mA = 3,728 W  Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120</p> <p>"Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</p>	Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).	RED DoC	 <p>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</p>
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	yes	
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	yes	NCA APPROVED: BR3-1M-GE2-0B7
Kazakhstan	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Kyrgyz Republic	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Indonesia	mandatory	<p>(Certificate Number) (PLG ID Number) Label format</p> <p>12345/SDPPI/2011 1234</p> <p>Example</p> 	<p>Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.</p> <p>The frame is not required.</p> <p>Label and QR Code ( that is on the Certificate ) must be printed on the product.</p> <p>The product label photo must be uploaded within 30days after the certificate issued</p>	yes	<p>BBU</p> <p>57687/SDPPI/2018 7708</p> 
Malaysia	mandatory	 <p>8 mm (minimum size)</p> <p>8 mm (minimum size)</p> <p>ABCD12345678</p>	<p>The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.</p> <p>Replace ABCD12345678 with the HIDF1500019 (Malaysian Agency no.)</p>	yes, Approval No: RFCL/18A/0718/S/(18-2529)	
Mexico	mandatory	<p>IFT: XXXXXXX18-XXXX</p> <p>La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.</p>	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	RLVVW1818-1248
Moldavia	mandatory	 <p>024</p>	<p>Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification</p> <p>May be enlarged &amp; minimized according to the proportions of the product. Recommended height of the triangle= 1.25mm</p> 	yes	 <p>024</p>
Morocco	mandatory if not on device	<p>AGREE PAR L'ANRT MAROC</p> <p>Número d'agrément: MR XXXXX ANRT YEAR Date d'agrément: DD/MM/YYYY</p>	<p>Insert the number and date which will be given by the Moroccan authority</p> <p>The frame is not required.</p>	yes	<p>MR 16908 ANRT 2018 21.06.2018</p>
Nigeria	mandatory	<p>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</p>		yes	<p>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</p>
Oman	mandatory	<p>OMAN - TRA</p> <p>X/NNNN/YY Dyynnnn</p>	<p>Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.</p> <p>Black&amp;white label in the manual is possible.</p> <p>The frame is not required.</p>	yes	<p>R/5819/18 D100428</p>
Russia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	

GDL 63081/SDPPI/2019 4334	BDY 63082/SDPPI/2019 4334
	



Serbia	mandatory if not on device		European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.  Min size of triangle with authorized body and year is 5mm.  Black&white label in the manual is possible.  The frame is not required.  	yes	
Singapore	mandatory if not on device	Complies with IMDA Standards <a href="#">[Dealer's Licence No.]</a>	Label Size 17mm by 9mm  Black&white is possible.  Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).	yes	
South Korea	mandatory if not on device		R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&white possible.	yes	
Taiwan	mandatory	 	Replace XXXXZZXXZZZZXZ by the number which will be given by the Taiwan authority. Z are numbers, X are letters  NCC Warning statement needs to be printed in the user manual.  Black&white possible.	yes	 CCAL18LP1190T8
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	TRA REGISTERED No: <a href="#">ERZZZZZZ</a> DEALER No: <a href="#">DAZZZZZZ</a>	Label is optional on device, because it is mounted.  Minimum font size of 1mm is possible.  The frame is not required.  Black&white is possible.  Replace nnnnnnnnnnn by the registration number allocated by the TRA (=the UAE authority) for this equipment.  Replace xxxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.	yes	
Ukraine	mandatory		Add (Link to) Ukrainian Declaration of Conformity -> Certificate No. <b>0670</b>	yes	
USA	mandatory	FCC ID 2AOUZXXXXXXX  <small>Radiofrequency radiation exposure information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.  Cet équipement est conforme aux limites d'exposition aux rayonnements RF établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps. Ce transmetteur ne doit pas être co-localisé ou fonctionner en conjonction avec toute autre antenne ou émetteur.  NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada <del>Radio</del> exempt RSS standards. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.  Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) L'appareil ne doit pas produire de brouillage, et (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.  NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</small>	FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.  Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.	yes	 FCC ID 2AOUZ18020531
Vietnam	mandatory if not on device	 <small>NOTE: Each Name is to be 10-15 characters long</small>	Minimum font size: 1mm  The frame is mandatory!  Replace Name by the local name of the representative company. "SunTech Vietnam"  Replace Code by the local representative company's code number. "C00082015"	yes	
Zambia	mandatory if not on device	 ZMB/ZICTA/TA/YYYY/MM/XX	Replace 201/x/xxxxxx by the number which will be given by the Zambian authority. ZICTA minimum font size: 3mm and number:2mm,  ZMB/ZICTA/TA/YYYY/MM/XX = model-specific homologation-no, which will be given by the Zambian authority (YYYY=year, M or MM=month, XX=individual)  Frame is not required, Black& white is possible.	yes	ZMB/ZICTA/TA/2018/10/24

Affected Part Numbers:	
Vehicle	Customer part no.
(e.g. AU326)	(e.g. 83A 920 700)
Jetta	17A 920 640
Golf	5G1 920 740 D
Golf	5G1 920 741 D
Golf	5G1 920 840 D
Golf	5G1 920 841 D
Golf	5G8 920 740 D































Tiguan	5NA 920 740 C
Tiguan	5NA 920 741 C
Jetta	17A 920 740 A
Jetta	17A 920 741 A
Jetta	17A 920 840 A
T-Roc	2GA 920 740 A
T-Roc	2GA 920 741 A
T-Roc	2GA 920 940 A
T-Roc	2GA 920 941 A
Tharu	2GG 920 640
Passat	3G0 920 740 D
Passat	3G0 920 741 D
Passat	3G0 920 940 D
Passat	3G0 920 941 D
NMS NF	3GB 920 640
Superb	3VO 920 740 C
Superb	3VO 920 741 C
Superb	3VO 920 940 C
Superb	3VO 920 941 C
Superb NF	3VD 920 740 B
Golf Plus	517 920 640 D
Golf Plus	517 920 641 D
Golf Plus	517 920 740 D
Golf Plus	517 920 741 D
Golf Plus	517 920 940 D
Golf Plus	517 920 941 D
Golf Sportsvan	51G 920 640 D
A+ SUV	565 920 740 B
A+ SUV	565 920 741 B
A+ SUV	565 920 940 B
A+ SUV	565 920 941 B
A+ SUV	56G 920 740 B
Octavia	5EO 920 740 F
Octavia	5EO 920 741 F
Octavia	5EO 920 742 F
Octavia	5EO 920 743 F
Octavia	5EO 920 746 F
Octavia	5EO 920 747 F
Octavia	5EO 920 940 F
Octavia	5EO 920 941 F
Octavia	5EO 920 946 F
Octavia	5EO 920 947 F
Leon	5FO 920 700 F
Leon	5FO 920 701 F
Leon Xperience	5FO 920 710 F
Leon Xperience	5FO 920 711 F
Leon	5FO 920 740 F
Leon	5FO 920 741 F
Leon	5FO 920 742 F
Leon	5FO 920 748 F
Leon	5FO 920 900 F
Leon	5FO 920 901 F
Leon Xperience	5FO 920 910 F
Leon Xperience	5FO 920 911 F
Leon	5FO 920 940 F
Leon	5FO 920 941 F
Golf	5G1 920 740 D
Golf	5G1 920 741 D
Golf	5G1 920 742 D
Golf	5G1 920 840 D
Golf	5G1 920 841 D
Golf	5G1 920 940 D
Golf	5G1 920 941 D
Tiguan	5NA 920 740 C
Tiguan	5NA 920 741 C
Tiguan	5NA 920 940 C
Tiguan	5NA 920 941 C
Tiguan	5NG 920 640 C
Touran	5TA 920 740 C
Touran	5TA 920 741 C
Touran	5TA 920 940 C
Touran	5TA 920 941 C
Crafter	7CO 920 741 B
Crafter	7CO 920 941 B
AU276_2218	81A 920 740 E
Q2	81A 920 740 F
Q2	81A 920 740 G
AU276_2218	81A 920 741 D
AU276_2218_Aslen	81A 920 741 E
Q2	81A 920 741 G
AU276_2218	81A 920 940 C
Q2	81A 920 940 D
AU276_2218	81A 920 941 C
Q2	81A 920 941 D
A3	8VO 920 740
A3	8VO 920 740 B
A3	8VO 920 741
A3	8VO 920 741 A
A3	8VO 920 742
A3	8VO 920 840
A3	8VO 920 940
A3	8VO 920 941
Q2	81A 920 740 K
Q2	81A 920 740 L
Q2	81A 920 940 F
Q2	81A 920 741 J
Q2	81A 920 941 F








Status: 31.05.2020

MQB MY 19 + 20 - WFS 5c

Affected car partnumber see below marking table.

Country	Marking in car manual			Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Replace Place Holder
	Obligation	Marking	Comments		Bundlo 18020532  MQB MY 19+20 - WFS 5 c
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	18020532
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	yes	H-22362
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	yes	BOCRA/TA/2018/4132
Brazil	mandatory	Atendimento à Regulamentação Anatel  Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.  Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados. Para maiores informações, consulte o site da ANATEL www.anatel.gov.br   Modelo XXXXXX OHHHH-AA-OFFFF	Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace OHHHH-AA-OFFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	yes	07184-18-06353
Brunei	mandatory		The importeur needs to buy this label which has to be impleteted in car manual	yes, Certificate Number: DTA-001983	
Canada	mandatory	IC: 23650-XXXXXXX  <small>Radiofrequency radiation exposure information This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm. Exposure can be reduced by good operating practices. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.  Get Equipment and contents are tested and approved for operation in the environment. IC labels must be displayed on the device. The equipment must be used in accordance with the instructions in the user manual.  NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada (IC) license-exempt RSS requirements. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  Le présent appareil est conforme aux CNR d'Industrie Canada relatives aux appareils radio sans licence. L'utilisateur doit respecter les conditions d'utilisation indiquées dans le manuel de l'appareil. ATTENTION: Ce dispositif radio doit être utilisé conformément aux conditions d'utilisation indiquées dans le manuel de l'appareil. Le présent appareil est conforme aux CNR d'Industrie Canada relatives aux appareils radio sans licence. L'utilisateur doit respecter les conditions d'utilisation indiquées dans le manuel de l'appareil.  NOTICE: Changes or modifications made to this equipment not approved by Continental Automotive Canada may void the FCC authorization to operate this equipment.</small>	The number "23650-" is the Continental Babenhausen Registration Number for Canada.  Replace XXXXXXXX by Continental Radio Homologation Number.	yes	IC: 23650-18020532  <small>Radiofrequency radiation exposure information This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm. Exposure can be reduced by good operating practices. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.  Get Equipment and contents are tested and approved for operation in the environment. IC labels must be displayed on the device. The equipment must be used in accordance with the instructions in the user manual.  NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada (IC) license-exempt RSS requirements. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  Le présent appareil est conforme aux CNR d'Industrie Canada relatives aux appareils radio sans licence. L'utilisateur doit respecter les conditions d'utilisation indiquées dans le manuel de l'appareil. ATTENTION: Ce dispositif radio doit être utilisé conformément aux conditions d'utilisation indiquées dans le manuel de l'appareil. Le présent appareil est conforme aux CNR d'Industrie Canada relatives aux appareils radio sans licence. L'utilisateur doit respecter les conditions d'utilisation indiquées dans le manuel de l'appareil.  NOTICE: Changes or modifications made to this equipment not approved by Continental Automotive Canada may void the FCC authorization to operate this equipment.</small>

Europe	mandatory	 <p>European Union: Declaration of Conformity          Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment]          Technical information:          Frequency Band: 125 kHz          Output Power: (max. transmission power)          Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W          Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 111mA = 3,728 W</p> <p>Manufacturer: Continental Automotive GmbH          Address: VDO-Strasse 1, 64832 Babenhausen, Germany          Phone: +49 6073 120</p> <p>"Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</p>	Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).	RED DoC	 <p>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</p>
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	yes	
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	yes	NCA APPROVED: BR3-1M-GE2-088
Indonesia	mandatory	<div> <div>(Certificate Number) (PLG ID Number) Label format</div> <div>12345/SDPPI/2019 1234</div> <div>Example</div> </div> 	Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.  The frame is not required.  Label and QR Code ( that is on the Certificate ) must be printed on the product.  The product label photo must be uploaded within 30days after the certificate issued	yes	BBU 63080/SDPPI/2019 4334  
Kazakhstan	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Kyrgyz Republic	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Malaysia	mandatory		The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.  Replace ABCD12345678 with the HIDE1500019 (Malayian Agency no.)	yes, Approval No: RFCL/14A/0618/S(18-2543)	
Mexico	mandatory	IFT: XXXXXXX18-XXXX  La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	RLVVW1819-0023
Moldavia	mandatory		Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification  May be enlarged & minimized according to the proportions of the product. Recommended height of the triangle= 1.25mm  	yes	
Morocco	mandatory if not on device	AGREE PAR L'ANRT MAROC Numéro d'agrément: MR XXXXX ANRT YEAR Date d'agrément: DD/MM/YYYY	Insert the number and date which will be given by the Moroccan authority  The frame is not required.	yes	MR 16905 ANRT 2018 21.06.2018
Nigeria	mandatory	<div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div>		yes	<div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div>
Oman	mandatory	<div>OMAN - TRA</div> <div>X/NNNN/YY</div> <div>Dyynnnn</div>	Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.  Black&white label in the manual is possible.  The frame is not required.	yes	R/6695/18 D100428
Russia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	















Serbia	mandatory if not on device		European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.  Min size of triangle with authorized body and year is 5mm.  Black&white label in the manual is possible.  The frame is not required.  	yes	
Singapore	mandatory if not on device	Complies with IMDA Standards <a href="#">[Dealer's Licence No.]</a>	Label Size 17mm by 9mm  Black&white is possible.  Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).	yes	
South Korea	mandatory if not on device		R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&white possible.	yes	
Taiwan	mandatory		Replace XXXXZZXZZZZXZ by the number which will be given by the Taiwan's authority. Z are numbers, X are letters  NCC Warning statement needs to be printed in the user manual.  Black&white possible.	yes	CCAL18LP1200T1 
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	TRA REGISTERED No: <a href="#">ERZZZZZZ</a> DEALER No: <a href="#">DAZZZZZZ</a>	Label is optional on device, because it is mounted.  Minimum font size of 1mm is possible.  The frame is not required.  Black&white is possible.  Replace nnnnnnnnnnn by the registration number allocated by the TRA (=the UAE authority) for this equipment.  Replace xxxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.	yes	
Ukraine	mandatory		Add (Link to) Ukrainian Declaration of Conformity -> Certificate No. <b>0871</b>	yes	
USA	mandatory	FCC ID 2AOUZXXXXXXX  <small>Radiofrequency radiation exposure information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.  Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps. Ce transmetteur ne doit pas être co-localisé ou fonctionner en conjonction avec toute autre antenne ou émetteur.  NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada <del>Radio</del> exempt RSS standards. Operation is subject to the following two conditions: (1) the device may not cause harmful interference, and (2) the device must accept any interference received, including interference that may cause unintended operation.  Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.  NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</small>	FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.  Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.	yes	
Vietnam	mandatory if not on device		Minimum font size: 1mm  The frame is mandatory!  Replace Name by the local name of the representative company. "SunTech Vietnam"  Replace Code by the local representative company's code number. "C00082015"	yes	
Zambia	mandatory if not on device		ZICTA minimum font size: 3mm and number:2mm,  Replace 201/xxxxxxx by the number which will be given by the Zambian authority.  Frame is not required.  Black& white is possible.	yes	ZMB/ZICTA/TA/2018/10/25

Affected Part Numbers:	
Vehicle	Customer part no.
(e.g. AU326)	(e.g. 83A 920 700)
Jetta	17A 920 640 A
Jetta	17A 920 640 B
Jetta	17A 920 640 C
Jetta	17A 920 740 B
Jetta	17A 920 740 C
Jetta	17A 920 840 B
Jetta	17A 920 840 C

A-SUV (T-Roc)	2GA 920 740 B
T-Roc	2GA 920 740 C
A-SUV (T-Roc)	2GA 920 741 B
T-Roc	2GA 920 741 C
A-SUV (T-Roc)	2GA 920 940 B
T-Roc	2GA 920 940 C
A-SUV (T-Roc)	2GA 920 941 B
T-Roc	2GA 920 941 C
T-ROC	2GC 920 740
T-ROC	2GC 920 940
Tharu	2GG 920 640 B
Passat	3G0 920 740 E
Passat	3G0 920 740 F
Passat	3G0 920 740 G
Passat	3G0 920 741 E
Passat	3G0 920 741 F
Passat	3G0 920 741 G
Passat	3G0 920 940 E
Passat	3G0 920 940 F
Passat	3G0 920 940 G
Passat	3G0 920 941 E
Passat	3G0 920 941 F
Passat	3G0 920 941 G
NMS	3GB 920 640 A
NMS	3GB 920 640 C
Superb	3VD 920 740 D
Superb	3VD 920 740 E
Superb	3VD 920 740 F
Superb	3VD 920 741 D
Superb	3VD 920 741 E
Superb	3VD 920 741 F
Superb	3VD 920 940 D
Superb	3VD 920 940 E
Superb	3VD 920 940 F
Superb	3VD 920 941 D
Superb	3VD 920 941 E
Superb	3VD 920 941 F
Superb	3VD 920 740 C
Golf Plus	517 920 640 E
Sportsvan	517 920 640 F
Golf Plus	517 920 641 E
Sportsvan	517 920 641 F
Golf Plus	517 920 740 E
Sportsvan	517 920 740 F
Golf Plus	517 920 741 E
Sportsvan	517 920 741 F
Golf Plus	517 920 940 E
Sportsvan	517 920 940 F
Golf Plus	517 920 941 E
Sportsvan	517 920 941 F
Sportsvan CN	51G 920 640 E
Sportsvan	51G 920 640 F
Kodiatq/Karoq	565 920 740 C
Kodiatq/Karoq	565 920 740 D
Kodiatq/Karoq	565 920 741 C
Kodiatq/Karoq	565 920 741 D
Kodiatq/Karoq	565 920 940 C
Kodiatq/Karoq	565 920 940 D
Kodiatq/Karoq	565 920 941 C
Kodiatq/Karoq	565 920 941 D
Kodiatq/Karoq	56G 920 740 F
Ateca	5FD 920 700 G
Ateca	5FD 920 700 H
Ateca	5FD 920 701 G
Ateca	5FD 920 701 H
Ateca	5FD 920 740 G
Ateca	5FD 920 740 H
Ateca	5FD 920 741 G
Ateca	5FD 920 741 H
Ateca	5FD 920 900 G
Ateca	5FD 920 900 H
Ateca	5FD 920 901 G
Ateca	5FD 920 901 H
Ateca	5FD 920 940 G
Ateca	5FD 920 940 H
Ateca	5FD 920 941 G
Ateca	5FD 920 941 H
Golf	5G1 920 740 E
Golf	5G1 920 840 E
Tiguan	5NA 920 740 D
Tiguan	5NA 920 740 D
Tiguan	5NA 920 740 E
Tiguan	5NA 920 741 D
Tiguan	5NA 920 741 E
Tiguan	5NA 920 940 D
Tiguan	5NA 920 940 E
Tiguan	5NA 920 941 D
Tiguan	5NA 920 941 E
Tiguan	5NG 920 640 D
Tiguan	5NG 920 640 E
Touran	5TA 920 740 D
Touran	5TA 920 740 E
Touran	5TA 920 741 D
Touran	5TA 920 741 E
Touran	5TA 920 940 D
Touran	5TA 920 940 E
Touran	5TA 920 941 D
Touran	5TA 920 941 E
Touran	5TD 920 640 E
Crafter	7C0 920 741 C
Crafter	7C0 920 741 D
Crafter	7C0 920 941 C
Crafter	7C0 920 941 D
T6	7LA 920 741
T6 PA	7LA 920 741 A
T6	7LA 920 941
T6 PA	7LA 920 941 A
T-ROC	2GC 920 940
Kodiatq/Karoq	565 920 941 D
NMS	3GB 920 640 A
Crafter	7C0 920 741 E
Crafter	7C0 920 941 E
Crafter	7C0 920 749
Crafter	7C0 920 949

Status: 31.05.2020

MQB MY 19 - WFS 5a  
Affected car partnumber see below marking table.

	Marking in car manual			Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Replace Place Holder
Country	Obligation	Marking	Comments		Bundle 18020533  MQB MY 19 - WFS 5 a
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	18020533
Argentina	mandatory	CNC ID: XX-99999 	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	yes	H-22190
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Botswana	preliminary		Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	yes	BOCRA/TA/2018/4133
Brazil	mandatory	Modelo XXXXXX  Atendimento à Regulação Anatel  Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.  Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados. Para maiores informações, consulte o site da ANATEL www.anatel.gov.br	Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace OHHHH-AA-0FFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	yes	Modelo 18020533  05297-18-06353
Brunei	mandatory		The importer needs to buy this label which has to be implemeted in car manual	yes, Certificate Number: DTA-001985	
Canada	mandatory	IC: 23650-XXXXXXX  	The number "23650-" is the Continental Babenhausen Registration Number for Canada.  Replace XXXXXXXX by Continental Radio Homologation Number.	yes	IC: 23650-18020533  
Europe	mandatory	  European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 11mA = 3,728 W  Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120  "Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"	Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).	RED DoC	  Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	yes	
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	yes	NCA APPROVED: BR3-1M-GE2-089

Indonesia	mandatory	<div><div>(Certificate Number) (PLG ID Number) Label format 12345/SDPPI/2011 1234 Example</div><div></div></div>	<div>Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.</div> <div>The frame is not required.</div> <div>Label and QR Code ( that is on the Certificate ) must be printed on the product.</div> <div>The product label photo must be uploaded within 30days after the certificate issued</div>	yes	<div>BBU 63078/SDPPI/2019 4334</div> <div></div>	<div>GDL 63077/SDPPI/2019 4334</div> <div></div>	<div>BDY 63079/SDPPI/2019 4334</div> <div></div>
Kazakhstan	mandatory	<div></div>	<div>For dark background use white letters and for light background use black letters</div>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	<div></div>		
Kyrgyz Republic	mandatory	<div></div>	<div>For dark background use white letters and for light background use black letters</div>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	<div></div>		
Malaysia	mandatory	<div><div>8 mm (minimum size)</div><div></div><div>8 mm (minimum size)</div><div>ABCD12345678</div></div>	<div>The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.</div> <div>Replace ABCD12345678 with the HIDE1500019 (Malaylan Agency no.)</div>	yes, Approval No: RFCL/15A/0718/S(18-2544)	<div></div> <div>HIDE1500019</div>		
Mexico	mandatory	<div>IFT: XXXXXXX18-XXXX</div> <div>La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.</div>	<div>Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.</div>	yes	<div>RLVWV1818-1249</div>		
Moldavia	mandatory	<div></div> <div>024</div>	<div>Label in Black and white is allowed</div> <div>"024" is the number of the Notified Body involved in the certification</div> <div>May be enlarged &amp; minimized according to the proportions of the product.</div> <div>Recommended height of the triangle= 1,25mm</div> <div></div>	yes	<div></div> <div>024</div>		
Morocco	mandatory if not on device	<div>AGREE PAR L'ANRT MAROC</div> <div>Numero d'agrément: MR XXXXX ANRT YEAR</div> <div>Date d'agrément: DD/MM/YYYY</div>	<div>Insert the number and date which will be given by the Moroccan authority</div> <div>The frame is not required.</div>	yes	<div>MR 16906 ANRT 2018</div> <div>21.06.2018</div>		
Nigeria	mandatory	<div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div>		yes	<div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div>		
Oman	mandatory	<div>OMAN - TRA</div> <div>X/NNNN/YY</div> <div>Dyynnnn</div>	<div>Replace XNNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.</div> <div>Black&amp;white label in the manual is possible.</div> <div>The frame is not required.</div>	yes	<div>R/5820/18</div> <div>D100428</div>		
Russia	mandatory	<div></div>	<div>For dark background use white letters and for light background use black letters</div>	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	<div></div>		
Serbia	mandatory if not on device	<div></div> <div>H005 YY</div>	<div>European CE label + Serbian label required.</div> <div>If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.</div> <div>Min size of triangle with authorized body and year is 5mm.</div> <div>Black&amp;white label in the manual is possible.</div> <div>The frame is not required.</div> <div></div>	yes			
Singapore	mandatory if not on device	<div>Complies with IMDA Standards</div> <div>[Dealer's Licence No.]</div>	<div>Label Size 17mm by 9mm</div> <div>Black&amp;white is possible.</div> <div>Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).</div>	yes			













South Korea	mandatory if not on device		R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&white possible.	yes	
Taiwan	mandatory		Replace XXXXZZXZZZXZ by the number which will be given by the Taiwanese authority. Z are numbers, X are letters  NCC Warning statement needs to be printed in the user manual.  Black&white possible.	yes	CCAL18LP1210T1 
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	TRA REGISTERED No: ERZZZZZZ DEALER No: DAZZZZZZ	Label is optional on device, because it is mounted.  Minimum font size of 1mm is possible.  The frame is not required.  Black&white is possible.  Replace mmmmmmmmm by the registration number allocated by the TRA (=the UAE authority) for this equipment.  Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.	yes	
Ukraine	mandatory		Add (Link to) Ukrainian Declaration of Conformity -> Certificate No. <b>0872</b>	yes	
USA	mandatory	FCC ID 2AOUZXXXXXX  <small>Radiofrequency radiation exposure information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.  Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.  NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada <del>Radio</del> <del>equipment</del> RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'utilisation de cet appareil est assujettie aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.  NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</small>	FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.  Replace XXXXXXXX by the Continental radio homologation number, which will be given by the Continental radio homologation team.	yes	FCC ID 2AOUZ18020533  
Vietnam	mandatory if not on device		Minimum font size: 1mm  The frame is mandatory!  Replace Name by the local name of the representative company. "SunTech Vietnam"  Replace Code by the local representative company's code number. "C00082015"	yes	
Zambia	mandatory if not on device		ZICTA minimum font size: 3mm and number 2mm,  Replace 201/x/xxxxxx by the number which will be given by the Zambian authority.  Frame is not required.  Black& white is possible.	yes	ZMB/ZICTA/TA/2018/10/26
















Affected Part Numbers:

Vehicle	Customer part no.
(e.g. AU326)	(e.g. 83A 920 700)
Golf	5G1 920 750 D
Golf	5G1 920 751 D
Golf	5G1 920 756 D
Golf	5G1 920 850 D
Golf	5G1 920 851 D
Golf	5G8 920 750 D
Tiguan	SNA 920 750 C
Tiguan	SNA 920 751 C
Tiguan	SNA 920 850 C
Tiguan	SNA 920 950 C
Tiguan	SNA 920 951 C
Lavida BEV	19D 920 655
Bora BEV	19G 920 655
B-SUV	3CN 920 750 B
B-SUV	3CN 920 850 B
Passat Phev	3G0 920 654 D
Passat	3G0 920 750 D
Passat	3G0 920 750 E
Passat	3G0 920 751 D
Passat Phev	3G0 920 754 D
Passat	3G0 920 950 D
Passat	3G0 920 951 D
Passat Phev	3G0 920 954 D
Passat Elegance	3G5 920 750 A
Passat Elegance	3G5 920 751 A
Passat Elegance	3G5 920 850 A
Passat Elegance	3G5 920 950 A
Passat Elegance	3G5 920 951 A
NMS NF PHEV	3GB 920 654
Superb	3VO 920 710 C
Superb	3VO 920 711 C
Superb	3VO 920 750 C
Superb	3VO 920 751 C
Superb Phev	3VO 920 754
Superb	3VO 920 910 C
Superb	3VO 920 911 C
Superb	3VO 920 950 C
Superb	3VO 920 951 C










Superb Phev	3VO 920 954
Golf Plus	517 920 650 D
Golf Plus	517 920 651 D
Golf Plus	517 920 750 D
Golf Plus	517 920 751 D
Golf Plus	517 920 950 D
Golf Plus	517 920 951 D
Golf Sportvan	51G 920 650 D
A+SUV	56S 920 750 B
A+SUV	56S 920 751 B
A+SUV	56S 920 950 B
A+SUV	56S 920 951 B
Octavia	5E0 920 750 F
Octavia	5E0 920 751 F
Octavia	5E0 920 752 F
Octavia	5E0 920 756 F
Octavia	5E0 920 757 F
Octavia	5E0 920 950 G
Octavia	5E0 920 951 G
Octavia	5E0 920 956 F
Octavia	5E0 920 957 F
Octavia BEV	5ED 920 755
Leon Xperience	5FO 920 708 F
Leon Xperience	5FO 920 709 F
Leon	5FO 920 750 F
Leon	5FO 920 751 F
Leon	5FO 920 752 F
Leon Xperience	5FO 920 908 F
Leon Xperience	5FO 920 909 F
Leon	5FO 920 951 F
Leon	5FO 920 958 F
Golf PHEV	5G1 920 654 D
Golf GTI	5G1 920 656 D
Golf	5G1 920 657 D
Golf	5G1 920 658 D
Golf	5G1 920 750 D
Golf	5G1 920 751 D
Golf	5G1 920 752 D
Golf PHEV	5G1 920 754 D
Golf GTI	5G1 920 756 D
Golf GTI	5G1 920 757 D
Golf	5G1 920 758 D
Golf	5G1 920 850 D
Golf	5G1 920 851 D
Golf GTI	5G1 920 856 D
VW370_Golf R_1822	5G1 920 858 D
Golf	5G1 920 950 D
Golf	5G1 920 951 D
Golf PHEV	5G1 920 954 D
Golf GTI	5G1 920 956 D
Golf GTI	5G1 920 957 D
Golf	5G1 920 958 D
Golf BEV	5GE 920 655 D
Golf BEV	5GE 920 755 D
Golf BEV	5GE 920 855 D
Golf BEV	5GE 920 955 D
Tiguan	5NA 920 650 C
Tiguan	5NA 920 651 C
Tiguan	5NA 920 750 C
Tiguan	5NA 920 751 C
Tiguan	5NA 920 850 C
Tiguan	5NA 920 950 C
Tiguan	5NA 920 951 C
Tiguan	5NG 920 650 C
Tiguan PHEV	5NG 920 654
Touran	5TA 920 750 C
Touran	5TA 920 751 C
Touran	5TA 920 950 C
Touran	5TA 920 951 C
Crafter	7LE 920 755
AU276_2218	81A 920 750 D
AU276_2218_Asien	81A 920 750 E
Q2	81A 920 750 G
AU276_2218	81A 920 751 D
AU276_2218_Asien	81A 920 751 E
Q2	81A 920 751 G
A3	81A 920 756
Q2	81A 920 756 A
Q2	81A 920 760 C
Q2	81A 920 761 C
AU276_2218	81A 920 950 C
Q2	81A 920 950 D
AU276_2218	81A 920 951 C
Q2	81A 920 951 D
A3	81A 920 956
Q2	81A 920 956 A
Q2	81A 920 961 A
Q2	81A 920 961 B
A3	8VO 920 750
A3	8VO 920 750 A
A3	8VO 920 751
A3	8VO 920 751 A
A3	8VO 920 752
A3	8VO 920 754
A3	8VO 920 756
A3	8VO 920 756 A
A3	8VO 920 760
A3	8VO 920 760 A
A3	8VO 920 761
A3	8VO 920 761 A
A3	8VO 920 762
A3	8VO 920 764
A3	8VO 920 850
A3	8VO 920 854
A3	8VO 920 856
A3	8VO 920 856 A
A3	8VO 920 861 Q
A3	8VO 920 864
A3	8VO 920 950
A3	8VO 920 951
A3	8VO 920 954
A3	8VO 920 956
A3	8VO 920 956 A
A3	8VO 920 961 E
A3	8VO 920 961 F
A3	8VO 920 964
Q2	81A 920 750 J
Q2	81A 920 950 E
Q2	81A 920 760 E
Q2	81A 920 960 B
Q2	81A 920 751 J
Q2	81A 920 951 F
Q2	81A 920 761 E
Q2	81A 920 961 D
Q2	81A 920 756 C
Q2	81A 920 956 C

**MQB MY 19+20 - WFS 5c**  
**Affected car partnumber see below marking table.**

| Marking in car manual |             |  
   
   
   
   
  |  | Comments / Certificate already available ("Yes") or certificate not yet available ("no")  | Replace Place Holder  |
|-----------------------|-------------
--
--
--
--
--
---|--|---|---|
| Country               | Obligation  | Marking  
   
   
   
   
  | Comments   |   | Bundle 18020534<br>MQB MY 19+20- WFS 5 c  |
| All Countries         | mandatory   | Continental Automotive GmbH<br>VDO-Strasse 1<br>64832 Babenhausen<br>Germany   
   
   
   
   
  |  | yes   | Continental Automotive GmbH<br>VDO-Strasse 1<br>64832 Babenhausen<br>Germany        |
| All Countries         | mandatory   | Model: XXXXXXXX  
   
   
   
   
  | Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.  | yes   | 18020534  |
| Argentina             | mandatory   | CNC ID: XX-99999<br>   
   
   
   
   
   | Label and Logo are mandatory in manual<br>Replace XX-9999 by a number which will be given by the Argentinian authority.<br>Font CNC = Century Gothic Bold<br>Font other text = Arial<br>Minimum height 3 points (1.5mm)<br>If the number has only one letter, the blank will be placed at the end of the number<br>Black&white label in the manual is possible.<br>The institutional color palette is composed of grey, red and blue | yes   | H-22240   |
| Armenia               | mandatory   |    
   
   
   
   
  | For dark background use white letters and for light background use black letters   | EAC marking not required for Radio Frequency Homologation anymore, only for custom issues |  |
| Belarus               | mandatory   |    
   
   
   
   
  | For dark background use white letters and for light background use black letters   | EAC marking not required for Radio Frequency Homologation anymore, only for custom issues |  |
| Botswana              | preliminary |    
   
   
   
   
  | Height of the text must be minimum of 2mm.<br>Frame is obligatory.<br>No restrictions for frame dimensions or distances.<br>"nnnnn" to be substituted by the Botswana certification number, e.g.<br>BOCRA/TA/2017/1234   | yes   | BOCRA/TA/2018/4134  |
| Brazil                | mandatory   | Modelo XXXXXX<br><br>OHHHH-AA-OFFFF<br>Atendimento à Regulamentação Anatel<br>Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.<br>Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados.<br>Para maiores informações, consulte o site da ANATEL <a href="http://www.anatel.gov.br">www.anatel.gov.br</a>  
   
   
   
   
   | Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 6 digits)<br>Replace OHHHH-AA-OFFFF by a number which will be given by the Brazilian authority.<br>Black/white approach is recommend since colour versions needs ANATEL's permission.   | yes   | 07183-18-06353  |
| Brunei                | mandatory   |    
   
   
   
   
   | The importeur needs to buy this label which has to be implemented in car manual  | yes, Certificate Number: DTA-001986   |   |
| Canada                | mandatory   | IC: 23650-XXXXXXX<br><small>Radiofrequency radiation exposure information.<br/>This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. The equipment should be installed and operated in accordance with the following conditions:<br/>1) The equipment must be installed and operated in accordance with the following conditions:<br/>2) The equipment must be installed and operated in accordance with the following conditions:<br/>3) The equipment must be installed and operated in accordance with the following conditions:<br/>4) The equipment must be installed and operated in accordance with the following conditions:<br/>5) The equipment must be installed and operated in accordance with the following conditions:<br/>6) The equipment must be installed and operated in accordance with the following conditions:<br/>7) The equipment must be installed and operated in accordance with the following conditions:<br/>8) The equipment must be installed and operated in accordance with the following conditions:<br/>9) The equipment must be installed and operated in accordance with the following conditions:<br/>10) The equipment must be installed and operated in accordance with the following conditions:<br/>11) The equipment must be installed and operated in accordance with the following conditions:<br/>12) The equipment must be installed and operated in accordance with the following conditions:<br/>13) The equipment must be installed and operated in accordance with the following conditions:<br/>14) The equipment must be installed and operated in accordance with the following conditions:<br/>15) The equipment must be installed and operated in accordance with the following conditions:<br/>16) The equipment must be installed and operated in accordance with the following conditions:<br/>17) The equipment must be installed and operated in accordance with the following conditions:<br/>18) The equipment must be installed and operated in accordance with the following conditions:<br/>19) The equipment must be installed and operated in accordance with the following conditions:<br/>20) The equipment must be installed and operated in accordance with the following conditions:<br/>21) The equipment must be installed and operated in accordance with the following conditions:<br/>22) The equipment must be installed and operated in accordance with the following conditions:<br/>23) The equipment must be installed and operated in accordance with the following conditions:<br/>24) The equipment must be installed and operated in accordance with the following conditions:<br/>25) The equipment must be installed and operated in accordance with the following conditions:<br/>26) The equipment must be installed and operated in accordance with the following conditions:<br/>27) The equipment must be installed and operated in accordance with the following conditions:<br/>28) The equipment must be installed and operated in accordance with the following conditions:<br/>29) The equipment must be installed and operated in accordance with the following conditions:<br/>30) The equipment must be installed and operated in accordance with the following conditions:<br/>31) The equipment must be installed and operated in accordance with the following conditions:<br/>32) The equipment must be installed and operated in accordance with the following conditions:<br/>33) The equipment must be installed and operated in accordance with the following conditions:<br/>34) The equipment must be installed and operated in accordance with the following conditions:<br/>35) The equipment must be installed and operated in accordance with the following conditions:<br/>36) The equipment must be installed and operated in accordance with the following conditions:<br/>37) The equipment must be installed and operated in accordance with the following conditions:<br/>38) The equipment must be installed and operated in accordance with the following conditions:<br/>39) The equipment must be installed and operated in accordance with the following conditions:<br/>40) The equipment must be installed and operated in accordance with the following conditions:<br/>41) The equipment must be installed and operated in accordance with the following conditions:<br/>42) The equipment must be installed and operated in accordance with the following conditions:<br/>43) The equipment must be installed and operated in accordance with the following conditions:<br/>44) The equipment must be installed and operated in accordance with the following conditions:<br/>45) The equipment must be installed and operated in accordance with the following conditions:<br/>46) The equipment must be installed and operated in accordance with the following conditions:<br/>47) The equipment must be installed and operated in accordance with the following conditions:<br/>48) The equipment must be installed and operated in accordance with the following conditions:<br/>49) The equipment must be installed and operated in accordance with the following conditions:<br/>50) The equipment must be installed and operated in accordance with the following conditions:<br/>51) The equipment must be installed and operated in accordance with the following conditions:<br/>52) The equipment must be installed and operated in accordance with the following conditions:<br/>53) The equipment must be installed and operated in accordance with the following conditions:<br/>54) The equipment must be installed and operated in accordance with the following conditions:<br/>55) The equipment must be installed and operated in accordance with the following conditions:<br/>56) The equipment must be installed and operated in accordance with the following conditions:<br/>57) The equipment must be installed and operated in accordance with the following conditions:<br/>58) The equipment must be installed and operated in accordance with the following conditions:<br/>59) The equipment must be installed and operated in accordance with the following conditions:<br/>60) The equipment must be installed and operated in accordance with the following conditions:<br/>61) The equipment must be installed and operated in accordance with the following conditions:<br/>62) The equipment must be installed and operated in accordance with the following conditions:<br/>63) The equipment must be installed and operated in accordance with the following conditions:<br/>64) The equipment must be installed and operated in accordance with the following conditions:<br/>65) The equipment must be installed and operated in accordance with the following conditions:<br/>66) The equipment must be installed and operated in accordance with the following conditions:<br/>67) The equipment must be installed and operated in accordance with the following conditions:<br/>68) The equipment must be installed and operated in accordance with the following conditions:<br/>69) The equipment must be installed and operated in accordance with the following conditions:<br/>70) The equipment must be installed and operated in accordance with the following conditions:<br/>71) The equipment must be installed and operated in accordance with the following conditions:<br/>72) The equipment must be installed and operated in accordance with the following conditions:<br/>73) The equipment must be installed and operated in accordance with the following conditions:<br/>74) The equipment must be installed and operated in accordance with the following conditions:<br/>75) The equipment must be installed and operated in accordance with the following conditions:<br/>76) The equipment must be installed and operated in accordance with the following conditions:<br/>77) The equipment must be installed and operated in accordance with the following conditions:<br/>78) The equipment must be installed and operated in accordance with the following conditions:<br/>79) The equipment must be installed and operated in accordance with the following conditions:<br/>80) The equipment must be installed and operated in accordance with the following conditions:<br/>81) The equipment must be installed and operated in accordance with the following conditions:<br/>82) The equipment must be installed and operated in accordance with the following conditions:<br/>83) The equipment must be installed and operated in accordance with the following conditions:<br/>84) The equipment must be installed and operated in accordance with the following conditions:<br/>85) The equipment must be installed and operated in accordance with the following conditions:<br/>86) The equipment must be installed and operated in accordance with the following conditions:<br/>87) The equipment must be installed and operated in accordance with the following conditions:<br/>88) The equipment must be installed and operated in accordance with the following conditions:<br/>89) The equipment must be installed and operated in accordance with the following conditions:<br/>90) The equipment must be installed and operated in accordance with the following conditions:<br/>91) The equipment must be installed and operated in accordance with the following conditions:<br/>92) The equipment must be installed and operated in accordance with the following conditions:<br/>93) The equipment must be installed and operated in accordance with the following conditions:<br/>94) The equipment must be installed and operated in accordance with the following conditions:<br/>95) The equipment must be installed and operated in accordance with the following conditions:<br/>96) The equipment must be installed and operated in accordance with the following conditions:<br/>97) The equipment must be installed and operated in accordance with the following conditions:<br/>98) The equipment must be installed and operated in accordance with the following conditions:<br/>99) The equipment must be installed and operated in accordance with the
following conditions:<br/>100) The equipment must be installed and operated in accordance with the following conditions:<br/>101) The equipment must be installed and operated in accordance with the following conditions:<br/>102) The equipment must be installed and operated in accordance with the following conditions:<br/>103) The equipment must be installed and operated in accordance with the following conditions:<br/>104) The equipment must be installed and operated in accordance with the following conditions:<br/>105) The equipment must be installed and operated in accordance with the following conditions:<br/>106) The equipment must be installed and operated in accordance with the following conditions:<br/>107) The equipment must be installed and operated in accordance with the following conditions:<br/>108) The equipment must be installed and operated in accordance with the following conditions:<br/>109) The equipment must be installed and operated in accordance with the following conditions:<br/>110) The equipment must be installed and operated in accordance with the following conditions:<br/>111) The equipment must be installed and operated in accordance with the following conditions:<br/>112) The equipment must be installed and operated in accordance with the following conditions:<br/>113) The equipment must be installed and operated in accordance with the following conditions:<br/>114) The equipment must be installed and operated in accordance with the following conditions:<br/>115) The equipment must be installed and operated in accordance with the following conditions:<br/>116) The equipment must be installed and operated in accordance with the following conditions:<br/>117) The equipment must be installed and operated in accordance with the following conditions:<br/>118) The equipment must be installed and operated in accordance with the following conditions:<br/>119) The equipment must be installed and operated in accordance with the following conditions:<br/>120) The equipment must be installed and operated in accordance with the following conditions:<br/>121) The equipment must be installed and operated in accordance with the following conditions:<br/>122) The equipment must be installed and operated in accordance with the following conditions:<br/>123) The equipment must be installed and operated in accordance with the following conditions:<br/>124) The equipment must be installed and operated in accordance with the following conditions:<br/>125) The equipment must be installed and operated in accordance with the following conditions:<br/>126) The equipment must be installed and operated in accordance with the following conditions:<br/>127) The equipment must be installed and operated in accordance with the following conditions:<br/>128) The equipment must be installed and operated in accordance with the following conditions:<br/>129) The equipment must be installed and operated in accordance with the following conditions:<br/>130) The equipment must be installed and operated in accordance with the following conditions:<br/>131) The equipment must be installed and operated in accordance with the following conditions:<br/>132) The equipment must be installed and operated in accordance with the following conditions:<br/>133) The equipment must be installed and operated in accordance with the following conditions:<br/>134) The equipment must be installed and operated in accordance with the following conditions:<br/>135) The equipment must be installed and operated in accordance with the following conditions:<br/>136) The equipment must be installed and operated in accordance with the following conditions:<br/>137) The equipment must be installed and operated in accordance with the following conditions:<br/>138) The equipment must be installed and operated in accordance with the following conditions:<br/>139) The equipment must be installed and operated in accordance with the following conditions:<br/>140) The equipment must be installed and operated in accordance with the following conditions:<br/>141) The equipment must be installed and operated in accordance with the following conditions:<br/>142) The equipment must be installed and operated in accordance with the following conditions:<br/>143) The equipment must be installed and operated in accordance with the following conditions:<br/>144) The equipment must be installed and operated in accordance with the following conditions:<br/>145) The equipment must be installed and operated in accordance with the following conditions:<br/>146) The equipment must be installed and operated in accordance with the following conditions:<br/>147) The equipment must be installed and operated in accordance with the following conditions:<br/>148) The equipment must be installed and operated in accordance with the following conditions:<br/>149) The equipment must be installed and operated in accordance with the following conditions:<br/>150) The equipment must be installed and operated in accordance with the following conditions:<br/>151) The equipment must be installed and operated in accordance with the following conditions:<br/>152) The equipment must be installed and operated in accordance with the following conditions:<br/>153) The equipment must be installed and operated in accordance with the following conditions:<br/>154) The equipment must be installed and operated in accordance with the following conditions:<br/>155) The equipment must be installed and operated in accordance with the following conditions:<br/>156) The equipment must be installed and operated in accordance with the following conditions:<br/>157) The equipment must be installed and operated in accordance with the following conditions:<br/>158) The equipment must be installed and operated in accordance with the following conditions:<br/>159) The equipment must be installed and operated in accordance with the following conditions:<br/>160) The equipment must be installed and operated in accordance with the following conditions:<br/>161) The equipment must be installed and operated in accordance with the following conditions:<br/>162) The equipment must be installed and operated in accordance with the following conditions:<br/>163) The equipment must be installed and operated in accordance with the following conditions:<br/>164) The equipment must be installed and operated in accordance with the following conditions:<br/>165) The equipment must be installed and operated in accordance with the following conditions:<br/>166) The equipment must be installed and operated in accordance with the following conditions:<br/>167) The equipment must be installed and operated in accordance with the following conditions:<br/>168) The equipment must be installed and operated in accordance with the following conditions:<br/>169) The equipment must be installed and operated in accordance with the following conditions:<br/>170) The equipment must be installed and operated in accordance with the following conditions:<br/>171) The equipment must be installed and operated in accordance with the following conditions:<br/>172) The equipment must be installed and operated in accordance with the following conditions:<br/>173) The equipment must be installed and operated in accordance with the following conditions:<br/>174) The equipment must be installed and operated in accordance with the following conditions:<br/>175) The equipment must be installed and operated in accordance with the following conditions:<br/>176) The equipment must be installed and operated in accordance with the following conditions:<br/>177) The equipment must be installed and operated in accordance with the following conditions:<br/>178) The equipment must be installed and operated in accordance with the following conditions:<br/>179) The equipment must be installed and operated in accordance with the following conditions:<br/>180) The equipment must be installed and operated in accordance with the following conditions:<br/>181) The equipment must be installed and operated in accordance with the following conditions:<br/>182) The equipment must be installed and operated in accordance with the following conditions:<br/>183) The equipment must be installed and operated in accordance with the following conditions:<br/>184) The equipment must be installed and operated in accordance with the following conditions:<br/>185) The equipment must be installed and operated in accordance with the following conditions:<br/>186) The equipment must be installed and operated in accordance with the following conditions:<br/>187) The equipment must be installed and operated in accordance with the following conditions:<br/>188) The equipment must be installed and operated in accordance with the following conditions:<br/>189) The equipment must be installed and operated in accordance with the following conditions:<br/>190) The equipment must be installed and operated in accordance with the following conditions:<br/>191) The equipment must be installed and operated in accordance with the following conditions:<br/>192) The equipment must be installed and operated in accordance with the following conditions:<br/>193) The equipment must be installed and operated in accordance with the following conditions:<br/>194) The equipment must be installed and operated in accordance with the following conditions:<br/>195) The equipment must be installed and operated in accordance with the following conditions:<br/>196) The equipment must be installed and operated in accordance with the following conditions:<br/>197) The equipment must be installed and operated in accordance with the following conditions:<br/>198) The equipment must be installed and operated in accordance with the following conditions:<br/>199) The equipment must be installed and operated in accordance with the following conditions:<br/>200) The equipment must be installed and operated in accordance with the
following conditions:<br/>201) The equipment must be installed and operated in accordance with the following conditions:<br/>202) The equipment must be installed and operated in accordance with the following conditions:<br/>203) The equipment must be installed and operated in accordance with the following conditions:<br/>204) The equipment must be installed and operated in accordance with the following conditions:<br/>205) The equipment must be installed and operated in accordance with the following conditions:<br/>206) The equipment must be installed and operated in accordance with the following conditions:<br/>207) The equipment must be installed and operated in accordance with the following conditions:<br/>208) The equipment must be installed and operated in accordance with the following conditions:<br/>209) The equipment must be installed and operated in accordance with the following conditions:<br/>210) The equipment must be installed and operated in accordance with the following conditions:<br/>211) The equipment must be installed and operated in accordance with the following conditions:<br/>212) The equipment must be installed and operated in accordance with the following conditions:<br/>213) The equipment must be installed and operated in accordance with the following conditions:<br/>214) The equipment must be installed and operated in accordance with the following conditions:<br/>215) The equipment must be installed and operated in accordance with the following conditions:<br/>216) The equipment must be installed and operated in accordance with the following conditions:<br/>217) The equipment must be installed and operated in accordance with the following conditions:<br/>218) The equipment must be installed and operated in accordance with the following conditions:<br/>219) The equipment must be installed and operated in accordance with the following conditions:<br/>220) The equipment must be installed and operated in accordance with the following conditions:<br/>221) The equipment must be installed and operated in accordance with the following conditions:<br/>222) The equipment must be installed and operated in accordance with the following conditions:<br/>223) The equipment must be installed and operated in accordance with the following conditions:<br/>224) The equipment must be installed and operated in accordance with the following conditions:<br/>225) The equipment must be installed and operated in accordance with the following conditions:<br/>226) The equipment must be installed and operated in accordance with the following conditions:<br/>227) The equipment must be installed and operated in accordance with the following conditions:<br/>228) The equipment must be installed and operated in accordance with the following conditions:<br/>229) The equipment must be installed and operated in accordance with the following conditions:<br/>230) The equipment must be installed and operated in accordance with the following conditions:<br/>231) The equipment must be installed and operated in accordance with the following conditions:<br/>232) The equipment must be installed and operated in accordance with the following conditions:<br/>233) The equipment must be installed and operated in accordance with the following conditions:<br/>234) The equipment must be installed and operated in accordance with the following conditions:<br/>235) The equipment must be installed and operated in accordance with the following conditions:<br/>236) The equipment must be installed and operated in accordance with the following conditions:<br/>237) The equipment must be installed and operated in accordance with the following conditions:<br/>238) The equipment must be installed and operated in accordance with the following conditions:<br/>239) The equipment must be installed and operated in accordance with the following conditions:<br/>240) The equipment must be installed and operated in accordance with the following conditions:<br/>241) The equipment must be installed and operated in accordance with the following conditions:<br/>242) The equipment must be installed and operated in accordance with the following conditions:<br/>243) The equipment must be installed and operated in accordance with the following conditions:<br/>244) The equipment must be installed and operated in accordance with the following conditions:<br/>245) The equipment must be installed and operated in accordance with the following conditions:<br/>246) The equipment must be installed and operated in accordance with the following conditions:<br/>247) The equipment must be installed and operated in accordance with the following conditions:<br/>248) The equipment must be installed and operated in accordance with the following conditions:<br/>249) The equipment must be installed and operated in accordance with the following conditions:<br/>250) The equipment must be installed and operated in accordance with the following conditions:<br/>251) The equipment must be installed and operated in accordance with the following conditions:<br/>252) The equipment must be installed and operated in accordance with the following conditions:<br/>253) The equipment must be installed and operated in accordance with the following conditions:<br/>254) The equipment must be installed and operated in accordance with the following conditions:<br/>255) The equipment must be installed and operated in accordance with the following conditions:<br/>256) The equipment must be installed and operated in accordance with the following conditions:<br/>257) The equipment must be installed and operated in accordance with the following conditions:<br/>258) The equipment must be installed and operated in accordance with the following conditions:<br/>259) The equipment must be installed and operated in accordance with the following conditions:<br/>260) The equipment must be installed and operated in accordance with the following conditions:<br/>261) The equipment must be installed and operated in accordance with the following conditions:<br/>262) The equipment must be installed and operated in accordance with the following conditions:<br/>263) The equipment must be installed and operated in accordance with the following conditions:<br/>264) The equipment must be installed and operated in accordance with the following conditions:<br/>265) The equipment must be installed and operated in accordance with the following conditions:<br/>266) The equipment must be installed and operated in accordance with the following conditions:<br/>267) The equipment must be installed and operated in accordance with the following conditions:<br/>268) The equipment must be installed and operated in accordance with the following conditions:<br/>269) The equipment must be installed and operated in accordance with the following conditions:<br/>270) The equipment must be installed and operated in accordance with the following conditions:<br/>271) The equipment must be installed and operated in accordance with the following conditions:<br/>272) The equipment must be installed and operated in accordance with the following conditions:<br/>273) The equipment must be installed and operated in accordance with the following conditions:<br/>274) The equipment must be installed and operated in accordance with the following conditions:<br/>275) The equipment must be installed and operated in accordance with the following conditions:<br/>276) The equipment must be installed and operated in accordance with the following conditions:<br/>277) The equipment must be installed and operated in accordance with the following conditions:<br/>278) The equipment must be installed and operated in accordance with the following conditions:<br/>279) The equipment must be installed and operated in accordance with the following conditions:<br/>280) The equipment must be installed and operated in accordance with the following conditions:<br/>281) The equipment must be installed and operated in accordance with the following conditions:<br/>282) The equipment must be installed and operated in accordance with the following conditions:<br/>283) The equipment must be installed and operated in accordance with the following conditions:<br/>284) The equipment must be installed and operated in accordance with the following conditions:<br/>285) The equipment must be installed and operated in accordance with the following conditions:<br/>286) The equipment must be installed and operated in accordance with the following conditions:<br/>287) The equipment must be installed and operated in accordance with the following conditions:<br/>288) The equipment must be installed and operated in accordance with the following conditions:<br/>289) The equipment must be installed and operated in accordance with the following conditions:<br/>290) The equipment must be installed and operated in accordance with the following conditions:<br/>291) The equipment must be installed and operated in accordance with the following conditions:<br/>292) The equipment must be installed and operated in accordance with the following conditions:<br/>293) The equipment must be installed and operated in accordance with the following conditions:<br/>294) The equipment must be installed and operated in accordance with the following conditions:<br/>295) The equipment must be installed and operated in accordance with the following conditions:<br/>296) The equipment must be installed and operated in accordance with the following conditions:<br/>297) The equipment must be installed and operated in accordance with the following conditions:<br/>298) The equipment must be installed and operated in accordance with the following conditions:<br/>299) The equipment must be installed and operated in accordance with the following conditions:<br/>300) The equipment must be installed and operated in accordance with the following conditions:<br/>301) The equipment must be installed and operated in accordance with the
following conditions:<br/>302) The equipment must be installed and operated in accordance with the following conditions:<br/>303) The equipment must be installed and operated in accordance with the following conditions:<br/>304) The equipment must be installed and operated in accordance with the following conditions:<br/>305) The equipment must be installed and operated in accordance with the following conditions:<br/>306) The equipment must be installed and operated in accordance with the following conditions:<br/>307) The equipment must be installed and operated in accordance with the following conditions:<br/>308) The equipment must be installed and operated in accordance with the following conditions:<br/>309) The equipment must be installed and operated in accordance with the following conditions:<br/>310) The equipment must be installed and operated in accordance with the following conditions:<br/>311) The equipment must be installed and operated in accordance with the following conditions:<br/>312) The equipment must be installed and operated in accordance with the following conditions:<br/>313) The equipment must be installed and operated in accordance with the following conditions:<br/>314) The equipment must be installed and operated in accordance with the following conditions:<br/>315) The equipment must be installed and operated in accordance with the following conditions:<br/>316) The equipment must be installed and operated in accordance with the following conditions:<br/>317) The equipment must be installed and operated in accordance with the following conditions:<br/>318) The equipment must be installed and operated in accordance with the following conditions:<br/>319) The equipment must be installed and operated in accordance with the following conditions:<br/>320) The equipment must be installed and operated in accordance with the following conditions:<br/>321) The equipment must be installed and operated in accordance with the following conditions:<br/>322) The equipment must be installed and operated in accordance with the following conditions:<br/>323) The equipment must be installed and operated in accordance with the following conditions:<br/>324) The equipment must be installed and operated in accordance with the following conditions:<br/>325) The equipment must be installed and operated in accordance with the following conditions:<br/>326) The equipment must be installed and operated in accordance with the following conditions:<br/>327) The equipment must be installed and operated in accordance with the following conditions:<br/>328) The equipment must be installed and operated in accordance with the following conditions:<br/>329) The equipment must be installed and operated in accordance with the following conditions:<br/>330) The equipment must be installed and operated in accordance with the following conditions:<br/>331) The equipment must be installed and operated in accordance with the following conditions:<br/>332) The equipment must be installed and operated in accordance with the following conditions:<br/>333) The equipment must be installed and operated in accordance with the following conditions:<br/>334) The equipment must be installed and operated in accordance with the following conditions:<br/>335) The equipment must be installed and operated in accordance with the following conditions:<br/>336) The equipment must be installed and operated in accordance with the following conditions:<br/>337) The equipment must be installed and operated in accordance with the following conditions:<br/>338) The equipment must be installed and operated in accordance with the following conditions:<br/>339) The equipment must be installed and operated in accordance with the following conditions:<br/>340) The equipment must be installed and operated in accordance with the following conditions:<br/>341) The equipment must be installed and operated in accordance with the following conditions:<br/>342) The equipment must be installed and operated in accordance with the following conditions:<br/>343) The equipment must be installed and operated in accordance with the following conditions:<br/>344) The equipment must be installed and operated in accordance with the following conditions:<br/>345) The equipment must be installed and operated in accordance with the following conditions:<br/>346) The equipment must be installed and operated in accordance with the following conditions:<br/>347) The equipment must be installed and operated in accordance with the following conditions:<br/>348) The equipment must be installed and operated in accordance with the following conditions:<br/>349) The equipment must be installed and operated in accordance with the following conditions:<br/>350) The equipment must be installed and operated in accordance with the following conditions:<br/>351) The equipment must be installed and operated in accordance with the following conditions:<br/>352) The equipment must be installed and operated in accordance with the following conditions:<br/>353) The equipment must be installed and operated in accordance with the following conditions:<br/>354) The equipment must be installed and operated in accordance with the following conditions:<br/>355) The equipment must be installed and operated in accordance with the following conditions:<br/>356) The equipment must be installed and operated in accordance with the following conditions:<br/>357) The equipment must be installed and operated in accordance with the following conditions:<br/>358) The equipment must be installed and operated in accordance with the following conditions:<br/>359) The equipment must be installed and operated in accordance with the following conditions:<br/>360) The equipment must be installed and operated in accordance with the following conditions:<br/>361) The equipment must be installed and operated in accordance with the following conditions:<br/>362) The equipment must be installed and operated in accordance with the following conditions:<br/>363) The equipment must be installed and operated in accordance with the following conditions:<br/>364) The equipment must be installed and operated in accordance with the following conditions:<br/>365) The equipment must be installed and operated in accordance with the following conditions:<br/>366) The equipment must be installed and operated in accordance with the following conditions:<br/>367) The equipment must be installed and operated in accordance with the following conditions:<br/>368) The equipment must be installed and operated in accordance with the following conditions:<br/>369) The equipment must be installed and operated in accordance with the following conditions:<br/>370) The equipment must be installed and operated in accordance with the following conditions:<br/>371) The equipment must be installed and operated in accordance with the following conditions:<br/>372) The equipment must be installed and operated in accordance with the following conditions:<br/>373) The equipment must be installed and operated in accordance with the following conditions:<br/>374) The equipment must be installed and operated in accordance with the following conditions:<br/>375) The equipment must be installed and operated in accordance with the following conditions:<br/>376) The equipment must be installed and operated in accordance with the following conditions:<br/>377) The equipment must be installed and operated in accordance with the following conditions:<br/>378) The equipment must be installed and operated in accordance with the following conditions:<br/>379) The equipment must be installed and operated in accordance with the following conditions:<br/>380) The equipment must be installed and operated in accordance with the following conditions:<br/>381) The equipment must be installed and operated in accordance with the following conditions:<br/>382) The equipment must be installed and operated in accordance with the following conditions:<br/>383) The equipment must be installed and operated in accordance with the following conditions:<br/>384) The equipment must be installed and operated in accordance with the following conditions:<br/>385) The equipment must be installed and operated in accordance with the following conditions:<br/>386) The equipment must be installed and operated in accordance with the following conditions:<br/>387) The equipment must be installed and operated in accordance with the following conditions:<br/>388) The equipment must be installed and operated in accordance with the following conditions:<br/>389) The equipment must be installed and operated in accordance with the following conditions:<br/>390) The equipment must be installed and operated in accordance with the following conditions:<br/>391) The equipment must be installed and operated in accordance with the following conditions:<br/>392) The equipment must be installed and operated in accordance with the following conditions:<br/>393) The equipment must be installed and operated in accordance with the following conditions:<br/>394) The equipment must be installed and operated in accordance with the following conditions:<br/>395) The equipment must be installed and operated in accordance with the following conditions:<br/>396) The equipment must be installed and operated in accordance with the following conditions:<br/>397) The equipment must be installed and operated in accordance with the following conditions:<br/>398) The equipment must be installed and operated in accordance with the following conditions:<br/>399) The equipment must be installed and operated in accordance with the following conditions:<br/>400) The equipment must be installed and operated in accordance with the following conditions:<br/>401) The equipment must be installed and operated in accordance with the following conditions:<br/>402) The equipment must be installed and operated in accordance with the
following conditions:<br/>403) The equipment must be installed and operated in accordance with the following conditions:<br/>404) The equipment must be installed and operated in accordance with the following conditions:<br/>405) The equipment must be installed and operated in accordance with the following conditions:<br/>406) The equipment must be installed and operated in accordance with the following conditions:<br/>407) The equipment must be installed and operated in accordance with the following conditions:<br/>408) The equipment must be installed and operated in accordance with the following conditions:<br/>409) The equipment must be installed and operated in accordance with the following conditions:<br/>410) The equipment must be installed and operated in accordance with the following conditions:<br/>411) The equipment must be installed and operated in accordance with the following conditions:<br/>412) The equipment must be installed and operated in accordance with the following conditions:<br/>413) The equipment must be installed and operated in accordance with the following conditions:<br/>414) The equipment must be installed and operated in accordance with the following conditions:<br/>415) The equipment must be installed and operated in accordance with the following conditions:<br/>416) The equipment must be installed and operated in accordance with the following conditions:<br/>417) The equipment must be installed and operated in accordance with the following conditions:<br/>418) The equipment must be installed and operated in accordance with the following conditions:<br/>419) The equipment must be installed and operated in accordance with the following conditions:<br/>420) The equipment must be installed and operated in accordance with the following conditions:<br/>421) The equipment must be installed and operated in accordance with the following conditions:<br/>422) The equipment must be installed and operated in accordance with the following conditions:<br/>423) The equipment must be installed and operated in accordance with the following conditions:<br/>424) The equipment must be installed and operated in accordance with the following conditions:<br/>425) The equipment must be installed and operated in accordance with the following conditions:<br/>426) The equipment must be installed and operated in accordance with the following conditions:<br/>427) The equipment must be installed and operated in accordance with the following conditions:<br/>428) The equipment must be installed and operated in accordance with the following conditions:<br/>429) The equipment must be installed and operated in accordance with the following conditions:<br/>430) The equipment must be installed and operated in accordance with the following conditions:<br/>431) The equipment must be installed and operated in accordance with the following conditions:<br/>432) The equipment must be installed and operated in accordance with the following conditions:<br/>433) The equipment must be installed and operated in accordance with the following conditions:<br/>434) The equipment must be installed and operated in accordance with the following conditions:<br/>435) The equipment must be installed and operated in accordance with the following conditions:<br/>436) The equipment must be installed and operated in accordance with the following conditions:<br/>437) The equipment must be installed and operated in accordance with the following conditions:<br/>438) The equipment must be installed and operated in accordance with the following conditions:<br/>439) The equipment must be installed and operated in accordance with the following conditions:<br/>440) The equipment must be installed and operated in accordance with the following conditions:<br/>441) The equipment must be installed and operated in accordance with the following conditions:<br/>442) The equipment must be installed and operated in accordance with the following conditions:<br/>443) The equipment must be installed and operated in accordance with the following conditions:<br/>444) The equipment must be installed and operated in accordance with the following conditions:<br/>445) The equipment must be installed and operated in accordance with the following conditions:<br/>446) The equipment must be installed and operated in accordance with the following conditions:<br/>447) The equipment must be installed and operated in accordance with the following conditions:<br/>448) The equipment must be installed and operated in accordance with the following conditions:<br/>449) The equipment must be installed and operated in accordance with the following conditions:<br/>450) The equipment must be installed and operated in accordance with the following conditions:<br/>451) The equipment must be installed and operated in accordance with the following conditions:<br/>452) The equipment must be installed and operated in accordance with the following conditions:<br/>453) The equipment must be installed and operated in accordance with the following conditions:<br/>454) The equipment must be installed and operated in accordance with the following conditions:<br/>455) The equipment must be installed and operated in accordance with the following conditions:<br/>456) The equipment must be installed and operated in accordance with the following conditions:<br/>457) The equipment must be installed and operated in accordance with the following conditions:<br/>458) The equipment must be installed and operated in accordance with the following conditions:<br/>459) The equipment must be installed and operated in accordance with the following conditions:<br/>460) The equipment must be installed and operated in accordance with the following conditions:<br/>461) The equipment must be installed and operated in accordance with the following conditions:<br/>462) The equipment must be installed and operated in accordance with the following conditions:<br/>463) The equipment must be installed and operated in accordance with the following conditions:<br/>464) The equipment must be installed and operated in accordance with the following conditions:<br/>465) The equipment must be installed and operated in accordance with the following conditions:<br/>466) The equipment must be installed and operated in accordance with the following conditions:<br/>467) The equipment must be installed and operated in accordance with the following conditions:<br/>468) The equipment must be installed and operated in accordance with the following conditions:<br/>469) The equipment must be installed and operated in accordance with the following conditions:<br/>470) The equipment must be installed and operated in accordance with the following conditions:<br/>471) The equipment must be installed and operated in accordance with the following conditions:<br/>472) The equipment must be installed and operated in accordance with the following conditions:<br/>473) The equipment must be installed and operated in accordance with the following conditions:<br/>474) The equipment must be installed and operated in accordance with the following conditions:<br/>475) The equipment must be installed and operated in accordance with the following conditions:<br/>476) The equipment must be installed and operated in accordance with the following conditions:<br/>477) The equipment must be installed and operated in accordance with the following conditions:<br/>478) The equipment must be installed and operated in accordance with the following conditions:<br/>479) The equipment must be installed and operated in accordance with the following conditions:<br/>480) The equipment must be installed and operated in accordance with the following conditions:<br/>481) The equipment must be installed and operated in accordance with the following conditions:<br/>482) The equipment must be installed and operated in accordance with the following conditions:<br/>483) The equipment must be installed and operated in accordance with the following conditions:<br/>484) The equipment must be installed and operated in accordance with the following conditions:<br/>485) The equipment must be installed and operated in accordance with the following conditions:<br/>486) The equipment must be installed and operated in accordance with the following conditions:<br/>487) The equipment must be installed and operated in accordance with the following conditions:<br/>488) The equipment must be installed and operated in accordance with the following conditions:<br/>489) The equipment must be installed and operated in accordance with the following conditions:<br/>490) The equipment must be installed and operated in accordance with the following conditions:<br/>491) The equipment must be installed and operated in accordance with the following conditions:<br/>492) The equipment must be installed and operated in accordance with the following conditions:<br/>493) The equipment must be installed and operated in accordance with the following conditions:<br/>494) The equipment must be installed and operated in accordance with the following conditions:<br/>495) The equipment must be installed and operated in accordance with the following conditions:<br/>496) The equipment must be installed and operated in accordance with the following conditions:<br/>497) The equipment must be installed and operated in accordance with the following conditions:<br/>498) The equipment must be installed and operated in accordance with the following conditions:<br/>499) The equipment must be installed and operated in accordance with the following conditions:<br/>500) The equipment must be installed and operated in accordance with the following conditions:<br/>501) The equipment must be installed and operated in accordance with the following conditions:<br/>502) The equipment must be installed and operated in accordance with the following conditions:<br/>503) The equipment must be installed and operated in accordance with the
following conditions:<br/>504) The equipment must be installed and operated in accordance with the following conditions:<br/>505) The equipment must be installed and operated in accordance with the following conditions:<br/>506) The equipment must be installed and operated in accordance with the following conditions:<br/>507) The equipment must be installed and operated in accordance with the following conditions:<br/>508) The equipment must be installed and operated in accordance with the following conditions:<br/>509) The equipment must be installed and operated in accordance with the following conditions:<br/>510) The equipment must be installed and operated in accordance with the following conditions:<br/>511) The equipment must be installed and operated in accordance with the following conditions:<br/>512) The equipment must be installed and operated in accordance with the following conditions:<br/>513) The equipment must be installed and operated in accordance with the following conditions:<br/>514) The equipment must be installed and operated in accordance with the following conditions:<br/>515) The equipment must be installed and operated in accordance with the following conditions:<br/>516) The equipment must be installed and operated in accordance with the following conditions:<br/>517) The equipment must be installed and operated in accordance with the following conditions:<br/>518) The equipment must be installed and operated in accordance with the following conditions:<br/>519) The equipment must be installed and operated in accordance with the following conditions:<br/>520) The equipment must be installed and operated in accordance with the following conditions:<br/>521) The equipment must be installed and operated in accordance with the following conditions:<br/>522) The equipment must be installed and operated in accordance with the following conditions:<br/>523) The equipment must be installed and operated in accordance with the following conditions:<br/>524) The equipment must be installed and operated in accordance with the following conditions:<br/>525) The equipment must be installed and operated in accordance with the following conditions:<br/>526) The equipment must be installed and operated in accordance with the following conditions:<br/>527) The equipment must be installed and operated in accordance with the following conditions:<br/>528) The equipment must be installed and operated in accordance with the following conditions:<br/>529) The equipment must be installed and operated in accordance with the following conditions:<br/>530) The equipment must be installed and operated in accordance with the following conditions:<br/>531) The equipment must be installed and operated in accordance with the following conditions:<br/>532) The equipment must be installed and operated in accordance with the following conditions:<br/>533) The equipment must be installed and operated in accordance with the following conditions:<br/>534) The equipment must be installed and operated in accordance with the following conditions:<br/>535) The equipment must be installed and operated in accordance with the following conditions:<br/>536) The equipment must be installed and operated in accordance with the following conditions:<br/>537) The equipment must be installed and operated in accordance with the following conditions:<br/>538) The equipment must be installed and operated in accordance with the following conditions:<br/>539) The equipment must be installed and operated in accordance with the following conditions:<br/>540) The equipment must be installed and operated in accordance with the following conditions:<br/>541) The equipment must be installed and operated in accordance with the following conditions:<br/>542) The equipment must be installed and operated in accordance with the following conditions:<br/>543) The equipment must be installed and operated in accordance with the following conditions:<br/>544) The equipment must be installed and operated in accordance with the following conditions:<br/>545) The equipment must be installed and operated in accordance with the following conditions:<br/>546) The equipment must be installed and operated in accordance with the following conditions:<br/>547) The equipment must be installed and operated in accordance with the following conditions:<br/>548) The equipment must be installed and operated in accordance with the following conditions:<br/>549) The equipment must be installed and operated in accordance with the following conditions:<br/>550) The equipment must be installed and operated in accordance with the following conditions:<br/>551) The equipment must be installed and operated in accordance with the following conditions:<br/>552) The equipment must be installed and operated in accordance with the following conditions:<br/>553) The equipment must be installed and operated in accordance with the following conditions:<br/>554) The equipment must be installed and operated in accordance with the following conditions:<br/>555) The equipment must be installed and operated in accordance with the following conditions:<br/>556) The equipment must be installed and operated in accordance with the following conditions:<br/>557) The equipment must be installed and operated in accordance with the following conditions:<br/>558) The equipment must be installed and operated in accordance with the following conditions:<br/>5</small> |  |   |   |

Europe	mandatory	<div></div> <div>European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 111mA = 3,728 W Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64632 Babenhausen, Germany Phone: +49 6073 120  *Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC*</div>	Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).	RED DoC	<div></div> <div>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</div>
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	yes	
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	yes	NCA APPROVED: BR3-1M-GE2-0BA
Indonesia	mandatory	<div><div>(Certificate Number) (PLG ID Number) Label format</div><div>12345/SDPPI/2011 1234 Example</div><div></div></div>	Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.  The frame is not required.  Label and QR Code ( that is on the Certificate ) must be printed on the product.  The product label photo must be uploaded within 30days after the certificate issued	yes	<div>BBU 63076/SDPPI/2019 4334</div> <div></div>
Kazakhstan	mandatory	<div></div> <div></div>	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Kyrgyz Republic	mandatory	<div></div> <div></div>	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Malaysia	mandatory	<div><div>8 mm (minimum size)</div><div></div><div>8 mm (minimum size)</div><div>ABCD12345678</div></div>	The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.  Replace ABCD12345678 with the HIDF1500019 (Malaysian Agency no.)	yes, Approval No: RFCL/19A/0718/S/(18-2545)	<div></div> <div>MCMC HIDF1500019</div>
Mexico	mandatory	IFT: XXXXXXX18-XXXX  La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.	Replace XXXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	RLVVW1819-0009
Moldavia	mandatory	<div></div> <div>024</div>	Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification  May be enlarged & minimized according to the proportions of the product. Recommended height of the triangle= 1.25mm <div></div>	yes	<div></div> <div>024</div>
Morocco	mandatory if not on device	AGREE PAR L'ANRT MAROC Numéro d'agrément: MR XXXXX ANRT YEAR Date d'agrément: DD/MM/YYYY	Insert the number and date which will be given by the Moroccan authority  The frame is not required.	yes	MR 16907 ANRT 2018 21.06.2018
Nigeria	mandatory	<div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div>		yes	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission
Oman	mandatory	<div>OMAN - TRA</div> <div>X/NNNN/YY Dyynnnn</div>	Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.  Black&white label in the manual is possible.  The frame is not required.	yes	TRA/TA-R/6696/18




























Russia	mandatory		For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Serbia	mandatory if not on device		European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.  Min size of triangle with authorized body and year is 5mm.  Black&white label in the manual is possible.  The frame is not required.  	yes	
Singapore	mandatory if not on device	Complies with IMDA Standards [Dealer's Licence No.]	Label Size 17mm by 9mm  Black&white is possible.  Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).	yes	
South Korea	mandatory if not on device		R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&white possible.	yes	
Taiwan	mandatory		Replace XXXXZZDZZZZXZ by the number which will be given by the Taiwan's authority. Z are numbers, X are letters  NCC Warning statement needs to be printed in the user manual.  Black&white possible.	yes	CCAL16LP1480T4 
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	TRA REGISTERED No: ERZZZZZZ DEALER No: DAZZZZZZ	Label is optional on device, because it is mounted.  Minimum font size of 1mm is possible.  The frame is not required.  Black&white is possible.  Replace nnnnnnnnnn by the registration number allocated by the TRA (=the UAE authority) for this equipment.  Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.	yes	
Ukraine	mandatory		Add (Link to) Ukrainian Declaration of Conformity -> Certificate No. <b>0848</b>	yes	
USA	mandatory	FCC ID 2AOUZXXXXXXX  <small>Radiofrequency radiation exposure information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm, between the antenna and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.  Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.  NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada <i>Spécifications</i> RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation de cet appareil est soumise aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.  NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</small>	FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.  Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.	yes	FCC ID 2AOUZ18020534 
Vietnam	mandatory if not on device		Minimum font size: 1mm  The frame is mandatory!  Replace Name by the local name of the representative company. "SunTech Vietnam"  Replace Code by the local representative company's code number - "C00082015"	yes	
Zambia	mandatory if not on device		ZICTA minimum font size: 3mm and number:2mm,  Replace 201/x/xxxxxx by the number which will be given by the Zambian authority.  Frame is not required.  Black& white is possible.	yes	ZMB/ZICTA/TA/2018/10/27

Affected Part Numbers:	
Vehicle	Customer part no.
(e.g. AU326)	(e.g. 83A 920 700)
Lavida BEV	19D 920 655 A
Bora BEV	19E 920 655 A
Tharu	26G 920 655
B-Suv	3CN 920 750 C
B-Suv	3CN 920 850 C
Passat Phev	3G0 920 654 E
Passat	3G0 920 654 F
Passat	3G0 920 750 F
Passat	3G0 920 751 F
Passat	3G0 920 754 F
Passat	3G0 920 950 E
Passat	3G0 920 950 F
Passat	3G0 920 951 E
Passat	3G0 920 951 F
Passat Phev	3G0 920 954 E
Passat	3G0 920 954 F
Passat	3G0 920 954 F
Passat Elegance	3G5 920 750 B
Passat Elegance, Arteon	3G5 920 750 B
Passat Elegance, Arteon	3G5 920 751 B
Passat Elegance, Arteon	3G5 920 850 B
Passat Elegance, Arteon	3G5 920 950 B
Passat Elegance, Arteon	3G5 920 951 B
NMS PHEV	3G8 920 654 A
Magotan PHEV	3GD 920 654
Superb L&K	3VD 920 710 D
Superb	3VD 920 710 E
Superb L&K	3VD 920 711 D
Superb	3VD 920 711 E
Superb	3VD 920 750 D
Superb	3VD 920 750 E
Superb	3VD 920 751 D
Superb	3VD 920 751 E
Superb	3VD 920 754
Superb L&K	3VD 920 910 D
Superb	3VD 920 910 E
Superb L&K	3VD 920 911 D
Superb	3VD 920 911 E
Superb	3VD 920 950 D
Superb	3VD 920 950 E
Superb	3VD 920 951 D
Superb	3VD 920 951 E
Superb	3VD 920 954
Sportsvan	517 920 650 E
Sportsvan	517 920 651 E
Sportsvan	517 920 750 E
Sportsvan	517 920 751 E
Sportsvan	517 920 950 E
Sportsvan	517 920 951 E
Kodiaq/Karoq	565 920 750 C
Kodiaq/Karoq	565 920 751 C
Kodiaq/Karoq	565 920 950 C
Kodiaq/Karoq	565 920 951 C
Ateca	5FD 920 750 G
Ateca	5FD 920 751 G
Ateca	5FD 920 951 G
Golf	561 920 750 E
Golf	561 920 756 E
Golf	561 920 850 E
Golf	561 920 856 E
Tiguan	5NA 920 650 D
Tiguan	5NA 920 651 D
Tiguan	5NA 920 750 D
Tiguan	5NA 920 751 D
Tiguan	5NA 920 850 D
Tiguan	5NA 920 950 D
Tiguan	5NA 920 951 D
Tiguan	5NG 920 650 D
Touran	5TA 920 750 D
Touran	5TA 920 751 D
Touran	5TA 920 950 D
Touran	5TA 920 951 D
T6	7LA 920 751
T6	7LA 920 951
Crafter	7LE 920 755 A
Passat Elegance, Arteon	3G5 920 951 B
Passat Elegance, Arteon	3G5 920 850 B
Tiguan	5NA 920 750 D
Tiguan	5NA 920 751 D
Tiguan	5NA 920 950 D
Tiguan	5NA 920 951 D
Tiguan	5NA 920 650 D
Tharu	26G 920 655
Tiguan	5NG 920 650 D
Tiguan	5NA 920 651 D
Ateca	5FD 920 958 G
Lavida BEV	19D 920 655 A
NMS PHEV	3G8 920 654 A
Bora BEV	19G 920 655 A
Kodiaq/Karoq	565 920 750 D
Kodiaq/Karoq	565 920 751 D
Kodiaq/Karoq	565 920 950 D
Kodiaq/Karoq	565 920 951 D
Superb	3VD 920 750 F
Superb	3VD 920 751 F
Superb	3VD 920 950 F
Superb	3VD 920 951 F
Superb	3VD 920 710 F
Superb	3VD 920 711 F
Superb	3VD 920 910 F
Superb	3VD 920 911 F
Superb	3VD 920 754 A
Superb	3VD 920 954 A










Status: 31.05.2020

MQB MY 21 - WFS 5d  
Affected car partnumber see below marking table.

	Marking in car manual			Comments / Certificate already available ("Yes") or certificate not yet available ("no")	Replace Place Holder
Country	Obligation	Marking	Comments		Bundle 18100931  MQB MY 21 - WFS 5d
All Countries	mandatory	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany		yes	Continental Automotive GmbH VDO-Strasse 1 64832 Babenhausen Germany
All Countries	mandatory	Model: XXXXXXXX	Replace XXXXXXXX by Continental Radio Homologation Number which will be given by the Continental radio homologation team.	yes	18100931
Argentina	mandatory	CNC ID: XX-99999 <div>CNC COMISIÓN NACIONAL DE COMUNICACIONES</div>	Label and Logo are mandatory in manual  Replace XX-9999 by a number which will be given by the Argentinian authority.  Font CNC = Century Gothic Bold Font other text = Arial Minimum height 3 points (1.5mm)  If the number has only one letter, the blank will be placed at the end of the number  Black&white label in the manual is possible. The institutional color palette is composed of grey, red and blue	yes	H-24442
Armenia	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Belarus	mandatory	 	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Botswana	preliminary	<div>BOCRA REGISTERED No : nnnnnn</div>	Height of the text must be minimum of 2mm. Frame is obligatory. No restrictions for frame dimensions or distances.  "nnnnn" to be substituted by the Botswana certification number, e.g. BOCRA/TA/2017/1234	yes	BOCRA/TA/2020/5191
Brazil	mandatory	Modelo XXXXXX  OHHHH-AA-OFFFF  Atendimento à Regulamentação Anatel  Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.  Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados. Para maiores informações, consulte o site da ANATEL www.anatel.gov.br	Replace XXXXXX by Continental Radio Homologation Number (which can have more than 6 digits; currently it has 8 digits)  Replace OHHHH-AA-OFFFF by a number which will be given by the Brazilian authority.  Black/white approach is recommend since colour versions needs ANATEL's permission.	yes	09275-19-06353
Brunei	mandatory		The importeur needs to buy this label which has to be impletmed in car manual	yes, Certificate Number: DTA-005532	
Canada	mandatory	IC: 23650-XXXXXXX  <small>Radiofrequency radiation exposure information This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the antenna and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.  Le présent équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre le corps de l'utilisateur et l'appareil.  NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada Classé en exempt RSS limitation. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  Le présent appareil est conforme aux CNR d'Industry Canada relatives aux appareils radio exemptés de licence. L'utilisation de l'appareil est soumise aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, (2) l'appareil doit accepter tout brouillage radioélectrique qu'il recevra sans qu'il soit nécessaire d'arrêter son fonctionnement.  NOTICE: Changer de radiations émise de cet équipement est autorisé par Industry Canada à condition que l'utilisateur ne s'oppose pas à l'opération.</small>	The number "23650-" is the Continental Babenhausen Registration Number for Canada.  Replace XXXXXXXX by Continental Radio Homologation Number.	yes	IC: 23650-18100931  <small>Radiofrequency radiation exposure information This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the antenna and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.  Le présent équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre le corps de l'utilisateur et l'appareil.  NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada Classé en exempt RSS limitation. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  Le présent appareil est conforme aux CNR d'Industry Canada relatives aux appareils radio exemptés de licence. L'utilisation de l'appareil est soumise aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, (2) l'appareil doit accepter tout brouillage radioélectrique qu'il recevra sans qu'il soit nécessaire d'arrêter son fonctionnement.</small>

Europe	mandatory	<div></div> <div>European Union: Declaration of Conformity Hereby, Continental Automotive GmbH declares that the radio equipment type [designation of type of radio equipment] Technical information: Frequency Band: 125 kHz Output Power: (max. transmission power) Immobilizer type 3, 4, 5a: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 33mA = 1,108 W Immobilizer type 5c: 95 V peak-to-peak / 2 / Sqrt(2) x Ieff max 1.1mA = 3,728 W  Manufacturer: Continental Automotive GmbH Address: VDO-Strasse 1, 64832 Babenhausen, Germany Phone: +49 6073 120</div> <div>"Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC"</div>	Please replace the EU declaration text by the native language translation of the country where you sell the cars (translated text see separate page "EU DoC" in this file).	RED DoC	<div></div> <div>Please add EU declaration text in the native language of the countries where you import the cars- see separate page EU DoC</div>		
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific-homologation-no.	yes	NCA APPROVED: ZRO-M8-7E3-27B		
Jordan	mandatory if not on device	TRC/LPD/YEAR/XXX	Replace LPD/YEAR/XXX by the numbers which will be given by the Jordanian authority.	yes			
Ghana	mandatory	NCA APPROVED: XXX-YY-ZZZ-XXX	XXX-YY-ZZZ-XXX = model-specific homologation-no.	yes	NCA APPROVED: ZRO-M8-7E3-27B		
Indonesia	mandatory	<div>(Certificate Number) (PLG ID Number) Label format 12345/SDPPI/2011 1234 Example</div> <div></div>	Replace (Certificate Number) and (PLG ID Number) by the numbers which will be given by the Indonesian authority.  The frame is not required.  Label and QR Code ( that is on the Certificate ) must be printed on the product.  The product label photo must be uploaded within 30days after the certificate issued	yes	<div>BBU 67512/SDPPI/2020 4334</div> <div></div>	<div>BDY 67359/SDPPI/2020 4334</div> <div></div>	<div>GDJ 67495/SDPPI/2020 4334</div> <div></div>
Kazakhstan	mandatory	<div></div> <div></div>	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues			
Kyrgyz Republic	mandatory	<div></div> <div></div>	For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues			
Malaysia	mandatory	<div></div>	The size of the Certification Mark may be reduced or enlarged proportionately as required but shall be no smaller than 8 millimeters in height by 8 millimeters in width (8 mm x 8 mm) and shall be legible and visible to the unaided eye.  Replace ABCD12345678 with the HIDE1500019 (Malayian Agency no.)	yes, Approval no. RFCL/44A/0320/S(26-1385)			
Mexico	mandatory	IFT: XXXXXX18-XXXX  La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.	Replace XXXXXX18-XXXX by the number which will be given by the Mexican authority.	yes	RLVCO1820-0821		
Moldavia	mandatory	<div></div>	Label in Black and white is allowed "024" is the number of the Notified Body involved in the certification.  May be enlarged & minimized according to the proportions of the product. Recommended height of the triangle= 1,25mm <div></div>	no	<div></div>		
Morocco	mandatory if not on device	AGREE PAR L'ANRT MAROC Numéro d'agrément: MR XXXXX ANRT YEAR Date d'agrément: DD/MM/YYYY	Insert the number and date which will be given by the Moroccan authority  The frame is not required.	yes	MR 21807 ANRT 2019 23.12.2019		
Nigeria	mandatory	<div>Connection and use of this communications equipment is permitted by the Nigerian Communications Commission</div>		no	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission		
Oman	mandatory	<div>OMAN - TRA X/NNNN/YY Dyynnnn</div>	Replace X/NNNN/YY and Dyynnn by the numbers which will be given by the Oman authority.  Black&white label in the manual is possible.  The frame is not required.	yes	TRA/TA-R/8749/19		



Russia	mandatory		For dark background use white letters and for light background use black letters	EAC marking not required for Radio Frequency Homologation anymore, only for custom issues	
Serbia	mandatory if not on device		European CE label + Serbian label required. If there is already "Continental" + Continental Homologation Number somewhere on device, in car manual or on spare part package then only the Serbian logo with the number needs to be printed on the device.  Min size of triangle with authorized body and year is 5mm.  Black&white label in the manual is possible.  The frame is not required.  	yes	
Singapore	mandatory if not on device	Complies with IMDA Standards <a href="#">[Dealer's Licence No.]</a>	Label Size 17mm by 9mm  Black&white is possible.  Replace [Dealer's Licence No.] by DA104682 (which is the current local VW representative).	yes	
South Korea	mandatory if not on device		R-CRM-ABC-XXXXXXXXXX will be replaced by the number that will be given by the Korean authority.  Black&white possible.	yes	
Taiwan	mandatory		Replace XXXXZZXXZZZZXZ by the number which will be given by the Taiwan's authority. Z are numbers, X are letters  NCC Warning statement needs to be printed in the user manual.  Black&white possible.	yes	CCAM20LP0390T 
UAE (Dubai, Abu Dhabi, etc)	mandatory if not on device	TRA REGISTERED No: <a href="#">ERZZZZZZ</a> DEALER No: <a href="#">DAZZZZZZ</a>	Label is optional on device, because it is mounted.  Minimum font size of 1mm is possible.  The frame is not required.  Black&white is possible.  Replace nnnnnnnnnn by the registration number allocated by the TRA (=the UAE authority) for this equipment.  Replace xxxxxxxx by the dealer registration number allocated by the TRA for the dealer who made the application for this equipment.	yes	
Ukraine	mandatory		Add (Link to) Ukrainian Declaration of Conformity -> Certificate No. <a href="#">UA.R.TR.052.081-20</a>	yes	
USA	mandatory	FCC ID 2AOUZXXXXXX  <small>Radiofrequency radiation exposure information: This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.  Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.  NOTICE: This device complies with Part 15 of the FCC Rules and with Industry Canada <a href="#">Radio</a> exempt RSS standards. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause unintended operation.  Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.  NOTICE: Changes or modifications made to this equipment not expressly approved by Continental Automotive GmbH may void the FCC authorization to operate this equipment.</small>	FCC ID 2AOUZ is BU ID BBU Grantee Code and always remain the same.  Replace XXXXXXXX by the Continental radio homologation number which will be given by the Continental radio homologation team.	yes	FCC ID 2AOUZ18100931 
Vietnam	mandatory if not on device		Minimum font size: 1mm  The frame is mandatory!  Replace Name by the local name of the representative company. "SunTech Vietnam"  Replace Code by the local representative company's code number. "C00082015"	yes	
Zambia	mandatory if not on device		ZICTA minimum font size: 3mm and number:2mm,  Replace 201/x/xxxxxx by the number which will be given by the Zambian authority.  Frame is not required.  Black& white is possible.	yes	ZMB/ZICTA/TA/2020/2/35

Affected Part Numbers:	
Vehicle	Customer part no.

[e.g. AU326]	[e.g. 83A 920 700]
Passat	3G0 920 950 G
Leon	5F0 920 750 G
Leon	5F0 920 751 G
Leon	5F0 920 951 G
Kodiat/Karoq	565 920 750 C
Kodiat/Karoq	565 920 751 C
Kodiat/Karoq	565 920 950 C
Kodiat/Karoq	565 920 951 C
Superb	3V0 920 750 E
Superb	3V0 920 751 E
Superb	3V0 920 950 E
Superb	3V0 920 951 E
Superb	3V0 920 710 E
Superb	3V0 920 711 E
Superb	3V0 920 910 E
Superb	3V0 920 911 E
TS	7LA 920 751
TS	7LA 920 951
Crafter	7LE 920 755 A
Touran	5TA 920 750 D
Touran	5TA 920 751 D
Touran	5TA 920 950 D
Touran	5TA 920 951 D
Golf Plus	517 920 750 E
Golf Plus	517 920 751 E
Golf Plus	517 920 950 E
Golf Plus	517 920 951 E
Golf Plus	517 920 650 E
Golf Plus	517 920 651 E
Passat	3G0 920 750 F
Passat	3G0 920 751 F
Passat	3G0 920 950 F
Passat	3G0 920 951 F
Passat	3G0 920 754 F
Passat	3G0 920 654 F
Passat Elegance	3G5 920 750 B
Passat Elegance	3G5 920 751 B
Passat Elegance	3G5 920 950 B
Passat Elegance	3G5 920 951 B
Passat Elegance	3G5 920 850 B
Tiguan	5NA 920 750 D
Tiguan	5NA 920 751 D
Tiguan	5NA 920 950 D
Tiguan	5NA 920 951 D
Tiguan	5NA 920 650 D
Tiguan	5NA 920 651 D
Tiguan	5NA 920 750 E
Tiguan	5NA 920 751 E
Tiguan	5NA 920 950 E
Tiguan	5NA 920 951 E
Tiguan	5NA 920 850 E
B-Suv	3CN 920 750 D
B-Suv	3CN 920 850 D
Kodiat/Karoq	565 920 750 D
Kodiat/Karoq	565 920 751 D
Kodiat/Karoq	565 920 950 D
Kodiat/Karoq	565 920 951 D
Superb	3V0 920 750 F
Superb	3V0 920 751 F
Superb	3V0 920 950 F
Superb	3V0 920 951 F
Superb	3V0 920 710 F
Superb	3V0 920 711 F
Superb	3V0 920 910 F
Superb	3V0 920 911 F
Superb	3V0 920 754 A
Superb	3V0 920 954 A
TS PA	7LA 920 751 A
TS PA	7LA 920 951 A
Crafter	7LE 920 755 B
Touran	5TA 920 750 E
Touran	5TA 920 751 E
Touran	5TA 920 950 E
Touran	5TA 920 951 E
Sportsvan	517 920 750 F
Sportsvan	517 920 751 F
Sportsvan	517 920 950 F
Sportsvan	517 920 951 F
Sportsvan	517 920 650 F
Sportsvan	517 920 651 F
Passat	3G0 920 750 G
Passat	3G0 920 751 G
Passat	3G0 920 951 G
Passat Phev	3G0 920 954 G
Passat Phev	3G0 920 654 G
Tiguan	5NA 920 750 E
Tiguan	5NA 920 751 E
Tiguan	5NA 920 950 E
Tiguan	5NA 920 951 E
Tiguan	5NA 920 650 E
Tiguan	5NA 920 651 E
Ateca	5F0 920 750 H
Ateca	5F0 920 751 H
Ateca	5F0 920 951 H
Ateca	5F0 920 958 H
Tiguan	5NG 920 650 E
Lavida BEV	19D 920 655 B
Bora BEV	19G 920 655 B
Tharu BEV	2G6 920 655 A
NMS PHEV	3GB 920 654 C
Touran	5TA 920 750 E
Magotan PHEV	3GD 920 654 A
Passat Phev	3G0 920 754 G

Superb	3V0 920 750 F
Superb	3V0 920 751 F
Superb	3V0 920 950 F
Superb	3V0 920 951 F
Superb	3V0 920 710 F
Superb	3V0 920 711 F
Superb	3V0 920 910 F
Superb	3V0 920 911 F
Superb	3V0 920 754 A
Superb	3V0 920 954 A